

# **ICC-ES Evaluation Report**

#### **ESR-2573**

Reissued October 2023

Subject to renewal October 2025

ICC-ES Evaluation Reports are not to be construed as representing aesthetics or any other attributes not specifically addressed, nor are they to be construed as an endorsement of the subject of the report or a recommendation for its use. There is no warranty by ICC Evaluation Service, LLC, express or implied, as to any finding or other matter in this report, or as to any product covered by the report.

Copyright © 2023 ICC Evaluation Service, LLC. All rights reserved.

DIVISION: 07 00 00 -THERMAL AND MOISTURE PROTECTION

Section: 07 31 29— Wood Shingles and

**Shakes** 

REPORT HOLDER: CEDAR SHAKE AND SHINGLE BUREAU

ADDITIONAL LISTEE: PREMIUM CEDAR PRODUCTS LTD.

EVALUATION SUBJECT: WESTERN RED CEDAR SHAKES AND SHINGLES



## 1.0 EVALUATION SCOPE

#### Compliance with the following codes:

- 2015, 2012, 2009 and 2006 International Building Code® (IBC)
- 2015, 2012, 2009 and 2006 International Residential Code (IRC)
- 1997 Uniform Building Code™ (UBC)
- 2013 Abu Dhabi International Building Code (ADIBC)†

<sup>†</sup>The ADIBC is based on the 2009 IBC. 2009 IBC code sections referenced in this report are the same sections in the ADIBC.

#### Property evaluated:

Roof covering

# **2.0 USES**

The western red cedar shakes and shingles are wood roof covering materials for use where the codes permit nonclassified (IBC and IRC) or nonrated (UBC) roof covering.

## 3.0 DESCRIPTION

The western red cedar shakes (nonpreservative-treated) are manufactured in accordance with the grading rules specified in 2015, 2012 and 2009 IBC Section 1507.9.6 and 2006 IBC Section 1507.9.5, IRC Section R905.8.5 and UBC Standard 15-3.

The western red cedar shingles (nonpreservative-treated) are manufactured in accordance with the grading rules specified in 2015, 2012 and 2009 IBC Section 1507.8.5 and 2006 IBC Section 1507.8.4, IRC Section R905.7.4) and UBC Standard 15-4.

## 4.0 INSTALLATION

The western red cedar shakes must be installed in accordance with IBC Section 1507.9, IRC Section R905.8 or UBC Table 15-B-2, as applicable.

The western red cedar shingles must be installed in accordance with IBC Section 1507.8, IRC Section R905.7 or UBC Table 15-B-2, as applicable.

# **5.0 CONDITIONS OF USE:**

The western red cedar shakes and shingles described in this report comply with, or are suitable alternatives to what is specified in, those codes listed in Section 1.0 of this report, subject to the following conditions:

- **5.1** Products must be identified as shown in Figure 1 of this report.
- **5.2** Products are manufactured by Premium Cedar Products Ltd. and are inspected by Intertek Testing Services NA, Inc. (AA-647).
- **5.3** The products must be installed as noted in Section 4.0.

#### **6.0 EVIDENCE SUBMITTED**

- **6.1** Data in accordance with the ICC-ES Acceptance Criteria for Quality Control of Wood Shakes and Shingles (AC09), dated October 2004 (editorially revised August 2015).
- **6.2** Quality documentation in accordance with the ICC-ES Acceptance Criteria for Quality Documentation (AC10), dated February 2009.
- **6.3** Quality control manuals, label facsimiles and inspection agency procedures.

## 7.0 IDENTIFICATION

- 7.1 Each bundle of shakes and shingles must be labeledas noted in <u>Figure 1</u> of this report. Each pallet must have a pallet release tag showing the mill name (Premium Cedar Products, Ltd.), the mill address, the packing date, the product type, the evaluation report number (ESR-2573) and the dated signature of the responsible person releasing the material.
- **7.2** The report holder's contact information is the following:

CEDAR SHAKE AND SHINGLE BUREAU POST OFFICE BOX 1178 SUMAS, WASHINGTON 98295-1178 (604) 820-7700 www.cedarbureau.org info@cedarbureau.com

**7.3** The Additional Listee's contact information is the following:

PREMIUM CEDAR PRODUCTS LTD. 9414 288<sup>th</sup> STREET RUSKIN, BRITISH COLUMBIA V2X 8Y6 CANADA








FIGURE 1