



DIVISION: 13 00 00—SPECIAL CONSTRUCTION
Section: 13 11 13—Below-Grade Swimming Pools

REPORT HOLDER:

LATHAM POOL PRODUCTS

EVALUATION SUBJECT:

STEEL WALL VINYL-LINED RESIDENTIAL SWIMMING POOLS

1.0 EVALUATION SCOPE

Compliance with the following codes:

- 2024, 2021, 2018, 2015, 2012, 2009 and 2006 *International Building Code*® (IBC)
- 2024, 2021, 2018, 2015, 2012, 2009 and 2006 *International Residential Code*® (IRC)
- 2024, 2021, 2018 and 2015 *International Swimming Pool and Spa Code*® (ISPSC)
- 2024, 2021, 2018, 2015, 2012 and 2009 *Uniform Swimming Pool, Spa and Hot Tub Code*® (USPSHC)
- 2022, 2019, 2016, 2013 and 2010 *California Residential Code*® (CRC)
- 2023, 2020 and 2017 *City of Los Angeles Residential Code*® (LARC)

Compliance with the following standards:

- APSP/ANSI 5-2011, Standard for Residential Inground Swimming Pools
- AC279, ICC-ES Acceptance Criteria for Vinyl-lined Residential Swimming Pool, approved date October 2005 (editorially revised April 2009)

2.0 USES

The Latham Pool Products Corporation's in-ground steel wall vinyl-lined residential swimming pools are permanently installed for recreational use as swimming pools in residential applications with water circulated through a filter in a closed system. The pools comply with APSP/ANSI-5 as Type 0 pools as noted in Table 1.

3.0 DESCRIPTION

The Latham Pool Products Corporation's in-ground steel wall swimming pools consist of steel wall panels, steel frames and supports, vinyl liners, and associated accessories (e.g., pool steps, copings, skimmer, filters, and lighting). Steel panels are comprised of No. 14 gage [minimum 0.068 inch (1.75 mm)] base-metal thickness steel

sheets complying with ASTM A653 (Type B), with coating designation Z700. Steel frames and supports are comprised of No. 12 gage [minimum 0.097 inch (2.46 mm)] base-metal thickness cold-rolled steel complying with ASTM A 653 (Type B), with coating designation Z720. The vinyl liner is a flexible polyvinyl material that has a minimum thickness of 20 mils (0.51 mm). Copings are aluminum or PVC. Fasteners are 3/8-inch-diameter, 1-inch-long (9.5 mm by 25.4 mm), flanged hex, Grade 2, A 307 steel bolts, JS500 coated, with matching hex nuts complying with ASTM A 563 Grade B, D or DH. The overall dimensions, depths and capacities of recognized models are shown in Table 1.

4.0 DESIGN AND INSTALLATION

The Latham Pool Products Corporation's in-ground steel wall swimming pools must be installed in accordance with this report and the manufacturer's published installation instructions. All plumbing and electrical work must comply with the codes in effect at the construction site.

The swimming pools may be installed without a soil investigation by a registered design professional, subject to the code official's approval, provided none of the following conditions is encountered at the site:

1. The existence of groundwater within the depth of the pool excavation.
2. The existence of uncompacted fill in contact with any portion of the pool.
3. The existence of any expansive-type soils.
4. The existence of any soil types with an angle of repose that will not support the walls of the excavation at desired slopes.
5. Danger to adjacent structures posed by the proposed pool location.
6. The existence of any cracks or openings in soil that would not confine sand bedding.
7. The setback between pools and slopes does not comply with Section 1808.7 of the IBC.

If any of the above conditions are encountered, excavation must cease immediately. The specified conditions at the site must then be reviewed, and recommendations made by a registered design professional. The code official must approve the registered design professional's analysis before work is resumed.

Details specifically for installations in expansive, clay, or adobe soils apply only when supported by the registered design professional's analysis and approved by the code official.

The site for the pool must be initially excavated to the required grade below the vertical wall panel depth. The site must then be overexcavated approximately 2 feet (610 mm) around the perimeter of the pool along its vertical wall panel line to permit installation of the wall panels and back braces. Excavation and fine grading of pool bottom and side slopes must then be completed. Back braces and wall panels must be placed and bolted together. Plumbing and associated accessories must be installed in accordance with the applicable plumbing code. Normal-weight concrete with a minimum 28-day specified compressive strength of 2,500 psi (17.2 mPa), must be placed behind the panels around the perimeter of the pool 8 inches deep by 24 inches wide (203 mm by 610 mm), including the area behind any walk-in staircases, to fill the width of the excavation. Additional concrete must be placed at each back brace to a minimum depth of 12 inches (305 mm). A cementitious pool base mix, such as concrete or vermiculite-cement, must be placed over the pool bottom to a depth of 2 inches to 3 inches (51 mm to 76 mm), and troweled to a smooth finish.

Exception: If groundwater is encountered during excavation, a 3-inch-thick (76 mm) layer of $\frac{3}{4}$ -inch-diameter (19 mm) stone must be placed, and then a 3-inch-thick (76 mm) layer of concrete must then be placed over the stone. A $\frac{1}{2}$ -inch-thick (12.7 mm) layer of cementitious pool base mix must be smoothed over the concrete.

The vinyl liner must then be installed in strict compliance with the manufacturer's instructions, to ensure a smooth, waterproof surface that conforms to the pool walls and bottom surfaces. Backfilling behind the pool panels then takes place using clean, porous soils, free of roots and debris, installed and carefully tamped in layers not to exceed 12 inches (305 mm) in thickness to eliminate voids. The backfill placement and filling of the pool with water are to be accomplished concurrently in order to prevent uneven loading on the pool panels and avoid the potential collapse of the pool wall.

5.0 CONDITIONS OF USE

The pools described in this report comply with, or are suitable alternatives to what is specified in, those codes listed in Section 1.0 of this report, subject to the following conditions:

5.1 The pools must be constructed and installed in accordance with this report and the manufacturer's published installation instructions. In the event of a conflict, this report governs.

5.2 Electrical, mechanical and plumbing installations must comply with the applicable codes in effect at the construction site.

5.3 Setback between pools and from slopes must comply with IBC Section 1808.7, or IRC Section R403.1.7

5.4 A barrier is required in accordance with IBC Section 3109 or IRC Section AG105, and ISPSC Section 305, as applicable.

5.5 Slip resistance is outside the scope of this evaluation report. Reports of slip resistance tests that demonstrate compliance with Section 8.1 of APSP/ANSI-5 must be submitted to the code official for approval.

5.6 Diving equipment may not be installed.

5.7 Suction outlets must be designed and installed in accordance with IBC Section 3109.5, ISPSC Section 310 and IRC Section AG106.1.

6.0 IDENTIFICATION

Each pool shell, at the skimmer area, bears a label with the name Latham Pool Products Corporation's; the manufacturing plant location (6930 Gettysburg Pike, Fort Wayne, Indiana); the pool model; a bar code for traceability; and the evaluation report number (ESR-2782).

A permanent sign, bearing the following statement, must be attached to the pool pumping equipment:

Notice: The pool must remain full of water at all times. Pool may be damaged if the water level is allowed to drop below the inlet. When appreciable drawdown is noticed or if it becomes necessary to drain the pool, the manufacturer/pool dealer must be contacted for instructions.

A permanent label must be attached adjacent to the above sign indicating the name, address and telephone number of the Latham Pool Products Corporation's products distributor.

6.1 The report holder's contact information is the following:

LATHAM POOL PRODUCTS
787 WATERVLIET-SHAKER ROAD
LATHAM, NEW YORK 12110
(518) 951-1000
www.lathampool.com

TABLE 1—STERLING POOLS

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
CALIFORNIAN	15-3	27-10	6'-0"	9,100
CALIFORNIAN	18-8	30-2	6'-0"	11,300
CALIFORNIAN	18-8	31-8	6'-0"	11,900
CALIFORNIAN	20-10	34-5	6'-0"	14,700
CALIFORNIAN	20-10	36-8	8'-0"	19,500
CALIFORNIAN	23-4	37-10	8'-0"	22,100
CALIFORNIAN	23-4	43-3	8'-0"	24,600
CANCUN	16-5	29-0	6'-0"	11,100
CANCUN	18-7	31-10	6'-0"	14,100
CANCUN	20-1	34-0	6'-0"	15,900
CANCUN	23-1	39-10	8'-0"	24,900
CARAT	16-0	32-0	6'-0"	13,600
CARAT	18-0	36-0	8'-0"	20,900
CARAT	20-0	40-0	8'-0"	25,200
CELEBRITY	12-0	27-11	6'-0"	10,400
CELEBRITY	14-0	29-11	6'-0"	11,400
CELEBRITY	14-0	34-1	8'-0"	17,000
CELEBRITY	14-0	32-6	8'-0"	17,400
CELEBRITY	16-0	35-11	8'-0"	20,000
CELEBRITY	17-0	38-6	8'-0"	23,900
CELEBRITY	20-0	40-0	8'-0"	27,600
CLOVERLEAF	28-6	26-3	6'-0"	16,200
CLOVERLEAF	30-10	29-5	6'-0"	20,300
CONTEMPORARY FULL L	14-0	30-0	6'-0"	12,300
CONTEMPORARY FULL L	16-0	34-0	6'-0"	16,000
CONTEMPORARY LAZY L	15-4	29-8	6'-0"	9,400
CONTEMPORARY LAZY L	15-4	31-8	6'-0"	10,200
CONTEMPORARY LAZY L	19-6	35-9	6'-0"	13,400
CONTRA	14-0	30-3	6'-0"	11,100
CONTRA	16-0	33-4	6'-0"	13,900
CRESCENT/KIDNEY	13-2	24-1	6'-0"	7,400
CRESCENT/KIDNEY	15-5	27-7	6'-0"	10,100
CRESCENT/KIDNEY	16-0	29-1	6'-0"	10,800
CRESCENT/KIDNEY	17-7	29-11	6'-0"	12,300
CRESCENT/KIDNEY	15-7	26-11	6'-0"	9,800
CRESCENT/KIDNEY	18-2	32-1	8'-0"	17,200
CRESCENT/KIDNEY	18-9	34-0	8'-0"	18,000
CRESCENT/KIDNEY	19-10	34-0	8'-0"	17,700
CRESCENT/KIDNEY	21-0	36-0	8'-0"	20,900
CRESCENT/KIDNEY	21-5	35-11	8'-0"	19,400
CRESCENT/KIDNEY	22-8	39-11	8'-0"	24,200
CRESCENT/KIDNEY	23-10	41-0	8'-0"	26,400
DIAMOND	21-0	30-0	6'-0"	15,700
DIAMOND	23-11	36-0	8'-0"	25,200
DIAMOND	27-0	40-0	8'-0"	32,600
FIGURE 8	12-0	24-0	6'-0"	7,700
FIGURE 8	14-0	27-10	6'-0"	10,100
FIGURE 8	16-0	32-0	8'-0"	16,800
FIGURE 8	16-0	34-0	8'-0"	18,700

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 1—STERLING POOLS (Continued)

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
FIGURE 8	18-0	35-9	8'-0"	22,100
FIGURE 8	20-0	40-0	8'-0"	27,300
FULL L 6 IN RAD	14-0	30-0	6'-0"	13,000
FULL L 6 IN RAD	16-0	34-0	6'-0"	16,700
FULL L 6 IN RAD	16-0	36-0	6'-0"	18,400
FULL L 6 IN RAD	16-0	41-0	8'-0"	24,100
FULL L 6 IN RAD	18-0	43-0	8'-0"	28,800
FULL L 6 IN RAD	20-0	0-0	8'-0"	29,500
FULL L 6 IN RAD	20-0	46-0	8'-0"	32,900
FULL L 2 FT RAD	14-0	30-0	6'-0"	12,900
FULL L 2 FT RAD	16-0	34-0	6'-0"	17,404
FULL L 2 FT RAD	16-0	36-0	6'-0"	18,400
FULL L 2 FT RAD	16-0	41-0	8'-0"	24,000
FULL L 2 FT RAD	18-0	43-0	8'-0"	28,700
FULL L 2 FT RAD	20-0	40-0	8'-0"	29,500
FULL L 2 FT RAD	20-0	46-0	8'-0"	32,900
FULL L 4 FT RAD	14-0	30-0	6'-0"	12,500
FULL L 4 FT RAD	16-0	34-0	6'-0"	16,200
FULL L 4 FT RAD	16-0	36-0	6'-0"	18,000
FULL L 4 FT RAD	16-0	41-0	8'-0"	23,700
FULL L 4 FT RAD	18-0	43-0	8'-0"	30,759
FULL L 4 FT RAD	20-0	40-0	8'-0"	29,100
FULL L 4 FT RAD	20-0	46-0	8'-0"	35,552
FULL L GRECIAN	16-6	43-6	8'-0"	24,400
GEMINI	13-6	23-8	6'-0"	7,100
GEMINI	16-6	27-11	6'-0"	10,000
GEMINI	16-3	29-2	6'-0"	10,500
GEMINI	16-3	30-1	6'-0"	10,800
GEMINI	18-0	31-3	8'-0"	16,400
GEMINI	18-6	32-0	8'-0"	16,700
GEMINI	18-5	33-10	8'-0"	17,100
GEMINI	20-1	34-3	8'-0"	19,400
GEMINI	20-7	36-0	8'-0"	20,100
GEMINI	21-3	38-0	8'-0"	20,800
GEMINI	22-9	39-11	8'-0"	23,700
GEMINI	25-6	44-0	8'-0"	29,100
GRECIAN	14-6	24-6	6'-0"	9,500
GRECIAN	14-6	28-6	6'-0"	11,000
GRECIAN	16-6	32-6	8'-0"	16,414
GRECIAN	16-6	34-6	8'-0"	17,497
GRECIAN	16-11	30-11	8'-0"	17,500
GRECIAN	19-4	35-4	8'-0"	20,287
GRECIAN	19-4	41-4	8'-0"	25,800
GRECIAN	20-6	40-6	8'-0"	26,300
HELINA	14-0	29-6	6'-0"	12,000
HELINA	16-0	33-6	8'-0"	19,000
JAMAICA	16-3	27-11	6'-0"	11,200
JAMAICA	18-3	31-11	8'-0"	17,900
JAMAICA	20-3	35-11	8'-0"	22,800

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 1—STERLING POOLS (Continued)

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
JAMAICA	22-3	39-11	8'-0"	27,100
KEY	18-10	28-3	6'-0"	11,100
KEY	19-10	31-3	8'-0"	17,700
KEY	20-10	32-3	8'-0"	19,300
KEY	22-10	36-3	8'-0"	25,300
KEY	24-10	40-3	8'-0"	30,700
KEYHOLE	15-2	32-11	8'-0"	17,600
LAGOON	21-10	23-9	6'-0"	10,100
LAGOON	25-11	27-10	6'-0"	13,800
LAGOON	29-9	32-5	8'-0"	22,000
LAGOON	34-1	36-1	8'-0"	27,400
LAGOON	38-0	40-1	8'-0"	33,800
LAZY L 6 IN RAD	19-3	33-9	6'-0"	12,300
LAZY L 6 IN RAD	20-8	33-10	6'-0"	13,800
LAZY L 6 IN RAD	20-8	39-10	8'-0"	20,100
LAZY L 6 IN RAD	22-10	41-7	8'-0"	23,200
LAZY L 6 IN RAD	25-6	47-9	8'-0"	28,900
LAZY L 2 FT RAD	19-10	31-11	6'-0"	11,900
LAZY L 2 FT RAD	19-10	33-0	6'-0"	13,700
LAZY L 2 FT RAD	19-10	35-0	6'-0"	14,700
LAZY L 2 FT RAD	22-0	37-0	8'-0"	19,400
LAZY L 2 FT RAD	18-0	40-9	8'-0"	23,100
LAZY L 4 FT RAD	17-7	32-1	6'-0"	11,900
LAZY L 4 FT RAD	19-0	32-2	6'-0"	13,500
LAZY L 4 FT RAD	19-2	38-2	8'-0"	19,700
LAZY L 4 FT RAD	21-2	39-11	8'-0"	22,800
LAZY L 4 FT RAD	23-10	46-2	8'-0"	28,500
LAZY L GRECIAN	16-6	40-0	8'-0"	21,200
LAZY L OVAL	17-7	31-2	6'-0"	11,100
LAZY L OVAL	19-0	32-1	6'-0"	12,700
LAZY L OVAL	19-0	34-1	6'-0"	13,700
LAZY L OVAL	19-0	37-1	8'-0"	18,400
LAZY L OVAL	21-2	39-11	8'-0"	21,500
LAZY L ROMAN	22-0	42-9	8'-0"	23,200
LIBERTY	12-10	25-11	6'-0"	7,900
LIBERTY	13-9	28-5	6'-0"	8,900
LIBERTY	16-10	31-0	6'-0"	11,500
LIBERTY	21-1	37-7	6'-0"	17,200
MONACO 4 FT RAD	13-0	29-1	6'-0"	10,200
MONACO 4 FT RAD	15-0	37-1	6'-0"	15,400
MONACO K	11-0	25-0	6'-0"	7,900
MONACO K	11-0	28-0	6'-0"	8,700
MONACO K	13-0	29-1	6'-0"	10,600
MONACO K	15-0	33-0	8'-0"	17,800
MONACO K	15-0	36-0	8'-0"	18,600
MONACO K	17-0	36-0	8'-0"	21,800
MONACO K	17-0	40-0	8'-0"	24,800
MONACO K REVERSE	11-0	25-0	6'-0"	8,500
MONACO K REVERSE	11-0	28-0	6'-0"	9,400

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 1—STERLING POOLS (Continued)

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
MONACO K REVERSE	13-0	29-1	6'-0"	11,400
MONACO K REVERSE	15-0	33-0	8'-0"	17,800
MONACO K REVERSE	15-0	36-0	8'-0"	18,800
MONACO K REVERSE	17-0	36-0	8'-0"	21,700
MONACO K REVERSE	17-0	40-0	8'-0"	24,100
MONTE CARLO	15-2	27-11	6'-0"	10,100
MONTE CARLO	17-7	31-8	8'-0"	16,800
MONTE CARLO	20-8	36-2	8'-0"	21,400
MONTE CARLO	22-4	40-3	8'-0"	26,200
MONTEREY	16-0	33-4	6'-0"	13,200
MONTEREY	18-0	34-8	6'-0"	15,700
MONTEREY	19-0	36-1	6'-0"	17,400
MONTEREY	19-0	40-1	6'-0"	19,300
MOUNTAIN LAKE	17-4	28-0	6'-0"	10,100
MOUNTAIN LAKE	18-10	32-0	6'-0"	12,600
MOUNTAIN LAKE	20-1	34-0	6'-0"	13,700
MOUNTAIN LAKE	20-0	34-7	8'-0"	17,300
MOUNTAIN LAKE	21-10	36-0	8'-0"	19,500
MOUNTAIN LAKE	23-10	40-0	8'-0"	23,600
MOUNTAIN LAKE REVERSE	14-0	28-0	6'-0"	9,500
MOUNTAIN LAKE REVERSE	16-0	32-0	6'-0"	11,800
MOUNTAIN LAKE REVERSE	16-0	34-0	6'-0"	12,900
MOUNTAIN LAKE REVERSE	16-0	34-7	8'-0"	16,800
MOUNTAIN LAKE REVERSE	18-0	36-0	8'-0"	18,300
MOUNTAIN LAKE REVERSE	20-0	40-0	8'-0"	22,300
MOUNTAIN OASIS	14-0	31-5	6'-0"	12,100
MOUNTAIN OASIS	16-0	36-6	6'-0"	13,400
MOUNTAIN OASIS	16-0	39-3	8'-0"	19,400
MOUNTAIN OASIS	16-0	44-8	8'-0"	26,400
NORLANDER	11-0	26-0	6'-0"	7,800
NORLANDER	11-0	28-0	6'-0"	8,600
NORLANDER	12-0	27-7	6'-0"	8,700
NORLANDER	12-0	29-7	6'-0"	9,600
NORLANDER	13-0	32-1	6'-0"	11,000
NORLANDER	15-0	34-6	8'-0"	17,000
NORLANDER	15-0	36-6	8'-0"	18,600
NORLANDER	17-0	39-10	8'-0"	23,000
ODESSY	14-0	20-3	6'-0"	6,300
ODESSY	12-1	22-2	6'-0"	6,400
ODESSY	15-2	24-0	6'-0"	7,700
ODESSY	16-8	25-3	6'-0"	9,000
ODESSY	15-9	27-10	6'-0"	9,600
ODESSY	17-6	31-3	8'-0"	15,300
ODESSY	18-6	31-10	8'-0"	16,100
ODESSY	18-8	34-3	8'-0"	16,700
ODESSY	19-4	31-10	8'-0"	17,800
ODESSY	21-2	35-10	8'-0"	19,300
ODESSY	23-7	40-2	8'-0"	24,000
OFFSET GRECIAN	16-7	27-7	6'-0"	10,400

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 1—STERLING POOLS (Continued)

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
OFFSET GRECIAN	18-7	31-7	8'-0"	17,600
OFFSET GRECIAN	20-7	35-7	8'-0"	21,600
OFFSET GRECIAN	22-7	39-7	8'-0"	27,000
OVAL	14-0	28-0	6'-0"	10,500
OVAL	15-0	29-11	6'-0"	11,500
OVAL	16-0	29-11	6'-0"	12,200
OVAL	16-0	31-11	8'-0"	16,600
OVAL	16-0	33-11	8'-0"	17,300
OVAL	17-0	32-10	8'-0"	18,000
OVAL	18-0	36-0	8'-0"	20,000
OVAL	20-0	40-1	8'-0"	25,600
PALETTE	16-0	30-5	6'-0"	11,800
PALETTE	18-0	34-0	6'-0"	15,300
PALETTE	19-0	36-1	6'-0"	17,800
PALETTE	22-0	39-8	8'-0"	25,900
PATRICIAN 6 IN RAD	14-0	28-0	6'-0"	10,900
PATRICIAN 6 IN RAD	14-0	30-0	6'-0"	11,800
PATRICIAN 6 IN RAD	16-0	32-0	8'-0"	17,600
PATRICIAN 6 IN RAD	18-0	36-0	8'-0"	21,400
PATRICIAN 6 IN RAD	18-0	40-0	8'-0"	23,700
PATRICIAN 6 IN RAD	20-0	40-0	8'-0"	27,300
PATRICIAN 6 IN RAD	22-0	44-0	8'-0"	32,700
PATRICIAN 2 FT RAD	14-0	28-0	6'-0"	10,800
PATRICIAN 2 FT RAD	14-0	30-0	6'-0"	11,700
PATRICIAN 2 FT RAD	16-0	32-0	8'-0"	17,500
PATRICIAN 2 FT RAD	18-0	36-0	8'-0"	21,300
PATRICIAN 2 FT RAD	18-0	40-0	8'-0"	23,600
PATRICIAN 2 FT RAD	20-0	40-0	8'-0"	27,200
PATRICIAN 2 FT RAD	22-0	44-0	8'-0"	32,600
RECTANGLE 6 IN RAD	10-0	20-0	6'-0"	5,700
RECTANGLE 6 IN RAD	12-0	24-0	6'-0"	8,300
RECTANGLE 6 IN RAD	14-0	28-0	6'-0"	11,400
RECTANGLE 6 IN RAD	16-0	32-0	8'-0"	18,400
RECTANGLE 6 IN RAD	16-0	34-0	8'-0"	19,300
RECTANGLE 6 IN RAD	16-0	38-0	8'-0"	21,700
RECTANGLE 6 IN RAD	18-0	36-0	8'-0"	22,300
RECTANGLE 6 IN RAD	18-0	38-0	8'-0"	25,200
RECTANGLE 6 IN RAD	20-0	40-0	8'-0"	28,200
RECTANGLE 2 FT RAD	10-0	20-0	6'-0"	5,700
RECTANGLE 2 FT RAD	12-0	24-0	6'-0"	8,200
RECTANGLE 2 FT RAD	14-0	28-0	6'-0"	11,400
RECTANGLE 2 FT RAD	16-0	32-0	8'-0"	18,300
RECTANGLE 2 FT RAD	16-0	34-0	8'-0"	19,000
RECTANGLE 2 FT RAD	16-0	38-0	8'-0"	21,600
RECTANGLE 2 FT RAD	18-0	36-0	8'-0"	22,200
RECTANGLE 2 FT RAD	18-0	38-0	8'-0"	23,600
RECTANGLE 2 FT RAD	20-0	40-0	8'-0"	28,200
RECTANGLE 4 FT RAD	10-0	20-0	6'-0"	5,400
RECTANGLE 4 FT RAD	12-0	24-0	6'-0"	7,900

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 1—STERLING POOLS (Continued)

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
RECTANGLE 4 FT RAD	14-0	28-0	6'-0"	11,000
RECTANGLE 4 FT RAD	16-0	32-0	8'-0"	18,000
RECTANGLE 4 FT RAD	16-0	34-0	8'-0"	18,600
RECTANGLE 4 FT RAD	16-0	38-0	8'-0"	21,200
RECTANGLE 4 FT RAD	18-0	36-0	8'-0"	21,900
RECTANGLE 4 FT RAD	18-0	38-0	8'-0"	23,300
RECTANGLE 4 FT RAD	20-0	40-0	8'-0"	27,800
RIO CARRE	18-7	30-2	6'-0"	12,300
RIO CARRE	19-7	32-2	6'-0"	14,400
RIO CARRE	19-7	34-2	6'-0"	15,100
RIO CARRE	19-7	36-2	6'-0"	16,100
RIO CARRE	21-7	36-2	8'-0"	22,300
RIO CARRE	21-7	40-2	8'-0"	24,600
RIO RONDE	17-11	27-2	6'-0"	11,100
RIO RONDE	21-4	29-7	6'-0"	14,200
RIO RONDE	21-4	31-7	6'-0"	15,200
RIO RONDE	21-4	33-7	6'-0"	16,300
RIO RONDE	22-4	35-4	6'-0"	18,400
RIO RONDE	23-9	40-0	6'-0"	21,400
RIVIERA	21-1	32-7	6'-0"	14,600
RIVIERA	23-1	36-7	8'-0"	22,700
RIVIERA MARK II	22-3	37-4	8'-0"	21,200
ROMAN 6 IN RAD	14-0	27-11	6'-0"	10,500
ROMAN 6 IN RAD	14-0	29-11	6'-0"	11,100
ROMAN 6 IN RAD	16-0	32-0	8'-0"	17,300
ROMAN 6 IN RAD	18-0	36-0	8'-0"	20,900
ROMAN 6 IN RAD	18-0	40-0	8'-0"	22,500
ROMAN 6 IN RAD	20-0	40-0	8'-0"	26,800
ROMAN 6 IN RAD	22-0	44-0	8'-0"	31,300
ROMAN 2 FT RAD	14-0	27-11	6'-0"	10,400
ROMAN 2 FT RAD	14-0	29-11	6'-0"	11,000
ROMAN 2 FT RAD	16-0	32-0	8'-0"	175,200
ROMAN 2 FT RAD	18-0	36-0	8'-0"	20,800
ROMAN 2 FT RAD	18-0	40-0	8'-0"	22,400
ROMAN 2 FT RAD	20-0	40-0	8'-0"	26,700
ROMAN 2 FT RAD	22-0	44-0	8'-0"	31,200
ROUND	18-0	18-0	3'-4"	8,300
ROUND	21-0	21-0	3'-4"	11,400
ROUND	24-0	24-0	3'-4"	14,900
ROUND	32-0	32-0	3'-4"	26,400
SENTRA	14-1	31-4	6'-0"	11,100
SENTRA	16-10	35-5	8'-0"	18,600
SPECIAL FULL L	13-8	30-8	6'-0"	12,100
SPECIAL FULL L	16-1	34-5	8'-0"	20,200
SUMMERVILLE	9-8	23-8	6'-0"	6,700
SUMMERVILLE	11-8	28-8	6'-0"	9,900
SUMMERVILLE	12-6	32-6	6'-0"	11,400
SUMMERVILLE	14-6	32-6	6'-0"	13,300
SUMMERVILLE	14-6	36-6	8'-0"	17,900

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 1—STERLING POOLS (Continued)

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
SUMMERVILLE	16-6	38-6	8'-0"	21,300
SUMMERVILLE	18-6	39-6	8'-0"	24,700
SUPRA	14-0	31-11	6'-0"	11,700
SUPRA	16-0	34-1	6'-0"	14,100
TAMPA	24-0	31-11	8'-0"	19,400
TAMPA	26-0	36-8	8'-0"	22,700
TAMPA	30-0	40-1	8'-0"	28,600
TAORMINA	18-6	28-0	6'-0"	11,200
TAORMINA	18-5	30-0	6'-0"	11,400
TAORMINA	20-5	32-0	8'-0"	17,200
TAORMINA	20-5	34-0	8'-0"	17,800
TAORMINA	20-6	36-2	8'-0"	18,000
TAORMINA	24-0	34-1	8'-0"	20,600
TAORMINA	24-11	36-1	8'-0"	21,700
TAORMINA	24-0	40-0	8'-0"	23,400
TECH C	11-8	23-11	6'-0"	6,300
TECH C	14-1	28-4	6'-0"	8,800
TECH C	16-1	30-0	6'-0"	11,000
TECH C	16-1	32-0	6'-0"	11,800
TECH C	16-1	34-0	6'-0"	12,700
TECH C	18-1	33-7	6'-0"	14,200
TECH C	21-1	35-11	6'-0"	16,900
TECH J	18-3	31-11	6'-0"	11,100
TECH J	21-11	34-10	6'-0"	15,600
TECH K	15-0	30-0	6'-0"	10,400
TECH K	16-0	32-1	6'-0"	12,100
TECH K	18-2	34-0	6'-0"	14,400
TECH K	20-0	36-2	8'-0"	21,700
TECH P	12-0	32-0	6'-0"	11,300
TECH P	15-0	36-0	6'-0"	15,900
TECH P	17-0	40-0	8'-0"	23,500
TECH RIO	14-10	24-6	6'-0"	7,500
TECH RIO	16-10	27-6	6'-0"	10,600
TECH RIO	19-7	30-2	6'-0"	13,600
TECH RIO	19-7	32-2	6'-0"	14,500
TECH RIO	19-7	34-2	6'-0"	15,700
TECH RIO	21-7	36-2	8'-0"	22,000
TECH RIO	21-7	40-2	8'-0"	23,900
TROPIC	12-1	30-6	6'-0"	10,400
TROPIC	18-9	30-6	6'-0"	12,300
TROPIC	18-9	32-6	6'-0"	13,100
TROPIC	16-6	34-6	6'-0"	16,000
TROPIC	19-4	40-4	8'-0"	25,100
TROPICAL	19-4	32-2	8'-0"	18,100
VISTA	14-3	28-0	6'-0"	9,300
VISTA	16-3	32-0	6'-0"	12,600
VISTA	18-8	36-5	6'-0"	16,500
VISTA	20-2	39-10	6'-0"	19,500

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 2—CLASSIC POOLS

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
CALIFORNIAN	15-3	27-10	6'-0"	9,100
CALIFORNIAN	18-8	30-2	6'-0"	11,300
CALIFORNIAN	18-8	31-8	6'-0"	11,900
CALIFORNIAN	20-10	34-5	6'-0"	14,700
CALIFORNIAN	20-10	36-8	8'-0"	19,500
CALIFORNIAN	23-4	37-10	8'-0"	22,100
CALIFORNIAN	23-4	43-3	8'-0"	24,600
CANCUN	16-5	29-0	6'-0"	11,100
CANCUN	18-7	31-10	6'-0"	14,100
CANCUN	20-1	34-0	6'-0"	15,900
CANCUN	23-1	39-10	8'-0"	24,900
CARAT	16-0	32-0	6'-0"	13,600
CARAT	18-0	36-0	8'-0"	20,900
CARAT	20-0	40-0	8'-0"	25,200
CELEBRITY	12-0	27-11	6'-0"	10,400
CELEBRITY	14-0	29-11	6'-0"	11,400
CELEBRITY	14-0	34-1	8'-0"	17,000
CELEBRITY	14-0	32-6	8'-0"	17,400
CELEBRITY	16-0	35-11	8'-0"	20,000
CELEBRITY	17-0	38-6	8'-0"	23,900
CELEBRITY	20-0	40-0	8'-0"	27,600
CLOVERLEAF	28-6	26-3	6'-0"	16,200
CLOVERLEAF	30-10	29-5	6'-0"	20,300
CONTEMPORARY FULL L	14-0	30-0	6'-0"	12,300
CONTEMPORARY FULL L	16-0	34-0	6'-0"	16,000
CONTEMPORARY LAZY L	15-4	29-8	6'-0"	9,400
CONTEMPORARY LAZY L	15-4	31-8	6'-0"	10,200
CONTEMPORARY LAZY L	19-6	35-9	6'-0"	13,400
CONTRA	14-0	30-3	6'-0"	11,100
CONTRA	16-0	33-4	6'-0"	13,900
CRESCENT/KIDNEY	13-2	24-1	6'-0"	7,400
CRESCENT/KIDNEY	15-5	27-7	6'-0"	10,100
CRESCENT/KIDNEY	16-0	29-1	6'-0"	10,800
CRESCENT/KIDNEY	17-7	29-11	6'-0"	12,300
CRESCENT/KIDNEY	15-7	26-11	6'-0"	9,800
CRESCENT/KIDNEY	18-2	32-1	8'-0"	17,200
CRESCENT/KIDNEY	18-9	34-0	8'-0"	18,000
CRESCENT/KIDNEY	19-10	34-0	8'-0"	17,700
CRESCENT/KIDNEY	21-0	36-0	8'-0"	20,900
CRESCENT/KIDNEY	21-5	35-11	8'-0"	19,400
CRESCENT/KIDNEY	22-8	39-11	8'-0"	24,200
CRESCENT/KIDNEY	23-10	41-0	8'-0"	26,400
DIAMOND	21-0	30-0	6'-0"	15,700
DIAMOND	23-11	36-0	8'-0"	25,200
DIAMOND	27-0	40-0	8'-0"	32,600
FIGURE 8	12-0	24-0	6'-0"	7,700
FIGURE 8	14-0	27-10	6'-0"	10,100
FIGURE 8	16-0	32-0	8'-0"	16,800
FIGURE 8	16-0	34-0	8'-0"	18,700

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 2—CLASSIC POOLS (Continued)

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
FIGURE 8	18-0	35-9	8'-0"	22,100
FIGURE 8	20-0	40-0	8'-0"	27,300
FULL L 6 IN RAD	14-0	30-0	6'-0"	13,000
FULL L 6 IN RAD	16-0	34-0	6'-0"	16,700
FULL L 6 IN RAD	16-0	36-0	6'-0"	18,400
FULL L 6 IN RAD	16-0	41-0	8'-0"	24,100
FULL L 6 IN RAD	18-0	43-0	8'-0"	28,800
FULL L 6 IN RAD	20-0	0-0	8'-0"	29,500
FULL L 6 IN RAD	20-0	46-0	8'-0"	32,900
FULL L 2 FT RAD	14-0	30-0	6'-0"	12,900
FULL L 2 FT RAD	16-0	34-0	6'-0"	17,404
FULL L 2 FT RAD	16-0	36-0	6'-0"	18,400
FULL L 2 FT RAD	16-0	41-0	8'-0"	24,000
FULL L 2 FT RAD	18-0	43-0	8'-0"	28,700
FULL L 2 FT RAD	20-0	40-0	8'-0"	29,500
FULL L 2 FT RAD	20-0	46-0	8'-0"	32,900
FULL L 4 FT RAD	14-0	30-0	6'-0"	12,500
FULL L 4 FT RAD	16-0	34-0	6'-0"	16,200
FULL L 4 FT RAD	16-0	36-0	6'-0"	18,000
FULL L 4 FT RAD	16-0	41-0	8'-0"	23,700
FULL L 4 FT RAD	18-0	43-0	8'-0"	30,759
FULL L 4 FT RAD	20-0	40-0	8'-0"	29,100
FULL L 4 FT RAD	20-0	46-0	8'-0"	35,552
FULL L GRECIAN	16-6	43-6	8'-0"	24,400
GEMINI	13-6	23-8	6'-0"	7,100
GEMINI	16-6	27-11	6'-0"	10,000
GEMINI	16-3	29-2	6'-0"	10,500
GEMINI	16-3	30-1	6'-0"	10,800
GEMINI	18-0	31-3	8'-0"	16,400
GEMINI	18-6	32-0	8'-0"	16,700
GEMINI	18-5	33-10	8'-0"	17,100
GEMINI	20-1	34-3	8'-0"	19,400
GEMINI	20-7	36-0	8'-0"	20,100
GEMINI	21-3	38-0	8'-0"	20,800
GEMINI	22-9	39-11	8'-0"	23,700
GEMINI	25-6	44-0	8'-0"	29,100
GRECIAN	14-6	24-6	6'-0"	9,500
GRECIAN	14-6	28-6	6'-0"	11,000
GRECIAN	16-6	32-6	8'-0"	16,414
GRECIAN	16-6	34-6	8'-0"	17,497
GRECIAN	16-11	30-11	8'-0"	17,500
GRECIAN	19-4	35-4	8'-0"	20,287
GRECIAN	19-4	41-4	8'-0"	25,800
GRECIAN	20-6	40-6	8'-0"	26,300
HELINA	14-0	29-6	6'-0"	12,000
HELINA	16-0	33-6	8'-0"	19,000
JAMAICA	16-3	27-11	6'-0"	11,200
JAMAICA	18-3	31-11	8'-0"	17,900
JAMAICA	20-3	35-11	8'-0"	22,800

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 2—CLASSIC POOLS (Continued)

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
JAMAICA	22-3	39-11	8'-0"	27,100
KEY	18-10	28-3	6'-0"	11,100
KEY	19-10	31-3	8'-0"	17,700
KEY	20-10	32-3	8'-0"	19,300
KEY	22-10	36-3	8'-0"	25,300
KEY	24-10	40-3	8'-0"	30,700
KEYHOLE	15-2	32-11	8'-0"	17,600
LAGOON	21-10	23-9	6'-0"	10,100
LAGOON	25-11	27-10	6'-0"	13,800
LAGOON	29-9	32-5	8'-0"	22,000
LAGOON	34-1	36-1	8'-0"	27,400
LAGOON	38-0	40-1	8'-0"	33,800
LAZY L 6 IN RAD	19-3	33-9	6'-0"	12,300
LAZY L 6 IN RAD	20-8	33-10	6'-0"	13,800
LAZY L 6 IN RAD	20-8	39-10	8'-0"	20,100
LAZY L 6 IN RAD	22-10	41-7	8'-0"	23,200
LAZY L 6 IN RAD	25-6	47-9	8'-0"	28,900
LAZY L 2 FT RAD	19-10	31-11	6'-0"	11,900
LAZY L 2 FT RAD	19-10	33-0	6'-0"	13,700
LAZY L 2 FT RAD	19-10	35-0	6'-0"	14,700
LAZY L 2 FT RAD	22-0	37-0	8'-0"	19,400
LAZY L 2 FT RAD	18-0	40-9	8'-0"	23,100
LAZY L 4 FT RAD	17-7	32-1	6'-0"	11,900
LAZY L 4 FT RAD	19-0	32-2	6'-0"	13,500
LAZY L 4 FT RAD	19-2	38-2	8'-0"	19,700
LAZY L 4 FT RAD	21-2	39-11	8'-0"	22,800
LAZY L 4 FT RAD	23-10	46-2	8'-0"	28,500
LAZY L GRECIAN	16-6	40-0	8'-0"	21,200
LAZY L OVAL	17-7	31-2	6'-0"	11,100
LAZY L OVAL	19-0	32-1	6'-0"	12,700
LAZY L OVAL	19-0	34-1	6'-0"	13,700
LAZY L OVAL	19-0	37-1	8'-0"	18,400
LAZY L OVAL	21-2	39-11	8'-0"	21,500
LAZY L ROMAN	22-0	42-9	8'-0"	23,200
LIBERTY	12-10	25-11	6'-0"	7,900
LIBERTY	13-9	28-5	6'-0"	8,900
LIBERTY	16-10	31-0	6'-0"	11,500
LIBERTY	21-1	37-7	6'-0"	17,200
MONACO 4 FT RAD	13-0	29-1	6'-0"	10,200
MONACO 4 FT RAD	15-0	37-1	6'-0"	15,400
MONACO K	11-0	25-0	6'-0"	7,900
MONACO K	11-0	28-0	6'-0"	8,700
MONACO K	13-0	29-1	6'-0"	10,600
MONACO K	15-0	33-0	8'-0"	17,800
MONACO K	15-0	36-0	8'-0"	18,600
MONACO K	17-0	36-0	8'-0"	21,800
MONACO K	17-0	40-0	8'-0"	24,800
MONACO K REVERSE	11-0	25-0	6'-0"	8,500
MONACO K REVERSE	11-0	28-0	6'-0"	9,400

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 2—CLASSIC POOLS (Continued)

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
MONACO K REVERSE	13-0	29-1	6'-0"	11,400
MONACO K REVERSE	15-0	33-0	8'-0"	17,800
MONACO K REVERSE	15-0	36-0	8'-0"	18,800
MONACO K REVERSE	17-0	36-0	8'-0"	21,700
MONACO K REVERSE	17-0	40-0	8'-0"	24,100
MONTE CARLO	15-2	27-11	6'-0"	10,100
MONTE CARLO	17-7	31-8	8'-0"	16,800
MONTE CARLO	20-8	36-2	8'-0"	21,400
MONTE CARLO	22-4	40-3	8'-0"	26,200
MONTEREY	16-0	33-4	6'-0"	13,200
MONTEREY	18-0	34-8	6'-0"	15,700
MONTEREY	19-0	36-1	6'-0"	17,400
MONTEREY	19-0	40-1	6'-0"	19,300
MOUNTAIN LAKE	17-4	28-0	6'-0"	10,100
MOUNTAIN LAKE	18-10	32-0	6'-0"	12,600
MOUNTAIN LAKE	20-1	34-0	6'-0"	13,700
MOUNTAIN LAKE	20-0	34-7	8'-0"	17,300
MOUNTAIN LAKE	21-10	36-0	8'-0"	19,500
MOUNTAIN LAKE	23-10	40-0	8'-0"	23,600
MOUNTAIN LAKE REVERSE	14-0	28-0	6'-0"	9,500
MOUNTAIN LAKE REVERSE	16-0	32-0	6'-0"	11,800
MOUNTAIN LAKE REVERSE	16-0	34-0	6'-0"	12,900
MOUNTAIN LAKE REVERSE	16-0	34-7	8'-0"	16,800
MOUNTAIN LAKE REVERSE	18-0	36-0	8'-0"	18,300
MOUNTAIN LAKE REVERSE	20-0	40-0	8'-0"	22,300
MOUNTAIN OASIS	14-0	31-5	6'-0"	12,100
MOUNTAIN OASIS	16-0	36-6	6'-0"	13,400
MOUNTAIN OASIS	16-0	39-3	8'-0"	19,400
MOUNTAIN OASIS	16-0	44-8	8'-0"	26,400
NORLANDER	11-0	26-0	6'-0"	7,800
NORLANDER	11-0	28-0	6'-0"	8,600
NORLANDER	12-0	27-7	6'-0"	8,700
NORLANDER	12-0	29-7	6'-0"	9,600
NORLANDER	13-0	32-1	6'-0"	11,000
NORLANDER	15-0	34-6	8'-0"	17,000
NORLANDER	15-0	36-6	8'-0"	18,600
NORLANDER	17-0	39-10	8'-0"	23,000
ODESSY	14-0	20-3	6'-0"	6,300
ODESSY	12-1	22-2	6'-0"	6,400
ODESSY	15-2	24-0	6'-0"	7,700
ODESSY	16-8	25-3	6'-0"	9,000
ODESSY	15-9	27-10	6'-0"	9,600
ODESSY	17-6	31-3	8'-0"	15,300
ODESSY	18-6	31-10	8'-0"	16,100
ODESSY	18-8	34-3	8'-0"	16,700
ODESSY	19-4	31-10	8'-0"	17,800
ODESSY	21-2	35-10	8'-0"	19,300
ODESSY	23-7	40-2	8'-0"	24,000
OFFSET GRECIAN	16-7	27-7	6'-0"	10,400

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 2—CLASSIC POOLS (Continued)

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
OFFSET GRECIAN	18-7	31-7	8'-0"	17,600
OFFSET GRECIAN	20-7	35-7	8'-0"	21,600
OFFSET GRECIAN	22-7	39-7	8'-0"	27,000
OVAL	14-0	28-0	6'-0"	10,500
OVAL	15-0	29-11	6'-0"	11,500
OVAL	16-0	29-11	6'-0"	12,200
OVAL	16-0	31-11	8'-0"	16,600
OVAL	16-0	33-11	8'-0"	17,300
OVAL	17-0	32-10	8'-0"	18,000
OVAL	18-0	36-0	8'-0"	20,000
OVAL	20-0	40-1	8'-0"	25,600
PALETTE	16-0	30-5	6'-0"	11,800
PALETTE	18-0	34-0	6'-0"	15,300
PALETTE	19-0	36-1	6'-0"	17,800
PALETTE	22-0	39-8	8'-0"	25,900
PATRICIAN 6 IN RAD	14-0	28-0	6'-0"	10,900
PATRICIAN 6 IN RAD	14-0	30-0	6'-0"	11,800
PATRICIAN 6 IN RAD	16-0	32-0	8'-0"	17,600
PATRICIAN 6 IN RAD	18-0	36-0	8'-0"	21,400
PATRICIAN 6 IN RAD	18-0	40-0	8'-0"	23,700
PATRICIAN 6 IN RAD	20-0	40-0	8'-0"	27,300
PATRICIAN 6 IN RAD	22-0	44-0	8'-0"	32,700
PATRICIAN 2 FT RAD	14-0	28-0	6'-0"	10,800
PATRICIAN 2 FT RAD	14-0	30-0	6'-0"	11,700
PATRICIAN 2 FT RAD	16-0	32-0	8'-0"	17,500
PATRICIAN 2 FT RAD	18-0	36-0	8'-0"	21,300
PATRICIAN 2 FT RAD	18-0	40-0	8'-0"	23,600
PATRICIAN 2 FT RAD	20-0	40-0	8'-0"	27,200
PATRICIAN 2 FT RAD	22-0	44-0	8'-0"	32,600
RECTANGLE 6 IN RAD	10-0	20-0	6'-0"	5,700
RECTANGLE 6 IN RAD	12-0	24-0	6'-0"	8,300
RECTANGLE 6 IN RAD	14-0	28-0	6'-0"	11,400
RECTANGLE 6 IN RAD	16-0	32-0	8'-0"	18,400
RECTANGLE 6 IN RAD	16-0	34-0	8'-0"	19,300
RECTANGLE 6 IN RAD	16-0	38-0	8'-0"	21,700
RECTANGLE 6 IN RAD	18-0	36-0	8'-0"	22,300
RECTANGLE 6 IN RAD	18-0	38-0	8'-0"	25,200
RECTANGLE 6 IN RAD	20-0	40-0	8'-0"	28,200
RECTANGLE 2 FT RAD	10-0	20-0	6'-0"	5,700
RECTANGLE 2 FT RAD	12-0	24-0	6'-0"	8,200
RECTANGLE 2 FT RAD	14-0	28-0	6'-0"	11,400
RECTANGLE 2 FT RAD	16-0	32-0	8'-0"	18,300
RECTANGLE 2 FT RAD	16-0	34-0	8'-0"	19,000
RECTANGLE 2 FT RAD	16-0	38-0	8'-0"	21,600
RECTANGLE 2 FT RAD	18-0	36-0	8'-0"	22,200
RECTANGLE 2 FT RAD	18-0	38-0	8'-0"	23,600
RECTANGLE 2 FT RAD	20-0	40-0	8'-0"	28,200
RECTANGLE 4 FT RAD	10-0	20-0	6'-0"	5,400
RECTANGLE 4 FT RAD	12-0	24-0	6'-0"	7,900

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 2—CLASSIC POOLS (Continued)

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
RECTANGLE 4 FT RAD	14-0	28-0	6'-0"	11,000
RECTANGLE 4 FT RAD	16-0	32-0	8'-0"	18,000
RECTANGLE 4 FT RAD	16-0	34-0	8'-0"	18,600
RECTANGLE 4 FT RAD	16-0	38-0	8'-0"	21,200
RECTANGLE 4 FT RAD	18-0	36-0	8'-0"	21,900
RECTANGLE 4 FT RAD	18-0	38-0	8'-0"	23,300
RECTANGLE 4 FT RAD	20-0	40-0	8'-0"	27,800
RIO CARRE	18-7	30-2	6'-0"	12,300
RIO CARRE	19-7	32-2	6'-0"	14,400
RIO CARRE	19-7	34-2	6'-0"	15,100
RIO CARRE	19-7	36-2	6'-0"	16,100
RIO CARRE	21-7	36-2	8'-0"	22,300
RIO CARRE	21-7	40-2	8'-0"	24,600
RIO RONDE	17-11	27-2	6'-0"	11,100
RIO RONDE	21-4	29-7	6'-0"	14,200
RIO RONDE	21-4	31-7	6'-0"	15,200
RIO RONDE	21-4	33-7	6'-0"	16,300
RIO RONDE	22-4	35-4	6'-0"	18,400
RIO RONDE	23-9	40-0	6'-0"	21,400
RIVIERA	21-1	32-7	6'-0"	14,600
RIVIERA	23-1	36-7	8'-0"	22,700
RIVIERA MARK II	22-3	37-4	8'-0"	21,200
ROMAN 6 IN RAD	14-0	27-11	6'-0"	10,500
ROMAN 6 IN RAD	14-0	29-11	6'-0"	11,100
ROMAN 6 IN RAD	16-0	32-0	8'-0"	17,300
ROMAN 6 IN RAD	18-0	36-0	8'-0"	20,900
ROMAN 6 IN RAD	18-0	40-0	8'-0"	22,500
ROMAN 6 IN RAD	20-0	40-0	8'-0"	26,800
ROMAN 6 IN RAD	22-0	44-0	8'-0"	31,300
ROMAN 2 FT RAD	14-0	27-11	6'-0"	10,400
ROMAN 2 FT RAD	14-0	29-11	6'-0"	11,000
ROMAN 2 FT RAD	16-0	32-0	8'-0"	175,200
ROMAN 2 FT RAD	18-0	36-0	8'-0"	20,800
ROMAN 2 FT RAD	18-0	40-0	8'-0"	22,400
ROMAN 2 FT RAD	20-0	40-0	8'-0"	26,700
ROMAN 2 FT RAD	22-0	44-0	8'-0"	31,200
ROUND	18-0	18-0	3'-4"	8,300
ROUND	21-0	21-0	3'-4"	11,400
ROUND	24-0	24-0	3'-4"	14,900
ROUND	32-0	32-0	3'-4"	26,400
SENTRA	14-1	31-4	6'-0"	11,100
SENTRA	16-10	35-5	8'-0"	18,600
SPECIAL FULL L	13-8	30-8	6'-0"	12,100
SPECIAL FULL L	16-1	34-5	8'-0"	20,200
SUMMERVILLE	9-8	23-8	6'-0"	6,700
SUMMERVILLE	11-8	28-8	6'-0"	9,900
SUMMERVILLE	12-6	32-6	6'-0"	11,400
SUMMERVILLE	14-6	32-6	6'-0"	13,300
SUMMERVILLE	14-6	36-6	8'-0"	17,900

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 2—CLASSIC POOLS (Continued)

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
SUMMERVILLE	16-6	38-6	8'-0"	21,300
SUMMERVILLE	18-6	39-6	8'-0"	24,700
SUPRA	14-0	31-11	6'-0"	11,700
SUPRA	16-0	34-1	6'-0"	14,100
TAMPA	24-0	31-11	8'-0"	19,400
TAMPA	26-0	36-8	8'-0"	22,700
TAMPA	30-0	40-1	8'-0"	28,600
TAORMINA	18-6	28-0	6'-0"	11,200
TAORMINA	18-5	30-0	6'-0"	11,400
TAORMINA	20-5	32-0	8'-0"	17,200
TAORMINA	20-5	34-0	8'-0"	17,800
TAORMINA	20-6	36-2	8'-0"	18,000
TAORMINA	24-0	34-1	8'-0"	20,600
TAORMINA	24-11	36-1	8'-0"	21,700
TAORMINA	24-0	40-0	8'-0"	23,400
TECH C	11-8	23-11	6'-0"	6,300
TECH C	14-1	28-4	6'-0"	8,800
TECH C	16-1	30-0	6'-0"	11,000
TECH C	16-1	32-0	6'-0"	11,800
TECH C	16-1	34-0	6'-0"	12,700
TECH C	18-1	33-7	6'-0"	14,200
TECH C	21-1	35-11	6'-0"	16,900
TECH J	18-3	31-11	6'-0"	11,100
TECH J	21-11	34-10	6'-0"	15,600
TECH K	15-0	30-0	6'-0"	10,400
TECH K	16-0	32-1	6'-0"	12,100
TECH K	18-2	34-0	6'-0"	14,400
TECH K	20-0	36-2	8'-0"	21,700
TECH P	12-0	32-0	6'-0"	11,300
TECH P	15-0	36-0	6'-0"	15,900
TECH P	17-0	40-0	8'-0"	23,500
TECH RIO	14-10	24-6	6'-0"	7,500
TECH RIO	16-10	27-6	6'-0"	10,600
TECH RIO	19-7	30-2	6'-0"	13,600
TECH RIO	19-7	32-2	6'-0"	14,500
TECH RIO	19-7	34-2	6'-0"	15,700
TECH RIO	21-7	36-2	8'-0"	22,000
TECH RIO	21-7	40-2	8'-0"	23,900
TROPIC	12-1	30-6	6'-0"	10,400
TROPIC	18-9	30-6	6'-0"	12,300
TROPIC	18-9	32-6	6'-0"	13,100
TROPIC	16-6	34-6	6'-0"	16,000
TROPIC	19-4	40-4	8'-0"	25,100
TROPICAL	19-4	32-2	8'-0"	18,100
VISTA	14-3	28-0	6'-0"	9,300
VISTA	16-3	32-0	6'-0"	12,600
VISTA	18-8	36-5	6'-0"	16,500
VISTA	20-2	39-10	6'-0"	19,500

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 3—FRONTIER POOLS

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
CALIFORNIAN	15-3	27-10	6'-0"	9,100
CALIFORNIAN	18-8	30-2	6'-0"	11,300
CALIFORNIAN	18-8	31-8	6'-0"	11,900
CALIFORNIAN	20-10	34-5	6'-0"	14,700
CALIFORNIAN	20-10	36-8	8'-0"	19,500
CALIFORNIAN	23-4	37-10	8'-0"	22,100
CALIFORNIAN	23-4	43-3	8'-0"	24,600
CANCUN	16-5	29-0	6'-0"	11,100
CANCUN	18-7	31-10	6'-0"	14,100
CANCUN	20-1	34-0	6'-0"	15,900
CANCUN	23-1	39-10	8'-0"	24,900
CARAT	16-0	32-0	6'-0"	13,600
CARAT	18-0	36-0	8'-0"	20,900
CARAT	20-0	40-0	8'-0"	25,200
CELEBRITY	12-0	27-11	6'-0"	10,400
CELEBRITY	14-0	29-11	6'-0"	11,400
CELEBRITY	14-0	34-1	8'-0"	17,000
CELEBRITY	14-0	32-6	8'-0"	17,400
CELEBRITY	16-0	35-11	8'-0"	20,000
CELEBRITY	17-0	38-6	8'-0"	23,900
CELEBRITY	20-0	40-0	8'-0"	27,600
CLOVERLEAF	28-6	26-3	6'-0"	16,200
CLOVERLEAF	30-10	29-5	6'-0"	20,300
CONTEMPORARY FULL L	14-0	30-0	6'-0"	12,300
CONTEMPORARY FULL L	16-0	34-0	6'-0"	16,000
CONTEMPORARY LAZY L	15-4	29-8	6'-0"	9,400
CONTEMPORARY LAZY L	15-4	31-8	6'-0"	10,200
CONTEMPORARY LAZY L	19-6	35-9	6'-0"	13,400
CONTRA	14-0	30-3	6'-0"	11,100
CONTRA	16-0	33-4	6'-0"	13,900
CRESCENT/KIDNEY	13-2	24-1	6'-0"	7,400
CRESCENT/KIDNEY	15-5	27-7	6'-0"	10,100
CRESCENT/KIDNEY	16-0	29-1	6'-0"	10,800
CRESCENT/KIDNEY	17-7	29-11	6'-0"	12,300
CRESCENT/KIDNEY	15-7	26-11	6'-0"	9,800
CRESCENT/KIDNEY	18-2	32-1	8'-0"	17,200
CRESCENT/KIDNEY	18-9	34-0	8'-0"	18,000
CRESCENT/KIDNEY	19-10	34-0	8'-0"	17,700
CRESCENT/KIDNEY	21-0	36-0	8'-0"	20,900
CRESCENT/KIDNEY	21-5	35-11	8'-0"	19,400
CRESCENT/KIDNEY	22-8	39-11	8'-0"	24,200
CRESCENT/KIDNEY	23-10	41-0	8'-0"	26,400
DIAMOND	21-0	30-0	6'-0"	15,700
DIAMOND	23-11	36-0	8'-0"	25,200
DIAMOND	27-0	40-0	8'-0"	32,600
FIGURE 8	12-0	24-0	6'-0"	7,700
FIGURE 8	14-0	27-10	6'-0"	10,100
FIGURE 8	16-0	32-0	8'-0"	16,800
FIGURE 8	16-0	34-0	8'-0"	18,700

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 3—FRONTIER POOLS (Continued)

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
FIGURE 8	18-0	35-9	8'-0"	22,100
FIGURE 8	20-0	40-0	8'-0"	27,300
FULL L 6 IN RAD	14-0	30-0	6'-0"	13,000
FULL L 6 IN RAD	16-0	34-0	6'-0"	16,700
FULL L 6 IN RAD	16-0	36-0	6'-0"	18,400
FULL L 6 IN RAD	16-0	41-0	8'-0"	24,100
FULL L 6 IN RAD	18-0	43-0	8'-0"	28,800
FULL L 6 IN RAD	20-0	0-0	8'-0"	29,500
FULL L 6 IN RAD	20-0	46-0	8'-0"	32,900
FULL L 2 FT RAD	14-0	30-0	6'-0"	12,900
FULL L 2 FT RAD	16-0	34-0	6'-0"	17,404
FULL L 2 FT RAD	16-0	36-0	6'-0"	18,400
FULL L 2 FT RAD	16-0	41-0	8'-0"	24,000
FULL L 2 FT RAD	18-0	43-0	8'-0"	28,700
FULL L 2 FT RAD	20-0	40-0	8'-0"	29,500
FULL L 2 FT RAD	20-0	46-0	8'-0"	32,900
FULL L 4 FT RAD	14-0	30-0	6'-0"	12,500
FULL L 4 FT RAD	16-0	34-0	6'-0"	16,200
FULL L 4 FT RAD	16-0	36-0	6'-0"	18,000
FULL L 4 FT RAD	16-0	41-0	8'-0"	23,700
FULL L 4 FT RAD	18-0	43-0	8'-0"	30,759
FULL L 4 FT RAD	20-0	40-0	8'-0"	29,100
FULL L 4 FT RAD	20-0	46-0	8'-0"	35,552
FULL L GRECIAN	16-6	43-6	8'-0"	24,400
GEMINI	13-6	23-8	6'-0"	7,100
GEMINI	16-6	27-11	6'-0"	10,000
GEMINI	16-3	29-2	6'-0"	10,500
GEMINI	16-3	30-1	6'-0"	10,800
GEMINI	18-0	31-3	8'-0"	16,400
GEMINI	18-6	32-0	8'-0"	16,700
GEMINI	18-5	33-10	8'-0"	17,100
GEMINI	20-1	34-3	8'-0"	19,400
GEMINI	20-7	36-0	8'-0"	20,100
GEMINI	21-3	38-0	8'-0"	20,800
GEMINI	22-9	39-11	8'-0"	23,700
GEMINI	25-6	44-0	8'-0"	29,100
GRECIAN	14-6	24-6	6'-0"	9,500
GRECIAN	14-6	28-6	6'-0"	11,000
GRECIAN	16-6	32-6	8'-0"	16,414
GRECIAN	16-6	34-6	8'-0"	17,497
GRECIAN	16-11	30-11	8'-0"	17,500
GRECIAN	19-4	35-4	8'-0"	20,287
GRECIAN	19-4	41-4	8'-0"	25,800
GRECIAN	20-6	40-6	8'-0"	26,300
HELINA	14-0	29-6	6'-0"	12,000
HELINA	16-0	33-6	8'-0"	19,000
JAMAICA	16-3	27-11	6'-0"	11,200
JAMAICA	18-3	31-11	8'-0"	17,900
JAMAICA	20-3	35-11	8'-0"	22,800

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 3—FRONTIER POOLS (Continued)

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
JAMAICA	22-3	39-11	8'-0"	27,100
KEY	18-10	28-3	6'-0"	11,100
KEY	19-10	31-3	8'-0"	17,700
KEY	20-10	32-3	8'-0"	19,300
KEY	22-10	36-3	8'-0"	25,300
KEY	24-10	40-3	8'-0"	30,700
KEYHOLE	15-2	32-11	8'-0"	17,600
LAGOON	21-10	23-9	6'-0"	10,100
LAGOON	25-11	27-10	6'-0"	13,800
LAGOON	29-9	32-5	8'-0"	22,000
LAGOON	34-1	36-1	8'-0"	27,400
LAGOON	38-0	40-1	8'-0"	33,800
LAZY L 6 IN RAD	19-3	33-9	6'-0"	12,300
LAZY L 6 IN RAD	20-8	33-10	6'-0"	13,800
LAZY L 6 IN RAD	20-8	39-10	8'-0"	20,100
LAZY L 6 IN RAD	22-10	41-7	8'-0"	23,200
LAZY L 6 IN RAD	25-6	47-9	8'-0"	28,900
LAZY L 2 FT RAD	19-10	31-11	6'-0"	11,900
LAZY L 2 FT RAD	19-10	33-0	6'-0"	13,700
LAZY L 2 FT RAD	19-10	35-0	6'-0"	14,700
LAZY L 2 FT RAD	22-0	37-0	8'-0"	19,400
LAZY L 2 FT RAD	18-0	40-9	8'-0"	23,100
LAZY L 4 FT RAD	17-7	32-1	6'-0"	11,900
LAZY L 4 FT RAD	19-0	32-2	6'-0"	13,500
LAZY L 4 FT RAD	19-2	38-2	8'-0"	19,700
LAZY L 4 FT RAD	21-2	39-11	8'-0"	22,800
LAZY L 4 FT RAD	23-10	46-2	8'-0"	28,500
LAZY L GRECIAN	16-6	40-0	8'-0"	21,200
LAZY L OVAL	17-7	31-2	6'-0"	11,100
LAZY L OVAL	19-0	32-1	6'-0"	12,700
LAZY L OVAL	19-0	34-1	6'-0"	13,700
LAZY L OVAL	19-0	37-1	8'-0"	18,400
LAZY L OVAL	21-2	39-11	8'-0"	21,500
LAZY L ROMAN	22-0	42-9	8'-0"	23,200
LIBERTY	12-10	25-11	6'-0"	7,900
LIBERTY	13-9	28-5	6'-0"	8,900
LIBERTY	16-10	31-0	6'-0"	11,500
LIBERTY	21-1	37-7	6'-0"	17,200
MONACO 4 FT RAD	13-0	29-1	6'-0"	10,200
MONACO 4 FT RAD	15-0	37-1	6'-0"	15,400
MONACO K	11-0	25-0	6'-0"	7,900
MONACO K	11-0	28-0	6'-0"	8,700
MONACO K	13-0	29-1	6'-0"	10,600
MONACO K	15-0	33-0	8'-0"	17,800
MONACO K	15-0	36-0	8'-0"	18,600
MONACO K	17-0	36-0	8'-0"	21,800
MONACO K	17-0	40-0	8'-0"	24,800
MONACO K REVERSE	11-0	25-0	6'-0"	8,500
MONACO K REVERSE	11-0	28-0	6'-0"	9,400

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 3—FRONTIER POOLS (Continued)

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
MONACO K REVERSE	13-0	29-1	6'-0"	11,400
MONACO K REVERSE	15-0	33-0	8'-0"	17,800
MONACO K REVERSE	15-0	36-0	8'-0"	18,800
MONACO K REVERSE	17-0	36-0	8'-0"	21,700
MONACO K REVERSE	17-0	40-0	8'-0"	24,100
MONTE CARLO	15-2	27-11	6'-0"	10,100
MONTE CARLO	17-7	31-8	8'-0"	16,800
MONTE CARLO	20-8	36-2	8'-0"	21,400
MONTE CARLO	22-4	40-3	8'-0"	26,200
MONTEREY	16-0	33-4	6'-0"	13,200
MONTEREY	18-0	34-8	6'-0"	15,700
MONTEREY	19-0	36-1	6'-0"	17,400
MONTEREY	19-0	40-1	6'-0"	19,300
MOUNTAIN LAKE	17-4	28-0	6'-0"	10,100
MOUNTAIN LAKE	18-10	32-0	6'-0"	12,600
MOUNTAIN LAKE	20-1	34-0	6'-0"	13,700
MOUNTAIN LAKE	20-0	34-7	8'-0"	17,300
MOUNTAIN LAKE	21-10	36-0	8'-0"	19,500
MOUNTAIN LAKE	23-10	40-0	8'-0"	23,600
MOUNTAIN LAKE REVERSE	14-0	28-0	6'-0"	9,500
MOUNTAIN LAKE REVERSE	16-0	32-0	6'-0"	11,800
MOUNTAIN LAKE REVERSE	16-0	34-0	6'-0"	12,900
MOUNTAIN LAKE REVERSE	16-0	34-7	8'-0"	16,800
MOUNTAIN LAKE REVERSE	18-0	36-0	8'-0"	18,300
MOUNTAIN LAKE REVERSE	20-0	40-0	8'-0"	22,300
MOUNTAIN OASIS	14-0	31-5	6'-0"	12,100
MOUNTAIN OASIS	16-0	36-6	6'-0"	13,400
MOUNTAIN OASIS	16-0	39-3	8'-0"	19,400
MOUNTAIN OASIS	16-0	44-8	8'-0"	26,400
NORLANDER	11-0	26-0	6'-0"	7,800
NORLANDER	11-0	28-0	6'-0"	8,600
NORLANDER	12-0	27-7	6'-0"	8,700
NORLANDER	12-0	29-7	6'-0"	9,600
NORLANDER	13-0	32-1	6'-0"	11,000
NORLANDER	15-0	34-6	8'-0"	17,000
NORLANDER	15-0	36-6	8'-0"	18,600
NORLANDER	17-0	39-10	8'-0"	23,000
ODESSY	14-0	20-3	6'-0"	6,300
ODESSY	12-1	22-2	6'-0"	6,400
ODESSY	15-2	24-0	6'-0"	7,700
ODESSY	16-8	25-3	6'-0"	9,000
ODESSY	15-9	27-10	6'-0"	9,600
ODESSY	17-6	31-3	8'-0"	15,300
ODESSY	18-6	31-10	8'-0"	16,100
ODESSY	18-8	34-3	8'-0"	16,700
ODESSY	19-4	31-10	8'-0"	17,800
ODESSY	21-2	35-10	8'-0"	19,300
ODESSY	23-7	40-2	8'-0"	24,000
OFFSET GRECIAN	16-7	27-7	6'-0"	10,400

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 3—FRONTIER POOLS (Continued)

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
OFFSET GRECIAN	18-7	31-7	8'-0"	17,600
OFFSET GRECIAN	20-7	35-7	8'-0"	21,600
OFFSET GRECIAN	22-7	39-7	8'-0"	27,000
OVAL	14-0	28-0	6'-0"	10,500
OVAL	15-0	29-11	6'-0"	11,500
OVAL	16-0	29-11	6'-0"	12,200
OVAL	16-0	31-11	8'-0"	16,600
OVAL	16-0	33-11	8'-0"	17,300
OVAL	17-0	32-10	8'-0"	18,000
OVAL	18-0	36-0	8'-0"	20,000
OVAL	20-0	40-1	8'-0"	25,600
PALETTE	16-0	30-5	6'-0"	11,800
PALETTE	18-0	34-0	6'-0"	15,300
PALETTE	19-0	36-1	6'-0"	17,800
PALETTE	22-0	39-8	8'-0"	25,900
PATRICIAN 6 IN RAD	14-0	28-0	6'-0"	10,900
PATRICIAN 6 IN RAD	14-0	30-0	6'-0"	11,800
PATRICIAN 6 IN RAD	16-0	32-0	8'-0"	17,600
PATRICIAN 6 IN RAD	18-0	36-0	8'-0"	21,400
PATRICIAN 6 IN RAD	18-0	40-0	8'-0"	23,700
PATRICIAN 6 IN RAD	20-0	40-0	8'-0"	27,300
PATRICIAN 6 IN RAD	22-0	44-0	8'-0"	32,700
PATRICIAN 2 FT RAD	14-0	28-0	6'-0"	10,800
PATRICIAN 2 FT RAD	14-0	30-0	6'-0"	11,700
PATRICIAN 2 FT RAD	16-0	32-0	8'-0"	17,500
PATRICIAN 2 FT RAD	18-0	36-0	8'-0"	21,300
PATRICIAN 2 FT RAD	18-0	40-0	8'-0"	23,600
PATRICIAN 2 FT RAD	20-0	40-0	8'-0"	27,200
PATRICIAN 2 FT RAD	22-0	44-0	8'-0"	32,600
RECTANGLE 6 IN RAD	10-0	20-0	6'-0"	5,700
RECTANGLE 6 IN RAD	12-0	24-0	6'-0"	8,300
RECTANGLE 6 IN RAD	14-0	28-0	6'-0"	11,400
RECTANGLE 6 IN RAD	16-0	32-0	8'-0"	18,400
RECTANGLE 6 IN RAD	16-0	34-0	8'-0"	19,300
RECTANGLE 6 IN RAD	16-0	38-0	8'-0"	21,700
RECTANGLE 6 IN RAD	18-0	36-0	8'-0"	22,300
RECTANGLE 6 IN RAD	18-0	38-0	8'-0"	25,200
RECTANGLE 6 IN RAD	20-0	40-0	8'-0"	28,200
RECTANGLE 2 FT RAD	10-0	20-0	6'-0"	5,700
RECTANGLE 2 FT RAD	12-0	24-0	6'-0"	8,200
RECTANGLE 2 FT RAD	14-0	28-0	6'-0"	11,400
RECTANGLE 2 FT RAD	16-0	32-0	8'-0"	18,300
RECTANGLE 2 FT RAD	16-0	34-0	8'-0"	19,000
RECTANGLE 2 FT RAD	16-0	38-0	8'-0"	21,600
RECTANGLE 2 FT RAD	18-0	36-0	8'-0"	22,200
RECTANGLE 2 FT RAD	18-0	38-0	8'-0"	23,600
RECTANGLE 2 FT RAD	20-0	40-0	8'-0"	28,200
RECTANGLE 4 FT RAD	10-0	20-0	6'-0"	5,400
RECTANGLE 4 FT RAD	12-0	24-0	6'-0"	7,900

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 3—FRONTIER POOLS (Continued)

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
RECTANGLE 4 FT RAD	14-0	28-0	6'-0"	11,000
RECTANGLE 4 FT RAD	16-0	32-0	8'-0"	18,000
RECTANGLE 4 FT RAD	16-0	34-0	8'-0"	18,600
RECTANGLE 4 FT RAD	16-0	38-0	8'-0"	21,200
RECTANGLE 4 FT RAD	18-0	36-0	8'-0"	21,900
RECTANGLE 4 FT RAD	18-0	38-0	8'-0"	23,300
RECTANGLE 4 FT RAD	20-0	40-0	8'-0"	27,800
RIO CARRE	18-7	30-2	6'-0"	12,300
RIO CARRE	19-7	32-2	6'-0"	14,400
RIO CARRE	19-7	34-2	6'-0"	15,100
RIO CARRE	19-7	36-2	6'-0"	16,100
RIO CARRE	21-7	36-2	8'-0"	22,300
RIO CARRE	21-7	40-2	8'-0"	24,600
RIO RONDE	17-11	27-2	6'-0"	11,100
RIO RONDE	21-4	29-7	6'-0"	14,200
RIO RONDE	21-4	31-7	6'-0"	15,200
RIO RONDE	21-4	33-7	6'-0"	16,300
RIO RONDE	22-4	35-4	6'-0"	18,400
RIO RONDE	23-9	40-0	6'-0"	21,400
RIVIERA	21-1	32-7	6'-0"	14,600
RIVIERA	23-1	36-7	8'-0"	22,700
RIVIERA MARK II	22-3	37-4	8'-0"	21,200
ROMAN 6 IN RAD	14-0	27-11	6'-0"	10,500
ROMAN 6 IN RAD	14-0	29-11	6'-0"	11,100
ROMAN 6 IN RAD	16-0	32-0	8'-0"	17,300
ROMAN 6 IN RAD	18-0	36-0	8'-0"	20,900
ROMAN 6 IN RAD	18-0	40-0	8'-0"	22,500
ROMAN 6 IN RAD	20-0	40-0	8'-0"	26,800
ROMAN 6 IN RAD	22-0	44-0	8'-0"	31,300
ROMAN 2 FT RAD	14-0	27-11	6'-0"	10,400
ROMAN 2 FT RAD	14-0	29-11	6'-0"	11,000
ROMAN 2 FT RAD	16-0	32-0	8'-0"	175,200
ROMAN 2 FT RAD	18-0	36-0	8'-0"	20,800
ROMAN 2 FT RAD	18-0	40-0	8'-0"	22,400
ROMAN 2 FT RAD	20-0	40-0	8'-0"	26,700
ROMAN 2 FT RAD	22-0	44-0	8'-0"	31,200
ROUND	18-0	18-0	3'-4"	8,300
ROUND	21-0	21-0	3'-4"	11,400
ROUND	24-0	24-0	3'-4"	14,900
ROUND	32-0	32-0	3'-4"	26,400
SENTRA	14-1	31-4	6'-0"	11,100
SENTRA	16-10	35-5	8'-0"	18,600
SPECIAL FULL L	13-8	30-8	6'-0"	12,100
SPECIAL FULL L	16-1	34-5	8'-0"	20,200
SUMMERVILLE	9-8	23-8	6'-0"	6,700
SUMMERVILLE	11-8	28-8	6'-0"	9,900
SUMMERVILLE	12-6	32-6	6'-0"	11,400
SUMMERVILLE	14-6	32-6	6'-0"	13,300
SUMMERVILLE	14-6	36-6	8'-0"	17,900

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 3—FRONTIER POOLS (Continued)

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
SUMMERVILLE	16-6	38-6	8'-0"	21,300
SUMMERVILLE	18-6	39-6	8'-0"	24,700
SUPRA	14-0	31-11	6'-0"	11,700
SUPRA	16-0	34-1	6'-0"	14,100
TAMPA	24-0	31-11	8'-0"	19,400
TAMPA	26-0	36-8	8'-0"	22,700
TAMPA	30-0	40-1	8'-0"	28,600
TAORMINA	18-6	28-0	6'-0"	11,200
TAORMINA	18-5	30-0	6'-0"	11,400
TAORMINA	20-5	32-0	8'-0"	17,200
TAORMINA	20-5	34-0	8'-0"	17,800
TAORMINA	20-6	36-2	8'-0"	18,000
TAORMINA	24-0	34-1	8'-0"	20,600
TAORMINA	24-11	36-1	8'-0"	21,700
TAORMINA	24-0	40-0	8'-0"	23,400
TECH C	11-8	23-11	6'-0"	6,300
TECH C	14-1	28-4	6'-0"	8,800
TECH C	16-1	30-0	6'-0"	11,000
TECH C	16-1	32-0	6'-0"	11,800
TECH C	16-1	34-0	6'-0"	12,700
TECH C	18-1	33-7	6'-0"	14,200
TECH C	21-1	35-11	6'-0"	16,900
TECH J	18-3	31-11	6'-0"	11,100
TECH J	21-11	34-10	6'-0"	15,600
TECH K	15-0	30-0	6'-0"	10,400
TECH K	16-0	32-1	6'-0"	12,100
TECH K	18-2	34-0	6'-0"	14,400
TECH K	20-0	36-2	8'-0"	21,700
TECH P	12-0	32-0	6'-0"	11,300
TECH P	15-0	36-0	6'-0"	15,900
TECH P	17-0	40-0	8'-0"	23,500
TECH RIO	14-10	24-6	6'-0"	7,500
TECH RIO	16-10	27-6	6'-0"	10,600
TECH RIO	19-7	30-2	6'-0"	13,600
TECH RIO	19-7	32-2	6'-0"	14,500
TECH RIO	19-7	34-2	6'-0"	15,700
TECH RIO	21-7	36-2	8'-0"	22,000
TECH RIO	21-7	40-2	8'-0"	23,900
TROPIC	12-1	30-6	6'-0"	10,400
TROPIC	18-9	30-6	6'-0"	12,300
TROPIC	18-9	32-6	6'-0"	13,100
TROPIC	16-6	34-6	6'-0"	16,000
TROPIC	19-4	40-4	8'-0"	25,100
TROPICAL	19-4	32-2	8'-0"	18,100
VISTA	14-3	28-0	6'-0"	9,300
VISTA	16-3	32-0	6'-0"	12,600
VISTA	18-8	36-5	6'-0"	16,500
VISTA	20-2	39-10	6'-0"	19,500

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 4—OASIS POOLS

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
CALIFORNIAN	15-3	27-10	6'-0"	9,100
CALIFORNIAN	18-8	30-2	6'-0"	11,300
CALIFORNIAN	18-8	31-8	6'-0"	11,900
CALIFORNIAN	20-10	34-5	6'-0"	14,700
CALIFORNIAN	20-10	36-8	8'-0"	19,500
CALIFORNIAN	23-4	37-10	8'-0"	22,100
CALIFORNIAN	23-4	43-3	8'-0"	24,600
CANCUN	16-5	29-0	6'-0"	11,100
CANCUN	18-7	31-10	6'-0"	14,100
CANCUN	20-1	34-0	6'-0"	15,900
CANCUN	23-1	39-10	8'-0"	24,900
CARAT	16-0	32-0	6'-0"	13,600
CARAT	18-0	36-0	8'-0"	20,900
CARAT	20-0	40-0	8'-0"	25,200
CELEBRITY	12-0	27-11	6'-0"	10,400
CELEBRITY	14-0	29-11	6'-0"	11,400
CELEBRITY	14-0	34-1	8'-0"	17,000
CELEBRITY	14-0	32-6	8'-0"	17,400
CELEBRITY	16-0	35-11	8'-0"	20,000
CELEBRITY	17-0	38-6	8'-0"	23,900
CELEBRITY	20-0	40-0	8'-0"	27,600
CLOVERLEAF	28-6	26-3	6'-0"	16,200
CLOVERLEAF	30-10	29-5	6'-0"	20,300
CONTEMPORARY FULL L	14-0	30-0	6'-0"	12,300
CONTEMPORARY FULL L	16-0	34-0	6'-0"	16,000
CONTEMPORARY LAZY L	15-4	29-8	6'-0"	9,400
CONTEMPORARY LAZY L	15-4	31-8	6'-0"	10,200
CONTEMPORARY LAZY L	19-6	35-9	6'-0"	13,400
CONTRA	14-0	30-3	6'-0"	11,100
CONTRA	16-0	33-4	6'-0"	13,900
CRESCENT/KIDNEY	13-2	24-1	6'-0"	7,400
CRESCENT/KIDNEY	15-5	27-7	6'-0"	10,100
CRESCENT/KIDNEY	16-0	29-1	6'-0"	10,800
CRESCENT/KIDNEY	17-7	29-11	6'-0"	12,300
CRESCENT/KIDNEY	15-7	26-11	6'-0"	9,800
CRESCENT/KIDNEY	18-2	32-1	8'-0"	17,200
CRESCENT/KIDNEY	18-9	34-0	8'-0"	18,000
CRESCENT/KIDNEY	19-10	34-0	8'-0"	17,700
CRESCENT/KIDNEY	21-0	36-0	8'-0"	20,900
CRESCENT/KIDNEY	21-5	35-11	8'-0"	19,400
CRESCENT/KIDNEY	22-8	39-11	8'-0"	24,200
CRESCENT/KIDNEY	23-10	41-0	8'-0"	26,400
DIAMOND	21-0	30-0	6'-0"	15,700
DIAMOND	23-11	36-0	8'-0"	25,200
DIAMOND	27-0	40-0	8'-0"	32,600
FIGURE 8	12-0	24-0	6'-0"	7,700
FIGURE 8	14-0	27-10	6'-0"	10,100
FIGURE 8	16-0	32-0	8'-0"	16,800
FIGURE 8	16-0	34-0	8'-0"	18,700

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 4—OASIS POOLS (Continued)

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
FIGURE 8	18-0	35-9	8'-0"	22,100
FIGURE 8	20-0	40-0	8'-0"	27,300
FULL L 6 IN RAD	14-0	30-0	6'-0"	13,000
FULL L 6 IN RAD	16-0	34-0	6'-0"	16,700
FULL L 6 IN RAD	16-0	36-0	6'-0"	18,400
FULL L 6 IN RAD	16-0	41-0	8'-0"	24,100
FULL L 6 IN RAD	18-0	43-0	8'-0"	28,800
FULL L 6 IN RAD	20-0	0-0	8'-0"	29,500
FULL L 6 IN RAD	20-0	46-0	8'-0"	32,900
FULL L 2 FT RAD	14-0	30-0	6'-0"	12,900
FULL L 2 FT RAD	16-0	34-0	6'-0"	17,404
FULL L 2 FT RAD	16-0	36-0	6'-0"	18,400
FULL L 2 FT RAD	16-0	41-0	8'-0"	24,000
FULL L 2 FT RAD	18-0	43-0	8'-0"	28,700
FULL L 2 FT RAD	20-0	40-0	8'-0"	29,500
FULL L 2 FT RAD	20-0	46-0	8'-0"	32,900
FULL L 4 FT RAD	14-0	30-0	6'-0"	12,500
FULL L 4 FT RAD	16-0	34-0	6'-0"	16,200
FULL L 4 FT RAD	16-0	36-0	6'-0"	18,000
FULL L 4 FT RAD	16-0	41-0	8'-0"	23,700
FULL L 4 FT RAD	18-0	43-0	8'-0"	30,759
FULL L 4 FT RAD	20-0	40-0	8'-0"	29,100
FULL L 4 FT RAD	20-0	46-0	8'-0"	35,552
FULL L GRECIAN	16-6	43-6	8'-0"	24,400
GEMINI	13-6	23-8	6'-0"	7,100
GEMINI	16-6	27-11	6'-0"	10,000
GEMINI	16-3	29-2	6'-0"	10,500
GEMINI	16-3	30-1	6'-0"	10,800
GEMINI	18-0	31-3	8'-0"	16,400
GEMINI	18-6	32-0	8'-0"	16,700
GEMINI	18-5	33-10	8'-0"	17,100
GEMINI	20-1	34-3	8'-0"	19,400
GEMINI	20-7	36-0	8'-0"	20,100
GEMINI	21-3	38-0	8'-0"	20,800
GEMINI	22-9	39-11	8'-0"	23,700
GEMINI	25-6	44-0	8'-0"	29,100
GRECIAN	14-6	24-6	6'-0"	9,500
GRECIAN	14-6	28-6	6'-0"	11,000
GRECIAN	16-6	32-6	8'-0"	16,414
GRECIAN	16-6	34-6	8'-0"	17,497
GRECIAN	16-11	30-11	8'-0"	17,500
GRECIAN	19-4	35-4	8'-0"	20,287
GRECIAN	19-4	41-4	8'-0"	25,800
GRECIAN	20-6	40-6	8'-0"	26,300
HELINA	14-0	29-6	6'-0"	12,000
HELINA	16-0	33-6	8'-0"	19,000
JAMAICA	16-3	27-11	6'-0"	11,200
JAMAICA	18-3	31-11	8'-0"	17,900
JAMAICA	20-3	35-11	8'-0"	22,800

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 4—OASIS POOLS (Continued)

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
JAMAICA	22-3	39-11	8'-0"	27,100
KEY	18-10	28-3	6'-0"	11,100
KEY	19-10	31-3	8'-0"	17,700
KEY	20-10	32-3	8'-0"	19,300
KEY	22-10	36-3	8'-0"	25,300
KEY	24-10	40-3	8'-0"	30,700
KEYHOLE	15-2	32-11	8'-0"	17,600
LAGOON	21-10	23-9	6'-0"	10,100
LAGOON	25-11	27-10	6'-0"	13,800
LAGOON	29-9	32-5	8'-0"	22,000
LAGOON	34-1	36-1	8'-0"	27,400
LAGOON	38-0	40-1	8'-0"	33,800
LAZY L 6 IN RAD	19-3	33-9	6'-0"	12,300
LAZY L 6 IN RAD	20-8	33-10	6'-0"	13,800
LAZY L 6 IN RAD	20-8	39-10	8'-0"	20,100
LAZY L 6 IN RAD	22-10	41-7	8'-0"	23,200
LAZY L 6 IN RAD	25-6	47-9	8'-0"	28,900
LAZY L 2 FT RAD	19-10	31-11	6'-0"	11,900
LAZY L 2 FT RAD	19-10	33-0	6'-0"	13,700
LAZY L 2 FT RAD	19-10	35-0	6'-0"	14,700
LAZY L 2 FT RAD	22-0	37-0	8'-0"	19,400
LAZY L 2 FT RAD	18-0	40-9	8'-0"	23,100
LAZY L 4 FT RAD	17-7	32-1	6'-0"	11,900
LAZY L 4 FT RAD	19-0	32-2	6'-0"	13,500
LAZY L 4 FT RAD	19-2	38-2	8'-0"	19,700
LAZY L 4 FT RAD	21-2	39-11	8'-0"	22,800
LAZY L 4 FT RAD	23-10	46-2	8'-0"	28,500
LAZY L GRECIAN	16-6	40-0	8'-0"	21,200
LAZY L OVAL	17-7	31-2	6'-0"	11,100
LAZY L OVAL	19-0	32-1	6'-0"	12,700
LAZY L OVAL	19-0	34-1	6'-0"	13,700
LAZY L OVAL	19-0	37-1	8'-0"	18,400
LAZY L OVAL	21-2	39-11	8'-0"	21,500
LAZY L ROMAN	22-0	42-9	8'-0"	23,200
LIBERTY	12-10	25-11	6'-0"	7,900
LIBERTY	13-9	28-5	6'-0"	8,900
LIBERTY	16-10	31-0	6'-0"	11,500
LIBERTY	21-1	37-7	6'-0"	17,200
MONACO 4 FT RAD	13-0	29-1	6'-0"	10,200
MONACO 4 FT RAD	15-0	37-1	6'-0"	15,400
MONACO K	11-0	25-0	6'-0"	7,900
MONACO K	11-0	28-0	6'-0"	8,700
MONACO K	13-0	29-1	6'-0"	10,600
MONACO K	15-0	33-0	8'-0"	17,800
MONACO K	15-0	36-0	8'-0"	18,600
MONACO K	17-0	36-0	8'-0"	21,800
MONACO K	17-0	40-0	8'-0"	24,800
MONACO K REVERSE	11-0	25-0	6'-0"	8,500
MONACO K REVERSE	11-0	28-0	6'-0"	9,400

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 4—OASIS POOLS (Continued)

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
MONACO K REVERSE	13-0	29-1	6'-0"	11,400
MONACO K REVERSE	15-0	33-0	8'-0"	17,800
MONACO K REVERSE	15-0	36-0	8'-0"	18,800
MONACO K REVERSE	17-0	36-0	8'-0"	21,700
MONACO K REVERSE	17-0	40-0	8'-0"	24,100
MONTE CARLO	15-2	27-11	6'-0"	10,100
MONTE CARLO	17-7	31-8	8'-0"	16,800
MONTE CARLO	20-8	36-2	8'-0"	21,400
MONTE CARLO	22-4	40-3	8'-0"	26,200
MONTEREY	16-0	33-4	6'-0"	13,200
MONTEREY	18-0	34-8	6'-0"	15,700
MONTEREY	19-0	36-1	6'-0"	17,400
MONTEREY	19-0	40-1	6'-0"	19,300
MOUNTAIN LAKE	17-4	28-0	6'-0"	10,100
MOUNTAIN LAKE	18-10	32-0	6'-0"	12,600
MOUNTAIN LAKE	20-1	34-0	6'-0"	13,700
MOUNTAIN LAKE	20-0	34-7	8'-0"	17,300
MOUNTAIN LAKE	21-10	36-0	8'-0"	19,500
MOUNTAIN LAKE	23-10	40-0	8'-0"	23,600
MOUNTAIN LAKE REVERSE	14-0	28-0	6'-0"	9,500
MOUNTAIN LAKE REVERSE	16-0	32-0	6'-0"	11,800
MOUNTAIN LAKE REVERSE	16-0	34-0	6'-0"	12,900
MOUNTAIN LAKE REVERSE	16-0	34-7	8'-0"	16,800
MOUNTAIN LAKE REVERSE	18-0	36-0	8'-0"	18,300
MOUNTAIN LAKE REVERSE	20-0	40-0	8'-0"	22,300
MOUNTAIN OASIS	14-0	31-5	6'-0"	12,100
MOUNTAIN OASIS	16-0	36-6	6'-0"	13,400
MOUNTAIN OASIS	16-0	39-3	8'-0"	19,400
MOUNTAIN OASIS	16-0	44-8	8'-0"	26,400
NORLANDER	11-0	26-0	6'-0"	7,800
NORLANDER	11-0	28-0	6'-0"	8,600
NORLANDER	12-0	27-7	6'-0"	8,700
NORLANDER	12-0	29-7	6'-0"	9,600
NORLANDER	13-0	32-1	6'-0"	11,000
NORLANDER	15-0	34-6	8'-0"	17,000
NORLANDER	15-0	36-6	8'-0"	18,600
NORLANDER	17-0	39-10	8'-0"	23,000
ODESSY	14-0	20-3	6'-0"	6,300
ODESSY	12-1	22-2	6'-0"	6,400
ODESSY	15-2	24-0	6'-0"	7,700
ODESSY	16-8	25-3	6'-0"	9,000
ODESSY	15-9	27-10	6'-0"	9,600
ODESSY	17-6	31-3	8'-0"	15,300
ODESSY	18-6	31-10	8'-0"	16,100
ODESSY	18-8	34-3	8'-0"	16,700
ODESSY	19-4	31-10	8'-0"	17,800
ODESSY	21-2	35-10	8'-0"	19,300
ODESSY	23-7	40-2	8'-0"	24,000
OFFSET GRECIAN	16-7	27-7	6'-0"	10,400

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 4—OASIS POOLS (Continued)

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
OFFSET GRECIAN	18-7	31-7	8'-0"	17,600
OFFSET GRECIAN	20-7	35-7	8'-0"	21,600
OFFSET GRECIAN	22-7	39-7	8'-0"	27,000
OVAL	14-0	28-0	6'-0"	10,500
OVAL	15-0	29-11	6'-0"	11,500
OVAL	16-0	29-11	6'-0"	12,200
OVAL	16-0	31-11	8'-0"	16,600
OVAL	16-0	33-11	8'-0"	17,300
OVAL	17-0	32-10	8'-0"	18,000
OVAL	18-0	36-0	8'-0"	20,000
OVAL	20-0	40-1	8'-0"	25,600
PALETTE	16-0	30-5	6'-0"	11,800
PALETTE	18-0	34-0	6'-0"	15,300
PALETTE	19-0	36-1	6'-0"	17,800
PALETTE	22-0	39-8	8'-0"	25,900
PATRICIAN 6 IN RAD	14-0	28-0	6'-0"	10,900
PATRICIAN 6 IN RAD	14-0	30-0	6'-0"	11,800
PATRICIAN 6 IN RAD	16-0	32-0	8'-0"	17,600
PATRICIAN 6 IN RAD	18-0	36-0	8'-0"	21,400
PATRICIAN 6 IN RAD	18-0	40-0	8'-0"	23,700
PATRICIAN 6 IN RAD	20-0	40-0	8'-0"	27,300
PATRICIAN 6 IN RAD	22-0	44-0	8'-0"	32,700
PATRICIAN 2 FT RAD	14-0	28-0	6'-0"	10,800
PATRICIAN 2 FT RAD	14-0	30-0	6'-0"	11,700
PATRICIAN 2 FT RAD	16-0	32-0	8'-0"	17,500
PATRICIAN 2 FT RAD	18-0	36-0	8'-0"	21,300
PATRICIAN 2 FT RAD	18-0	40-0	8'-0"	23,600
PATRICIAN 2 FT RAD	20-0	40-0	8'-0"	27,200
PATRICIAN 2 FT RAD	22-0	44-0	8'-0"	32,600
RECTANGLE 6 IN RAD	10-0	20-0	6'-0"	5,700
RECTANGLE 6 IN RAD	12-0	24-0	6'-0"	8,300
RECTANGLE 6 IN RAD	14-0	28-0	6'-0"	11,400
RECTANGLE 6 IN RAD	16-0	32-0	8'-0"	18,400
RECTANGLE 6 IN RAD	16-0	34-0	8'-0"	19,300
RECTANGLE 6 IN RAD	16-0	38-0	8'-0"	21,700
RECTANGLE 6 IN RAD	18-0	36-0	8'-0"	22,300
RECTANGLE 6 IN RAD	18-0	38-0	8'-0"	25,200
RECTANGLE 6 IN RAD	20-0	40-0	8'-0"	28,200
RECTANGLE 2 FT RAD	10-0	20-0	6'-0"	5,700
RECTANGLE 2 FT RAD	12-0	24-0	6'-0"	8,200
RECTANGLE 2 FT RAD	14-0	28-0	6'-0"	11,400
RECTANGLE 2 FT RAD	16-0	32-0	8'-0"	18,300
RECTANGLE 2 FT RAD	16-0	34-0	8'-0"	19,000
RECTANGLE 2 FT RAD	16-0	38-0	8'-0"	21,600
RECTANGLE 2 FT RAD	18-0	36-0	8'-0"	22,200
RECTANGLE 2 FT RAD	18-0	38-0	8'-0"	23,600
RECTANGLE 2 FT RAD	20-0	40-0	8'-0"	28,200
RECTANGLE 4 FT RAD	10-0	20-0	6'-0"	5,400
RECTANGLE 4 FT RAD	12-0	24-0	6'-0"	7,900

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 4—OASIS POOLS (Continued)

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
RECTANGLE 4 FT RAD	14-0	28-0	6'-0"	11,000
RECTANGLE 4 FT RAD	16-0	32-0	8'-0"	18,000
RECTANGLE 4 FT RAD	16-0	34-0	8'-0"	18,600
RECTANGLE 4 FT RAD	16-0	38-0	8'-0"	21,200
RECTANGLE 4 FT RAD	18-0	36-0	8'-0"	21,900
RECTANGLE 4 FT RAD	18-0	38-0	8'-0"	23,300
RECTANGLE 4 FT RAD	20-0	40-0	8'-0"	27,800
RIO CARRE	18-7	30-2	6'-0"	12,300
RIO CARRE	19-7	32-2	6'-0"	14,400
RIO CARRE	19-7	34-2	6'-0"	15,100
RIO CARRE	19-7	36-2	6'-0"	16,100
RIO CARRE	21-7	36-2	8'-0"	22,300
RIO CARRE	21-7	40-2	8'-0"	24,600
RIO RONDE	17-11	27-2	6'-0"	11,100
RIO RONDE	21-4	29-7	6'-0"	14,200
RIO RONDE	21-4	31-7	6'-0"	15,200
RIO RONDE	21-4	33-7	6'-0"	16,300
RIO RONDE	22-4	35-4	6'-0"	18,400
RIO RONDE	23-9	40-0	6'-0"	21,400
RIVIERA	21-1	32-7	6'-0"	14,600
RIVIERA	23-1	36-7	8'-0"	22,700
RIVIERA MARK II	22-3	37-4	8'-0"	21,200
ROMAN 6 IN RAD	14-0	27-11	6'-0"	10,500
ROMAN 6 IN RAD	14-0	29-11	6'-0"	11,100
ROMAN 6 IN RAD	16-0	32-0	8'-0"	17,300
ROMAN 6 IN RAD	18-0	36-0	8'-0"	20,900
ROMAN 6 IN RAD	18-0	40-0	8'-0"	22,500
ROMAN 6 IN RAD	20-0	40-0	8'-0"	26,800
ROMAN 6 IN RAD	22-0	44-0	8'-0"	31,300
ROMAN 2 FT RAD	14-0	27-11	6'-0"	10,400
ROMAN 2 FT RAD	14-0	29-11	6'-0"	11,000
ROMAN 2 FT RAD	16-0	32-0	8'-0"	175,200
ROMAN 2 FT RAD	18-0	36-0	8'-0"	20,800
ROMAN 2 FT RAD	18-0	40-0	8'-0"	22,400
ROMAN 2 FT RAD	20-0	40-0	8'-0"	26,700
ROMAN 2 FT RAD	22-0	44-0	8'-0"	31,200
ROUND	18-0	18-0	3'-4"	8,300
ROUND	21-0	21-0	3'-4"	11,400
ROUND	24-0	24-0	3'-4"	14,900
ROUND	32-0	32-0	3'-4"	26,400
SENTRA	14-1	31-4	6'-0"	11,100
SENTRA	16-10	35-5	8'-0"	18,600
SPECIAL FULL L	13-8	30-8	6'-0"	12,100
SPECIAL FULL L	16-1	34-5	8'-0"	20,200
SUMMERVILLE	9-8	23-8	6'-0"	6,700
SUMMERVILLE	11-8	28-8	6'-0"	9,900
SUMMERVILLE	12-6	32-6	6'-0"	11,400
SUMMERVILLE	14-6	32-6	6'-0"	13,300
SUMMERVILLE	14-6	36-6	8'-0"	17,900

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 4—OASIS POOLS (Continued)

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
SUMMERVILLE	16-6	38-6	8'-0"	21,300
SUMMERVILLE	18-6	39-6	8'-0"	24,700
SUPRA	14-0	31-11	6'-0"	11,700
SUPRA	16-0	34-1	6'-0"	14,100
TAMPA	24-0	31-11	8'-0"	19,400
TAMPA	26-0	36-8	8'-0"	22,700
TAMPA	30-0	40-1	8'-0"	28,600
TAORMINA	18-6	28-0	6'-0"	11,200
TAORMINA	18-5	30-0	6'-0"	11,400
TAORMINA	20-5	32-0	8'-0"	17,200
TAORMINA	20-5	34-0	8'-0"	17,800
TAORMINA	20-6	36-2	8'-0"	18,000
TAORMINA	24-0	34-1	8'-0"	20,600
TAORMINA	24-11	36-1	8'-0"	21,700
TAORMINA	24-0	40-0	8'-0"	23,400
TECH C	11-8	23-11	6'-0"	6,300
TECH C	14-1	28-4	6'-0"	8,800
TECH C	16-1	30-0	6'-0"	11,000
TECH C	16-1	32-0	6'-0"	11,800
TECH C	16-1	34-0	6'-0"	12,700
TECH C	18-1	33-7	6'-0"	14,200
TECH C	21-1	35-11	6'-0"	16,900
TECH J	18-3	31-11	6'-0"	11,100
TECH J	21-11	34-10	6'-0"	15,600
TECH K	15-0	30-0	6'-0"	10,400
TECH K	16-0	32-1	6'-0"	12,100
TECH K	18-2	34-0	6'-0"	14,400
TECH K	20-0	36-2	8'-0"	21,700
TECH P	12-0	32-0	6'-0"	11,300
TECH P	15-0	36-0	6'-0"	15,900
TECH P	17-0	40-0	8'-0"	23,500
TECH RIO	14-10	24-6	6'-0"	7,500
TECH RIO	16-10	27-6	6'-0"	10,600
TECH RIO	19-7	30-2	6'-0"	13,600
TECH RIO	19-7	32-2	6'-0"	14,500
TECH RIO	19-7	34-2	6'-0"	15,700
TECH RIO	21-7	36-2	8'-0"	22,000
TECH RIO	21-7	40-2	8'-0"	23,900
TROPIC	12-1	30-6	6'-0"	10,400
TROPIC	18-9	30-6	6'-0"	12,300
TROPIC	18-9	32-6	6'-0"	13,100
TROPIC	16-6	34-6	6'-0"	16,000
TROPIC	19-4	40-4	8'-0"	25,100
TROPICAL	19-4	32-2	8'-0"	18,100
VISTA	14-3	28-0	6'-0"	9,300
VISTA	16-3	32-0	6'-0"	12,600
VISTA	18-8	36-5	6'-0"	16,500
VISTA	20-2	39-10	6'-0"	19,500

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 5—PREMIUM POOLS

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
CALIFORNIAN	15-3	27-10	6'-0"	9,100
CALIFORNIAN	18-8	30-2	6'-0"	11,300
CALIFORNIAN	18-8	31-8	6'-0"	11,900
CALIFORNIAN	20-10	34-5	6'-0"	14,700
CALIFORNIAN	20-10	36-8	8'-0"	19,500
CALIFORNIAN	23-4	37-10	8'-0"	22,100
CALIFORNIAN	23-4	43-3	8'-0"	24,600
CANCUN	16-5	29-0	6'-0"	11,100
CANCUN	18-7	31-10	6'-0"	14,100
CANCUN	20-1	34-0	6'-0"	15,900
CANCUN	23-1	39-10	8'-0"	24,900
CARAT	16-0	32-0	6'-0"	13,600
CARAT	18-0	36-0	8'-0"	20,900
CARAT	20-0	40-0	8'-0"	25,200
CELEBRITY	12-0	27-11	6'-0"	10,400
CELEBRITY	14-0	29-11	6'-0"	11,400
CELEBRITY	14-0	34-1	8'-0"	17,000
CELEBRITY	14-0	32-6	8'-0"	17,400
CELEBRITY	16-0	35-11	8'-0"	20,000
CELEBRITY	17-0	38-6	8'-0"	23,900
CELEBRITY	20-0	40-0	8'-0"	27,600
CLOVERLEAF	28-6	26-3	6'-0"	16,200
CLOVERLEAF	30-10	29-5	6'-0"	20,300
CONTEMPORARY FULL L	14-0	30-0	6'-0"	12,300
CONTEMPORARY FULL L	16-0	34-0	6'-0"	16,000
CONTEMPORARY LAZY L	15-4	29-8	6'-0"	9,400
CONTEMPORARY LAZY L	15-4	31-8	6'-0"	10,200
CONTEMPORARY LAZY L	19-6	35-9	6'-0"	13,400
CONTRA	14-0	30-3	6'-0"	11,100
CONTRA	16-0	33-4	6'-0"	13,900
CRESCENT/KIDNEY	13-2	24-1	6'-0"	7,400
CRESCENT/KIDNEY	15-5	27-7	6'-0"	10,100
CRESCENT/KIDNEY	16-0	29-1	6'-0"	10,800
CRESCENT/KIDNEY	17-7	29-11	6'-0"	12,300
CRESCENT/KIDNEY	15-7	26-11	6'-0"	9,800
CRESCENT/KIDNEY	18-2	32-1	8'-0"	17,200
CRESCENT/KIDNEY	18-9	34-0	8'-0"	18,000
CRESCENT/KIDNEY	19-10	34-0	8'-0"	17,700
CRESCENT/KIDNEY	21-0	36-0	8'-0"	20,900
CRESCENT/KIDNEY	21-5	35-11	8'-0"	19,400
CRESCENT/KIDNEY	22-8	39-11	8'-0"	24,200
CRESCENT/KIDNEY	23-10	41-0	8'-0"	26,400
DIAMOND	21-0	30-0	6'-0"	15,700
DIAMOND	23-11	36-0	8'-0"	25,200
DIAMOND	27-0	40-0	8'-0"	32,600
FIGURE 8	12-0	24-0	6'-0"	7,700
FIGURE 8	14-0	27-10	6'-0"	10,100
FIGURE 8	16-0	32-0	8'-0"	16,800

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 5—PREMIUM POOLS (Continued)

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
FIGURE 8	16-0	34-0	8'-0"	18,700
FIGURE 8	18-0	35-9	8'-0"	22,100
FIGURE 8	20-0	40-0	8'-0"	27,300
FULL L 6 IN RAD	14-0	30-0	6'-0"	13,000
FULL L 6 IN RAD	16-0	34-0	6'-0"	16,700
FULL L 6 IN RAD	16-0	36-0	6'-0"	18,400
FULL L 6 IN RAD	16-0	41-0	8'-0"	24,100
FULL L 6 IN RAD	18-0	43-0	8'-0"	28,800
FULL L 6 IN RAD	20-0	0-0	8'-0"	29,500
FULL L 6 IN RAD	20-0	46-0	8'-0"	32,900
FULL L 2 FT RAD	14-0	30-0	6'-0"	12,900
FULL L 2 FT RAD	16-0	34-0	6'-0"	17,404
FULL L 2 FT RAD	16-0	36-0	6'-0"	18,400
FULL L 2 FT RAD	16-0	41-0	8'-0"	24,000
FULL L 2 FT RAD	18-0	43-0	8'-0"	28,700
FULL L 2 FT RAD	20-0	40-0	8'-0"	29,500
FULL L 2 FT RAD	20-0	46-0	8'-0"	32,900
FULL L 4 FT RAD	14-0	30-0	6'-0"	12,500
FULL L 4 FT RAD	16-0	34-0	6'-0"	16,200
FULL L 4 FT RAD	16-0	36-0	6'-0"	18,000
FULL L 4 FT RAD	16-0	41-0	8'-0"	23,700
FULL L 4 FT RAD	18-0	43-0	8'-0"	30,759
FULL L 4 FT RAD	20-0	40-0	8'-0"	29,100
FULL L 4 FT RAD	20-0	46-0	8'-0"	35,552
FULL L GRECIAN	16-6	43-6	8'-0"	24,400
GEMINI	13-6	23-8	6'-0"	7,100
GEMINI	16-6	27-11	6'-0"	10,000
GEMINI	16-3	29-2	6'-0"	10,500
GEMINI	16-3	30-1	6'-0"	10,800
GEMINI	18-0	31-3	8'-0"	16,400
GEMINI	18-6	32-0	8'-0"	16,700
GEMINI	18-5	33-10	8'-0"	17,100
GEMINI	20-1	34-3	8'-0"	19,400
GEMINI	20-7	36-0	8'-0"	20,100
GEMINI	21-3	38-0	8'-0"	20,800
GEMINI	22-9	39-11	8'-0"	23,700
GEMINI	25-6	44-0	8'-0"	29,100
GRECIAN	14-6	24-6	6'-0"	9,500
GRECIAN	14-6	28-6	6'-0"	11,000
GRECIAN	16-6	32-6	8'-0"	16,414
GRECIAN	16-6	34-6	8'-0"	17,497
GRECIAN	16-11	30-11	8'-0"	17,500
GRECIAN	19-4	35-4	8'-0"	20,287
GRECIAN	19-4	41-4	8'-0"	25,800
GRECIAN	20-6	40-6	8'-0"	26,300
HELINA	14-0	29-6	6'-0"	12,000
HELINA	16-0	33-6	8'-0"	19,000
JAMAICA	16-3	27-11	6'-0"	11,200
JAMAICA	18-3	31-11	8'-0"	17,900

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 5—PREMIUM POOLS (Continued)

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
JAMAICA	20-3	35-11	8'-0"	22,800
JAMAICA	22-3	39-11	8'-0"	27,100
KEY	18-10	28-3	6'-0"	11,100
KEY	19-10	31-3	8'-0"	17,700
KEY	20-10	32-3	8'-0"	19,300
KEY	22-10	36-3	8'-0"	25,300
KEY	24-10	40-3	8'-0"	30,700
KEYHOLE	15-2	32-11	8'-0"	17,600
LAGOON	21-10	23-9	6'-0"	10,100
LAGOON	25-11	27-10	6'-0"	13,800
LAGOON	29-9	32-5	8'-0"	22,000
LAGOON	34-1	36-1	8'-0"	27,400
LAGOON	38-0	40-1	8'-0"	33,800
LAZY L 6 IN RAD	19-3	33-9	6'-0"	12,300
LAZY L 6 IN RAD	20-8	33-10	6'-0"	13,800
LAZY L 6 IN RAD	20-8	39-10	8'-0"	20,100
LAZY L 6 IN RAD	22-10	41-7	8'-0"	23,200
LAZY L 6 IN RAD	25-6	47-9	8'-0"	28,900
LAZY L 2 FT RAD	19-10	31-11	6'-0"	11,900
LAZY L 2 FT RAD	19-10	33-0	6'-0"	13,700
LAZY L 2 FT RAD	19-10	35-0	6'-0"	14,700
LAZY L 2 FT RAD	22-0	37-0	8'-0"	19,400
LAZY L 2 FT RAD	18-0	40-9	8'-0"	23,100
LAZY L 4 FT RAD	17-7	32-1	6'-0"	11,900
LAZY L 4 FT RAD	19-0	32-2	6'-0"	13,500
LAZY L 4 FT RAD	19-2	38-2	8'-0"	19,700
LAZY L 4 FT RAD	21-2	39-11	8'-0"	22,800
LAZY L 4 FT RAD	23-10	46-2	8'-0"	28,500
LAZY L GRECIAN	16-6	40-0	8'-0"	21,200
LAZY L OVAL	17-7	31-2	6'-0"	11,100
LAZY L OVAL	19-0	32-1	6'-0"	12,700
LAZY L OVAL	19-0	34-1	6'-0"	13,700
LAZY L OVAL	19-0	37-1	8'-0"	18,400
LAZY L OVAL	21-2	39-11	8'-0"	21,500
LAZY L ROMAN	22-0	42-9	8'-0"	23,200
LIBERTY	12-10	25-11	6'-0"	7,900
LIBERTY	13-9	28-5	6'-0"	8,900
LIBERTY	16-10	31-0	6'-0"	11,500
LIBERTY	21-1	37-7	6'-0"	17,200
MONACO 4 FT RAD	13-0	29-1	6'-0"	10,200
MONACO 4 FT RAD	15-0	37-1	6'-0"	15,400
MONACO K	11-0	25-0	6'-0"	7,900
MONACO K	11-0	28-0	6'-0"	8,700
MONACO K	13-0	29-1	6'-0"	10,600
MONACO K	15-0	33-0	8'-0"	17,800
MONACO K	15-0	36-0	8'-0"	18,600
MONACO K	17-0	36-0	8'-0"	21,800
MONACO K	17-0	40-0	8'-0"	24,800
MONACO K REVERSE	11-0	25-0	6'-0"	8,500

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 5—PREMIUM POOLS (Continued)

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
MONACO K REVERSE	11-0	28-0	6'-0"	9,400
MONACO K REVERSE	13-0	29-1	6'-0"	11,400
MONACO K REVERSE	15-0	33-0	8'-0"	17,800
MONACO K REVERSE	15-0	36-0	8'-0"	18,800
MONACO K REVERSE	17-0	36-0	8'-0"	21,700
MONACO K REVERSE	17-0	40-0	8'-0"	24,100
MONTE CARLO	15-2	27-11	6'-0"	10,100
MONTE CARLO	17-7	31-8	8'-0"	16,800
MONTE CARLO	20-8	36-2	8'-0"	21,400
MONTE CARLO	22-4	40-3	8'-0"	26,200
MONTEREY	16-0	33-4	6'-0"	13,200
MONTEREY	18-0	34-8	6'-0"	15,700
MONTEREY	19-0	36-1	6'-0"	17,400
MONTEREY	19-0	40-1	6'-0"	19,300
MOUNTAIN LAKE	17-4	28-0	6'-0"	10,100
MOUNTAIN LAKE	18-10	32-0	6'-0"	12,600
MOUNTAIN LAKE	20-1	34-0	6'-0"	13,700
MOUNTAIN LAKE	20-0	34-7	8'-0"	17,300
MOUNTAIN LAKE	21-10	36-0	8'-0"	19,500
MOUNTAIN LAKE	23-10	40-0	8'-0"	23,600
MOUNTAIN LAKE REVERSE	14-0	28-0	6'-0"	9,500
MOUNTAIN LAKE REVERSE	16-0	32-0	6'-0"	11,800
MOUNTAIN LAKE REVERSE	16-0	34-0	6'-0"	12,900
MOUNTAIN LAKE REVERSE	16-0	34-7	8'-0"	16,800
MOUNTAIN LAKE REVERSE	18-0	36-0	8'-0"	18,300
MOUNTAIN LAKE REVERSE	20-0	40-0	8'-0"	22,300
MOUNTAIN OASIS	14-0	31-5	6'-0"	12,100
MOUNTAIN OASIS	16-0	36-6	6'-0"	13,400
MOUNTAIN OASIS	16-0	39-3	8'-0"	19,400
MOUNTAIN OASIS	16-0	44-8	8'-0"	26,400
NORLANDER	11-0	26-0	6'-0"	7,800
NORLANDER	11-0	28-0	6'-0"	8,600
NORLANDER	12-0	27-7	6'-0"	8,700
NORLANDER	12-0	29-7	6'-0"	9,600
NORLANDER	13-0	32-1	6'-0"	11,000
NORLANDER	15-0	34-6	8'-0"	17,000
NORLANDER	15-0	36-6	8'-0"	18,600
NORLANDER	17-0	39-10	8'-0"	23,000
ODESSY	14-0	20-3	6'-0"	6,300
ODESSY	12-1	22-2	6'-0"	6,400
ODESSY	15-2	24-0	6'-0"	7,700
ODESSY	16-8	25-3	6'-0"	9,000
ODESSY	15-9	27-10	6'-0"	9,600
ODESSY	17-6	31-3	8'-0"	15,300
ODESSY	18-6	31-10	8'-0"	16,100
ODESSY	18-8	34-3	8'-0"	16,700
ODESSY	19-4	31-10	8'-0"	17,800
ODESSY	21-2	35-10	8'-0"	19,300
ODESSY	23-7	40-2	8'-0"	24,000

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 5—PREMIUM POOLS (Continued)

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
OFFSET GRECIAN	16-7	27-7	6'-0"	10,400
OFFSET GRECIAN	18-7	31-7	8'-0"	17,600
OFFSET GRECIAN	20-7	35-7	8'-0"	21,600
OFFSET GRECIAN	22-7	39-7	8'-0"	27,000
OVAL	14-0	28-0	6'-0"	10,500
OVAL	15-0	29-11	6'-0"	11,500
OVAL	16-0	29-11	6'-0"	12,200
OVAL	16-0	31-11	8'-0"	16,600
OVAL	16-0	33-11	8'-0"	17,300
OVAL	17-0	32-10	8'-0"	18,000
OVAL	18-0	36-0	8'-0"	20,000
OVAL	20-0	40-1	8'-0"	25,600
PALETTE	16-0	30-5	6'-0"	11,800
PALETTE	18-0	34-0	6'-0"	15,300
PALETTE	19-0	36-1	6'-0"	17,800
PALETTE	22-0	39-8	8'-0"	25,900
PATRICIAN 6 IN RAD	14-0	28-0	6'-0"	10,900
PATRICIAN 6 IN RAD	14-0	30-0	6'-0"	11,800
PATRICIAN 6 IN RAD	16-0	32-0	8'-0"	17,600
PATRICIAN 6 IN RAD	18-0	36-0	8'-0"	21,400
PATRICIAN 6 IN RAD	18-0	40-0	8'-0"	23,700
PATRICIAN 6 IN RAD	20-0	40-0	8'-0"	27,300
PATRICIAN 6 IN RAD	22-0	44-0	8'-0"	32,700
PATRICIAN 2 FT RAD	14-0	28-0	6'-0"	10,800
PATRICIAN 2 FT RAD	14-0	30-0	6'-0"	11,700
PATRICIAN 2 FT RAD	16-0	32-0	8'-0"	17,500
PATRICIAN 2 FT RAD	18-0	36-0	8'-0"	21,300
PATRICIAN 2 FT RAD	18-0	40-0	8'-0"	23,600
PATRICIAN 2 FT RAD	20-0	40-0	8'-0"	27,200
PATRICIAN 2 FT RAD	22-0	44-0	8'-0"	32,600
RECTANGLE 6 IN RAD	10-0	20-0	6'-0"	5,700
RECTANGLE 6 IN RAD	12-0	24-0	6'-0"	8,300
RECTANGLE 6 IN RAD	14-0	28-0	6'-0"	11,400
RECTANGLE 6 IN RAD	16-0	32-0	8'-0"	18,400
RECTANGLE 6 IN RAD	16-0	34-0	8'-0"	19,300
RECTANGLE 6 IN RAD	16-0	38-0	8'-0"	21,700
RECTANGLE 6 IN RAD	18-0	36-0	8'-0"	22,300
RECTANGLE 6 IN RAD	18-0	38-0	8'-0"	25,200
RECTANGLE 6 IN RAD	20-0	40-0	8'-0"	28,200
RECTANGLE 2 FT RAD	10-0	20-0	6'-0"	5,700
RECTANGLE 2 FT RAD	12-0	24-0	6'-0"	8,200
RECTANGLE 2 FT RAD	14-0	28-0	6'-0"	11,400
RECTANGLE 2 FT RAD	16-0	32-0	8'-0"	18,300
RECTANGLE 2 FT RAD	16-0	34-0	8'-0"	19,000
RECTANGLE 2 FT RAD	16-0	38-0	8'-0"	21,600
RECTANGLE 2 FT RAD	18-0	36-0	8'-0"	22,200
RECTANGLE 2 FT RAD	18-0	38-0	8'-0"	23,600
RECTANGLE 2 FT RAD	20-0	40-0	8'-0"	28,200
RECTANGLE 4 FT RAD	10-0	20-0	6'-0"	5,400

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 5—PREMIUM POOLS (Continued)

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
RECTANGLE 4 FT RAD	12-0	24-0	6'-0"	7,900
RECTANGLE 4 FT RAD	14-0	28-0	6'-0"	11,000
RECTANGLE 4 FT RAD	16-0	32-0	8'-0"	18,000
RECTANGLE 4 FT RAD	16-0	34-0	8'-0"	18,600
RECTANGLE 4 FT RAD	16-0	38-0	8'-0"	21,200
RECTANGLE 4 FT RAD	18-0	36-0	8'-0"	21,900
RECTANGLE 4 FT RAD	18-0	38-0	8'-0"	23,300
RECTANGLE 4 FT RAD	20-0	40-0	8'-0"	27,800
RIO CARRE	18-7	30-2	6'-0"	12,300
RIO CARRE	19-7	32-2	6'-0"	14,400
RIO CARRE	19-7	34-2	6'-0"	15,100
RIO CARRE	19-7	36-2	6'-0"	16,100
RIO CARRE	21-7	36-2	8'-0"	22,300
RIO CARRE	21-7	40-2	8'-0"	24,600
RIO RONDE	17-11	27-2	6'-0"	11,100
RIO RONDE	21-4	29-7	6'-0"	14,200
RIO RONDE	21-4	31-7	6'-0"	15,200
RIO RONDE	21-4	33-7	6'-0"	16,300
RIO RONDE	22-4	35-4	6'-0"	18,400
RIO RONDE	23-9	40-0	6'-0"	21,400
RIVIERA	21-1	32-7	6'-0"	14,600
RIVIERA	23-1	36-7	8'-0"	22,700
RIVIERA MARK II	22-3	37-4	8'-0"	21,200
ROMAN 6 IN RAD	14-0	27-11	6'-0"	10,500
ROMAN 6 IN RAD	14-0	29-11	6'-0"	11,100
ROMAN 6 IN RAD	16-0	32-0	8'-0"	17,300
ROMAN 6 IN RAD	18-0	36-0	8'-0"	20,900
ROMAN 6 IN RAD	18-0	40-0	8'-0"	22,500
ROMAN 6 IN RAD	20-0	40-0	8'-0"	26,800
ROMAN 6 IN RAD	22-0	44-0	8'-0"	31,300
ROMAN 2 FT RAD	14-0	27-11	6'-0"	10,400
ROMAN 2 FT RAD	14-0	29-11	6'-0"	11,000
ROMAN 2 FT RAD	16-0	32-0	8'-0"	175,200
ROMAN 2 FT RAD	18-0	36-0	8'-0"	20,800
ROMAN 2 FT RAD	18-0	40-0	8'-0"	22,400
ROMAN 2 FT RAD	20-0	40-0	8'-0"	26,700
ROMAN 2 FT RAD	22-0	44-0	8'-0"	31,200
ROUND	18-0	18-0	3'-4"	8,300
ROUND	21-0	21-0	3'-4"	11,400
ROUND	24-0	24-0	3'-4"	14,900
ROUND	32-0	32-0	3'-4"	26,400
SENTRA	14-1	31-4	6'-0"	11,100
SENTRA	16-10	35-5	8'-0"	18,600
SPECIAL FULL L	13-8	30-8	6'-0"	12,100
SPECIAL FULL L	16-1	34-5	8'-0"	20,200
SUMMERVILLE	9-8	23-8	6'-0"	6,700
SUMMERVILLE	11-8	28-8	6'-0"	9,900
SUMMERVILLE	12-6	32-6	6'-0"	11,400
SUMMERVILLE	14-6	32-6	6'-0"	13,300

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 5—PREMIUM POOLS (Continued)

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
SUMMERVILLE	14-6	36-6	8'-0"	17,900
SUMMERVILLE	16-6	38-6	8'-0"	21,300
SUMMERVILLE	18-6	39-6	8'-0"	24,700
SUPRA	14-0	31-11	6'-0"	11,700
SUPRA	16-0	34-1	6'-0"	14,100
TAMPA	24-0	31-11	8'-0"	19,400
TAMPA	30-0	40-1	8'-0"	28,600
TAMPA	26-0	36-8	8'-0"	22,700
TAORMINA	18-6	28-0	6'-0"	11,200
TAORMINA	18-5	30-0	6'-0"	11,400
TAORMINA	20-5	32-0	8'-0"	17,200
TAORMINA	20-5	34-0	8'-0"	17,800
TAORMINA	20-6	36-2	8'-0"	18,000
TAORMINA	24-0	34-1	8'-0"	20,600
TAORMINA	24-11	36-1	8'-0"	21,700
TAORMINA	24-0	40-0	8'-0"	23,400
TECH C	11-8	23-11	6'-0"	6,300
TECH C	14-1	28-4	6'-0"	8,800
TECH C	16-1	30-0	6'-0"	11,000
TECH C	16-1	32-0	6'-0"	11,800
TECH C	16-1	34-0	6'-0"	12,700
TECH C	18-1	33-7	6'-0"	14,200
TECH C	21-1	35-11	6'-0"	16,900
TECH J	18-3	31-11	6'-0"	11,100
TECH J	21-11	34-10	6'-0"	15,600
TECH K	15-0	30-0	6'-0"	10,400
TECH K	16-0	32-1	6'-0"	12,100
TECH K	18-2	34-0	6'-0"	14,400
TECH K	20-0	36-2	8'-0"	21,700
TECH P	12-0	32-0	6'-0"	11,300
TECH P	15-0	36-0	6'-0"	15,900
TECH P	17-0	40-0	8'-0"	23,500
TECH RIO	14-10	24-6	6'-0"	7,500
TECH RIO	16-10	27-6	6'-0"	10,600
TECH RIO	19-7	30-2	6'-0"	13,600
TECH RIO	19-7	32-2	6'-0"	14,500
TECH RIO	19-7	34-2	6'-0"	15,700
TECH RIO	21-7	36-2	8'-0"	22,000
TECH RIO	21-7	40-2	8'-0"	23,900
TROPIC	12-1	30-6	6'-0"	10,400
TROPIC	18-9	30-6	6'-0"	12,300
TROPIC	18-9	32-6	6'-0"	13,100
TROPIC	16-6	34-6	6'-0"	16,000
TROPIC	19-4	40-4	8'-0"	25,100
TROPICAL	19-4	32-2	8'-0"	18,100
VISTA	14-3	28-0	6'-0"	9,300
VISTA	16-3	32-0	6'-0"	12,600
VISTA	18-8	36-5	6'-0"	16,500
VISTA	20-2	39-10	6'-0"	19,500

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 6—FORTRESS POOLS

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
CALIFORNIAN	15-3	27-10	6'-0"	9,100
CALIFORNIAN	18-8	30-2	6'-0"	11,300
CALIFORNIAN	18-8	31-8	6'-0"	11,900
CALIFORNIAN	20-10	34-5	6'-0"	14,700
CALIFORNIAN	20-10	36-8	8'-0"	19,500
CALIFORNIAN	23-4	37-10	8'-0"	22,100
CALIFORNIAN	23-4	43-3	8'-0"	24,600
CANCUN	16-5	29-0	6'-0"	11,100
CANCUN	18-7	31-10	6'-0"	14,100
CANCUN	20-1	34-0	6'-0"	15,900
CANCUN	23-1	39-10	8'-0"	24,900
CARAT	16-0	32-0	6'-0"	13,600
CARAT	18-0	36-0	8'-0"	20,900
CARAT	20-0	40-0	8'-0"	25,200
CELEBRITY	12-0	27-11	6'-0"	10,400
CELEBRITY	14-0	29-11	6'-0"	11,400
CELEBRITY	14-0	34-1	8'-0"	17,000
CELEBRITY	14-0	32-6	8'-0"	17,400
CELEBRITY	16-0	35-11	8'-0"	20,000
CELEBRITY	17-0	38-6	8'-0"	23,900
CELEBRITY	20-0	40-0	8'-0"	27,600
CLOVERLEAF	28-6	26-3	6'-0"	16,200
CLOVERLEAF	30-10	29-5	6'-0"	20,300
CONTEMPORARY FULL L	14-0	30-0	6'-0"	12,300
CONTEMPORARY FULL L	16-0	34-0	6'-0"	16,000
CONTEMPORARY LAZY L	15-4	29-8	6'-0"	9,400
CONTEMPORARY LAZY L	15-4	31-8	6'-0"	10,200
CONTEMPORARY LAZY L	19-6	35-9	6'-0"	13,400
CONTRA	14-0	30-3	6'-0"	11,100
CONTRA	16-0	33-4	6'-0"	13,900
CRESCENT/KIDNEY	13-2	24-1	6'-0"	7,400
CRESCENT/KIDNEY	15-5	27-7	6'-0"	10,100
CRESCENT/KIDNEY	16-0	29-1	6'-0"	10,800
CRESCENT/KIDNEY	17-7	29-11	6'-0"	12,300
CRESCENT/KIDNEY	15-7	26-11	6'-0"	9,800
CRESCENT/KIDNEY	18-2	32-1	8'-0"	17,200
CRESCENT/KIDNEY	18-9	34-0	8'-0"	18,000
CRESCENT/KIDNEY	19-10	34-0	8'-0"	17,700
CRESCENT/KIDNEY	21-0	36-0	8'-0"	20,900
CRESCENT/KIDNEY	21-5	35-11	8'-0"	19,400
CRESCENT/KIDNEY	22-8	39-11	8'-0"	24,200
CRESCENT/KIDNEY	23-10	41-0	8'-0"	26,400
DIAMOND	21-0	30-0	6'-0"	15,700
DIAMOND	23-11	36-0	8'-0"	25,200
DIAMOND	27-0	40-0	8'-0"	32,600
FIGURE 8	12-0	24-0	6'-0"	7,700
FIGURE 8	14-0	27-10	6'-0"	10,100
FIGURE 8	16-0	32-0	8'-0"	16,800
FIGURE 8	16-0	34-0	8'-0"	18,700

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 6—FORTRESS POOLS (Continued)

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
FIGURE 8	18-0	35-9	8'-0"	22,100
FIGURE 8	20-0	40-0	8'-0"	27,300
FULL L 6 IN RAD	14-0	30-0	6'-0"	13,000
FULL L 6 IN RAD	16-0	34-0	6'-0"	16,700
FULL L 6 IN RAD	16-0	36-0	6'-0"	18,400
FULL L 6 IN RAD	16-0	41-0	8'-0"	24,100
FULL L 6 IN RAD	18-0	43-0	8'-0"	28,800
FULL L 6 IN RAD	20-0	0-0	8'-0"	29,500
FULL L 6 IN RAD	20-0	46-0	8'-0"	32,900
FULL L 2 FT RAD	14-0	30-0	6'-0"	12,900
FULL L 2 FT RAD	16-0	34-0	6'-0"	17,404
FULL L 2 FT RAD	16-0	36-0	6'-0"	18,400
FULL L 2 FT RAD	16-0	41-0	8'-0"	24,000
FULL L 2 FT RAD	18-0	43-0	8'-0"	28,700
FULL L 2 FT RAD	20-0	40-0	8'-0"	29,500
FULL L 2 FT RAD	20-0	46-0	8'-0"	32,900
FULL L 4 FT RAD	14-0	30-0	6'-0"	12,500
FULL L 4 FT RAD	16-0	34-0	6'-0"	16,200
FULL L 4 FT RAD	16-0	36-0	6'-0"	18,000
FULL L 4 FT RAD	16-0	41-0	8'-0"	23,700
FULL L 4 FT RAD	18-0	43-0	8'-0"	30,759
FULL L 4 FT RAD	20-0	40-0	8'-0"	29,100
FULL L 4 FT RAD	20-0	46-0	8'-0"	35,552
FULL L GRECIAN	16-6	43-6	8'-0"	24,400
GEMINI	13-6	23-8	6'-0"	7,100
GEMINI	16-6	27-11	6'-0"	10,000
GEMINI	16-3	29-2	6'-0"	10,500
GEMINI	16-3	30-1	6'-0"	10,800
GEMINI	18-0	31-3	8'-0"	16,400
GEMINI	18-6	32-0	8'-0"	16,700
GEMINI	18-5	33-10	8'-0"	17,100
GEMINI	20-1	34-3	8'-0"	19,400
GEMINI	20-7	36-0	8'-0"	20,100
GEMINI	21-3	38-0	8'-0"	20,800
GEMINI	22-9	39-11	8'-0"	23,700
GEMINI	25-6	44-0	8'-0"	29,100
GRECIAN	14-6	24-6	6'-0"	9,500
GRECIAN	14-6	28-6	6'-0"	11,000
GRECIAN	16-6	32-6	8'-0"	16,414
GRECIAN	16-6	34-6	8'-0"	17,497
GRECIAN	16-11	30-11	8'-0"	17,500
GRECIAN	19-4	35-4	8'-0"	20,287
GRECIAN	19-4	41-4	8'-0"	25,800
GRECIAN	20-6	40-6	8'-0"	26,300
HELINA	14-0	29-6	6'-0"	12,000
HELINA	16-0	33-6	8'-0"	19,000
JAMAICA	16-3	27-11	6'-0"	11,200
JAMAICA	18-3	31-11	8'-0"	17,900
JAMAICA	20-3	35-11	8'-0"	22,800

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 6—FORTRESS POOLS (Continued)

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
JAMAICA	22-3	39-11	8'-0"	27,100
KEY	18-10	28-3	6'-0"	11,100
KEY	19-10	31-3	8'-0"	17,700
KEY	20-10	32-3	8'-0"	19,300
KEY	22-10	36-3	8'-0"	25,300
KEY	24-10	40-3	8'-0"	30,700
KEYHOLE	15-2	32-11	8'-0"	17,600
LAGOON	21-10	23-9	6'-0"	10,100
LAGOON	25-11	27-10	6'-0"	13,800
LAGOON	29-9	32-5	8'-0"	22,000
LAGOON	34-1	36-1	8'-0"	27,400
LAGOON	38-0	40-1	8'-0"	33,800
LAZY L 6 IN RAD	19-3	33-9	6'-0"	12,300
LAZY L 6 IN RAD	20-8	33-10	6'-0"	13,800
LAZY L 6 IN RAD	20-8	39-10	8'-0"	20,100
LAZY L 6 IN RAD	22-10	41-7	8'-0"	23,200
LAZY L 6 IN RAD	25-6	47-9	8'-0"	28,900
LAZY L 2 FT RAD	19-10	31-11	6'-0"	11,900
LAZY L 2 FT RAD	19-10	33-0	6'-0"	13,700
LAZY L 2 FT RAD	19-10	35-0	6'-0"	14,700
LAZY L 2 FT RAD	22-0	37-0	8'-0"	19,400
LAZY L 2 FT RAD	18-0	40-9	8'-0"	23,100
LAZY L 4 FT RAD	17-7	32-1	6'-0"	11,900
LAZY L 4 FT RAD	19-0	32-2	6'-0"	13,500
LAZY L 4 FT RAD	19-2	38-2	8'-0"	19,700
LAZY L 4 FT RAD	21-2	39-11	8'-0"	22,800
LAZY L 4 FT RAD	23-10	46-2	8'-0"	28,500
LAZY L GRECIAN	16-6	40-0	8'-0"	21,200
LAZY L OVAL	17-7	31-2	6'-0"	11,100
LAZY L OVAL	19-0	32-1	6'-0"	12,700
LAZY L OVAL	19-0	34-1	6'-0"	13,700
LAZY L OVAL	19-0	37-1	8'-0"	18,400
LAZY L OVAL	21-2	39-11	8'-0"	21,500
LAZY L ROMAN	22-0	42-9	8'-0"	23,200
LIBERTY	12-10	25-11	6'-0"	7,900
LIBERTY	13-9	28-5	6'-0"	8,900
LIBERTY	16-10	31-0	6'-0"	11,500
LIBERTY	21-1	37-7	6'-0"	17,200
MONACO 4 FT RAD	13-0	29-1	6'-0"	10,200
MONACO 4 FT RAD	15-0	37-1	6'-0"	15,400
MONACO K	11-0	25-0	6'-0"	7,900
MONACO K	11-0	28-0	6'-0"	8,700
MONACO K	13-0	29-1	6'-0"	10,600
MONACO K	15-0	33-0	8'-0"	17,800
MONACO K	15-0	36-0	8'-0"	18,600
MONACO K	17-0	36-0	8'-0"	21,800
MONACO K	17-0	40-0	8'-0"	24,800
MONACO K REVERSE	11-0	25-0	6'-0"	8,500
MONACO K REVERSE	11-0	28-0	6'-0"	9,400

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 6—FORTRESS POOLS (Continued)

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
MONACO K REVERSE	13-0	29-1	6'-0"	11,400
MONACO K REVERSE	15-0	33-0	8'-0"	17,800
MONACO K REVERSE	15-0	36-0	8'-0"	18,800
MONACO K REVERSE	17-0	36-0	8'-0"	21,700
MONACO K REVERSE	17-0	40-0	8'-0"	24,100
MONTE CARLO	15-2	27-11	6'-0"	10,100
MONTE CARLO	17-7	31-8	8'-0"	16,800
MONTE CARLO	20-8	36-2	8'-0"	21,400
MONTE CARLO	22-4	40-3	8'-0"	26,200
MONTEREY	16-0	33-4	6'-0"	13,200
MONTEREY	18-0	34-8	6'-0"	15,700
MONTEREY	19-0	36-1	6'-0"	17,400
MONTEREY	19-0	40-1	6'-0"	19,300
MOUNTAIN LAKE	17-4	28-0	6'-0"	10,100
MOUNTAIN LAKE	18-10	32-0	6'-0"	12,600
MOUNTAIN LAKE	20-1	34-0	6'-0"	13,700
MOUNTAIN LAKE	20-0	34-7	8'-0"	17,300
MOUNTAIN LAKE	21-10	36-0	8'-0"	19,500
MOUNTAIN LAKE	23-10	40-0	8'-0"	23,600
MOUNTAIN LAKE REVERSE	14-0	28-0	6'-0"	9,500
MOUNTAIN LAKE REVERSE	16-0	32-0	6'-0"	11,800
MOUNTAIN LAKE REVERSE	16-0	34-0	6'-0"	12,900
MOUNTAIN LAKE REVERSE	16-0	34-7	8'-0"	16,800
MOUNTAIN LAKE REVERSE	18-0	36-0	8'-0"	18,300
MOUNTAIN LAKE REVERSE	20-0	40-0	8'-0"	22,300
MOUNTAIN OASIS	14-0	31-5	6'-0"	12,100
MOUNTAIN OASIS	16-0	36-6	6'-0"	13,400
MOUNTAIN OASIS	16-0	39-3	8'-0"	19,400
MOUNTAIN OASIS	16-0	44-8	8'-0"	26,400
NORLANDER	11-0	26-0	6'-0"	7,800
NORLANDER	11-0	28-0	6'-0"	8,600
NORLANDER	12-0	27-7	6'-0"	8,700
NORLANDER	12-0	29-7	6'-0"	9,600
NORLANDER	13-0	32-1	6'-0"	11,000
NORLANDER	15-0	34-6	8'-0"	17,000
NORLANDER	15-0	36-6	8'-0"	18,600
NORLANDER	17-0	39-10	8'-0"	23,000
ODESSY	14-0	20-3	6'-0"	6,300
ODESSY	12-1	22-2	6'-0"	6,400
ODESSY	15-2	24-0	6'-0"	7,700
ODESSY	16-8	25-3	6'-0"	9,000
ODESSY	15-9	27-10	6'-0"	9,600
ODESSY	17-6	31-3	8'-0"	15,300
ODESSY	18-6	31-10	8'-0"	16,100
ODESSY	18-8	34-3	8'-0"	16,700
ODESSY	19-4	31-10	8'-0"	17,800
ODESSY	21-2	35-10	8'-0"	19,300
ODESSY	23-7	40-2	8'-0"	24,000
OFFSET GRECIAN	16-7	27-7	6'-0"	10,400

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 6—FORTRESS POOLS (Continued)

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
OFFSET GRECIAN	18-7	31-7	8'-0"	17,600
OFFSET GRECIAN	20-7	35-7	8'-0"	21,600
OFFSET GRECIAN	22-7	39-7	8'-0"	27,000
OVAL	14-0	28-0	6'-0"	10,500
OVAL	15-0	29-11	6'-0"	11,500
OVAL	16-0	29-11	6'-0"	12,200
OVAL	16-0	31-11	8'-0"	16,600
OVAL	16-0	33-11	8'-0"	17,300
OVAL	17-0	32-10	8'-0"	18,000
OVAL	18-0	36-0	8'-0"	20,000
OVAL	20-0	40-1	8'-0"	25,600
PALETTE	16-0	30-5	6'-0"	11,800
PALETTE	18-0	34-0	6'-0"	15,300
PALETTE	19-0	36-1	6'-0"	17,800
PALETTE	22-0	39-8	8'-0"	25,900
PATRICIAN 6 IN RAD	14-0	28-0	6'-0"	10,900
PATRICIAN 6 IN RAD	14-0	30-0	6'-0"	11,800
PATRICIAN 6 IN RAD	16-0	32-0	8'-0"	17,600
PATRICIAN 6 IN RAD	18-0	36-0	8'-0"	21,400
PATRICIAN 6 IN RAD	18-0	40-0	8'-0"	23,700
PATRICIAN 6 IN RAD	20-0	40-0	8'-0"	27,300
PATRICIAN 6 IN RAD	22-0	44-0	8'-0"	32,700
PATRICIAN 2 FT RAD	14-0	28-0	6'-0"	10,800
PATRICIAN 2 FT RAD	14-0	30-0	6'-0"	11,700
PATRICIAN 2 FT RAD	16-0	32-0	8'-0"	17,500
PATRICIAN 2 FT RAD	18-0	36-0	8'-0"	21,300
PATRICIAN 2 FT RAD	18-0	40-0	8'-0"	23,600
PATRICIAN 2 FT RAD	20-0	40-0	8'-0"	27,200
PATRICIAN 2 FT RAD	22-0	44-0	8'-0"	32,600
RECTANGLE 6 IN RAD	10-0	20-0	6'-0"	5,700
RECTANGLE 6 IN RAD	12-0	24-0	6'-0"	8,300
RECTANGLE 6 IN RAD	14-0	28-0	6'-0"	11,400
RECTANGLE 6 IN RAD	16-0	32-0	8'-0"	18,400
RECTANGLE 6 IN RAD	16-0	34-0	8'-0"	19,300
RECTANGLE 6 IN RAD	16-0	38-0	8'-0"	21,700
RECTANGLE 6 IN RAD	18-0	36-0	8'-0"	22,300
RECTANGLE 6 IN RAD	18-0	38-0	8'-0"	25,200
RECTANGLE 6 IN RAD	20-0	40-0	8'-0"	28,200
RECTANGLE 2 FT RAD	10-0	20-0	6'-0"	5,700
RECTANGLE 2 FT RAD	12-0	24-0	6'-0"	8,200
RECTANGLE 2 FT RAD	14-0	28-0	6'-0"	11,400
RECTANGLE 2 FT RAD	16-0	32-0	8'-0"	18,300
RECTANGLE 2 FT RAD	16-0	34-0	8'-0"	19,000
RECTANGLE 2 FT RAD	16-0	38-0	8'-0"	21,600
RECTANGLE 2 FT RAD	18-0	36-0	8'-0"	22,200
RECTANGLE 2 FT RAD	18-0	38-0	8'-0"	23,600
RECTANGLE 2 FT RAD	20-0	40-0	8'-0"	28,200
RECTANGLE 4 FT RAD	10-0	20-0	6'-0"	5,400
RECTANGLE 4 FT RAD	12-0	24-0	6'-0"	7,900

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 6—FORTRESS POOLS (Continued)

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
RECTANGLE 4 FT RAD	14-0	28-0	6'-0"	11,000
RECTANGLE 4 FT RAD	16-0	32-0	8'-0"	18,000
RECTANGLE 4 FT RAD	16-0	34-0	8'-0"	18,600
RECTANGLE 4 FT RAD	16-0	38-0	8'-0"	21,200
RECTANGLE 4 FT RAD	18-0	36-0	8'-0"	21,900
RECTANGLE 4 FT RAD	18-0	38-0	8'-0"	23,300
RECTANGLE 4 FT RAD	20-0	40-0	8'-0"	27,800
RIO CARRE	18-7	30-2	6'-0"	12,300
RIO CARRE	19-7	32-2	6'-0"	14,400
RIO CARRE	19-7	34-2	6'-0"	15,100
RIO CARRE	19-7	36-2	6'-0"	16,100
RIO CARRE	21-7	36-2	8'-0"	22,300
RIO CARRE	21-7	40-2	8'-0"	24,600
RIO RONDE	17-11	27-2	6'-0"	11,100
RIO RONDE	21-4	29-7	6'-0"	14,200
RIO RONDE	21-4	31-7	6'-0"	15,200
RIO RONDE	21-4	33-7	6'-0"	16,300
RIO RONDE	22-4	35-4	6'-0"	18,400
RIO RONDE	23-9	40-0	6'-0"	21,400
RIVIERA	21-1	32-7	6'-0"	14,600
RIVIERA	23-1	36-7	8'-0"	22,700
RIVIERA MARK II	22-3	37-4	8'-0"	21,200
ROMAN 6 IN RAD	14-0	27-11	6'-0"	10,500
ROMAN 6 IN RAD	14-0	29-11	6'-0"	11,100
ROMAN 6 IN RAD	16-0	32-0	8'-0"	17,300
ROMAN 6 IN RAD	18-0	36-0	8'-0"	20,900
ROMAN 6 IN RAD	18-0	40-0	8'-0"	22,500
ROMAN 6 IN RAD	20-0	40-0	8'-0"	26,800
ROMAN 6 IN RAD	22-0	44-0	8'-0"	31,300
ROMAN 2 FT RAD	14-0	27-11	6'-0"	10,400
ROMAN 2 FT RAD	14-0	29-11	6'-0"	11,000
ROMAN 2 FT RAD	16-0	32-0	8'-0"	175,200
ROMAN 2 FT RAD	18-0	36-0	8'-0"	20,800
ROMAN 2 FT RAD	18-0	40-0	8'-0"	22,400
ROMAN 2 FT RAD	20-0	40-0	8'-0"	26,700
ROMAN 2 FT RAD	22-0	44-0	8'-0"	31,200
ROUND	18-0	18-0	3'-4"	8,300
ROUND	21-0	21-0	3'-4"	11,400
ROUND	24-0	24-0	3'-4"	14,900
ROUND	32-0	32-0	3'-4"	26,400
SENTRA	14-1	31-4	6'-0"	11,100
SENTRA	16-10	35-5	8'-0"	18,600
SPECIAL FULL L	13-8	30-8	6'-0"	12,100
SPECIAL FULL L	16-1	34-5	8'-0"	20,200
SUMMERVILLE	9-8	23-8	6'-0"	6,700
SUMMERVILLE	11-8	28-8	6'-0"	9,900
SUMMERVILLE	12-6	32-6	6'-0"	11,400
SUMMERVILLE	14-6	32-6	6'-0"	13,300
SUMMERVILLE	14-6	36-6	8'-0"	17,900

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 6—FORTRESS POOLS (Continued)

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
SUMMERVILLE	16-6	38-6	8'-0"	21,300
SUMMERVILLE	18-6	39-6	8'-0"	24,700
SUPRA	14-0	31-11	6'-0"	11,700
SUPRA	16-0	34-1	6'-0"	14,100
TAMPA	24-0	31-11	8'-0"	19,400
TAMPA	26-0	36-8	8'-0"	22,700
TAMPA	30-0	40-1	8'-0"	28,600
TAORMINA	18-6	28-0	6'-0"	11,200
TAORMINA	18-5	30-0	6'-0"	11,400
TAORMINA	20-5	32-0	8'-0"	17,200
TAORMINA	20-5	34-0	8'-0"	17,800
TAORMINA	20-6	36-2	8'-0"	18,000
TAORMINA	24-0	34-1	8'-0"	20,600
TAORMINA	24-11	36-1	8'-0"	21,700
TAORMINA	24-0	40-0	8'-0"	23,400
TECH C	11-8	23-11	6'-0"	6,300
TECH C	14-1	28-4	6'-0"	8,800
TECH C	16-1	30-0	6'-0"	11,000
TECH C	16-1	32-0	6'-0"	11,800
TECH C	16-1	34-0	6'-0"	12,700
TECH C	18-1	33-7	6'-0"	14,200
TECH C	21-1	35-11	6'-0"	16,900
TECH J	18-3	31-11	6'-0"	11,100
TECH J	21-11	34-10	6'-0"	15,600
TECH K	15-0	30-0	6'-0"	10,400
TECH K	16-0	32-1	6'-0"	12,100
TECH K	18-2	34-0	6'-0"	14,400
TECH K	20-0	36-2	8'-0"	21,700
TECH P	12-0	32-0	6'-0"	11,300
TECH P	15-0	36-0	6'-0"	15,900
TECH P	17-0	40-0	8'-0"	23,500
TECH RIO	14-10	24-6	6'-0"	7,500
TECH RIO	16-10	27-6	6'-0"	10,600
TECH RIO	19-7	30-2	6'-0"	13,600
TECH RIO	19-7	32-2	6'-0"	14,500
TECH RIO	19-7	34-2	6'-0"	15,700
TECH RIO	21-7	36-2	8'-0"	22,000
TECH RIO	21-7	40-2	8'-0"	23,900
TROPIC	12-1	30-6	6'-0"	10,400
TROPIC	18-9	30-6	6'-0"	12,300
TROPIC	18-9	32-6	6'-0"	13,100
TROPIC	16-6	34-6	6'-0"	16,000
TROPIC	19-4	40-4	8'-0"	25,100
TROPICAL	19-4	32-2	8'-0"	18,100
VISTA	14-3	28-0	6'-0"	9,300
VISTA	16-3	32-0	6'-0"	12,600
VISTA	18-8	36-5	6'-0"	16,500
VISTA	20-2	39-10	6'-0"	19,500

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 7—TRILLIUM POOLS

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
CALIFORNIAN	15-3	27-10	6'-0"	9,100
CALIFORNIAN	18-8	30-2	6'-0"	11,300
CALIFORNIAN	18-8	31-8	6'-0"	11,900
CALIFORNIAN	20-10	34-5	6'-0"	14,700
CALIFORNIAN	20-10	36-8	8'-0"	19,500
CALIFORNIAN	23-4	37-10	8'-0"	22,100
CALIFORNIAN	23-4	43-3	8'-0"	24,600
CANCUN	16-5	29-0	6'-0"	11,100
CANCUN	18-7	31-10	6'-0"	14,100
CANCUN	20-1	34-0	6'-0"	15,900
CANCUN	23-1	39-10	8'-0"	24,900
CARAT	16-0	32-0	6'-0"	13,600
CARAT	18-0	36-0	8'-0"	20,900
CARAT	20-0	40-0	8'-0"	25,200
CELEBRITY	12-0	27-11	6'-0"	10,400
CELEBRITY	14-0	29-11	6'-0"	11,400
CELEBRITY	14-0	34-1	8'-0"	17,000
CELEBRITY	14-0	32-6	8'-0"	17,400
CELEBRITY	16-0	35-11	8'-0"	20,000
CELEBRITY	17-0	38-6	8'-0"	23,900
CELEBRITY	20-0	40-0	8'-0"	27,600
CLOVERLEAF	28-6	26-3	6'-0"	16,200
CLOVERLEAF	30-10	29-5	6'-0"	20,300
CONTEMPORARY FULL L	14-0	30-0	6'-0"	12,300
CONTEMPORARY FULL L	16-0	34-0	6'-0"	16,000
CONTEMPORARY LAZY L	15-4	29-8	6'-0"	9,400
CONTEMPORARY LAZY L	15-4	31-8	6'-0"	10,200
CONTEMPORARY LAZY L	19-6	35-9	6'-0"	13,400
CONTRA	14-0	30-3	6'-0"	11,100
CONTRA	16-0	33-4	6'-0"	13,900
CRESCENT/KIDNEY	13-2	24-1	6'-0"	7,400
CRESCENT/KIDNEY	15-5	27-7	6'-0"	10,100
CRESCENT/KIDNEY	16-0	29-1	6'-0"	10,800
CRESCENT/KIDNEY	17-7	29-11	6'-0"	12,300
CRESCENT/KIDNEY	15-7	26-11	6'-0"	9,800
CRESCENT/KIDNEY	18-2	32-1	8'-0"	17,200
CRESCENT/KIDNEY	18-9	34-0	8'-0"	18,000
CRESCENT/KIDNEY	19-10	34-0	8'-0"	17,700
CRESCENT/KIDNEY	21-0	36-0	8'-0"	20,900
CRESCENT/KIDNEY	21-5	35-11	8'-0"	19,400
CRESCENT/KIDNEY	22-8	39-11	8'-0"	24,200
CRESCENT/KIDNEY	23-10	41-0	8'-0"	26,400
DIAMOND	21-0	30-0	6'-0"	15,700
DIAMOND	23-11	36-0	8'-0"	25,200
DIAMOND	27-0	40-0	8'-0"	32,600
FIGURE 8	12-0	24-0	6'-0"	7,700
FIGURE 8	14-0	27-10	6'-0"	10,100
FIGURE 8	16-0	32-0	8'-0"	16,800
FIGURE 8	16-0	34-0	8'-0"	18,700

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 7—TRILLIUM POOLS (Continued)

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
FIGURE 8	18-0	35-9	8'-0"	22,100
FIGURE 8	20-0	40-0	8'-0"	27,300
FULL L 6 IN RAD	14-0	30-0	6'-0"	13,000
FULL L 6 IN RAD	16-0	34-0	6'-0"	16,700
FULL L 6 IN RAD	16-0	36-0	6'-0"	18,400
FULL L 6 IN RAD	16-0	41-0	8'-0"	24,100
FULL L 6 IN RAD	18-0	43-0	8'-0"	28,800
FULL L 6 IN RAD	20-0	0-0	8'-0"	29,500
FULL L 6 IN RAD	20-0	46-0	8'-0"	32,900
FULL L 2 FT RAD	14-0	30-0	6'-0"	12,900
FULL L 2 FT RAD	16-0	34-0	6'-0"	17,404
FULL L 2 FT RAD	16-0	36-0	6'-0"	18,400
FULL L 2 FT RAD	16-0	41-0	8'-0"	24,000
FULL L 2 FT RAD	18-0	43-0	8'-0"	28,700
FULL L 2 FT RAD	20-0	40-0	8'-0"	29,500
FULL L 2 FT RAD	20-0	46-0	8'-0"	32,900
FULL L 4 FT RAD	14-0	30-0	6'-0"	12,500
FULL L 4 FT RAD	16-0	34-0	6'-0"	16,200
FULL L 4 FT RAD	16-0	36-0	6'-0"	18,000
FULL L 4 FT RAD	16-0	41-0	8'-0"	23,700
FULL L 4 FT RAD	18-0	43-0	8'-0"	30,759
FULL L 4 FT RAD	20-0	40-0	8'-0"	29,100
FULL L 4 FT RAD	20-0	46-0	8'-0"	35,552
FULL L GRECIAN	16-6	43-6	8'-0"	24,400
GEMINI	13-6	23-8	6'-0"	7,100
GEMINI	16-6	27-11	6'-0"	10,000
GEMINI	16-3	29-2	6'-0"	10,500
GEMINI	16-3	30-1	6'-0"	10,800
GEMINI	18-0	31-3	8'-0"	16,400
GEMINI	18-6	32-0	8'-0"	16,700
GEMINI	18-5	33-10	8'-0"	17,100
GEMINI	20-1	34-3	8'-0"	19,400
GEMINI	20-7	36-0	8'-0"	20,100
GEMINI	21-3	38-0	8'-0"	20,800
GEMINI	22-9	39-11	8'-0"	23,700
GEMINI	25-6	44-0	8'-0"	29,100
GRECIAN	14-6	24-6	6'-0"	9,500
GRECIAN	14-6	28-6	6'-0"	11,000
GRECIAN	16-6	32-6	8'-0"	16,414
GRECIAN	16-6	34-6	8'-0"	17,497
GRECIAN	16-11	30-11	8'-0"	17,500
GRECIAN	19-4	35-4	8'-0"	20,287
GRECIAN	19-4	41-4	8'-0"	25,800
GRECIAN	20-6	40-6	8'-0"	26,300
HELINA	14-0	29-6	6'-0"	12,000
HELINA	16-0	33-6	8'-0"	19,000
JAMAICA	16-3	27-11	6'-0"	11,200
JAMAICA	18-3	31-11	8'-0"	17,900
JAMAICA	20-3	35-11	8'-0"	22,800

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 7—TRILLIUM POOLS (Continued)

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
JAMAICA	22-3	39-11	8'-0"	27,100
KEY	18-10	28-3	6'-0"	11,100
KEY	19-10	31-3	8'-0"	17,700
KEY	20-10	32-3	8'-0"	19,300
KEY	22-10	36-3	8'-0"	25,300
KEY	24-10	40-3	8'-0"	30,700
KEYHOLE	15-2	32-11	8'-0"	17,600
LAGOON	21-10	23-9	6'-0"	10,100
LAGOON	25-11	27-10	6'-0"	13,800
LAGOON	29-9	32-5	8'-0"	22,000
LAGOON	34-1	36-1	8'-0"	27,400
LAGOON	38-0	40-1	8'-0"	33,800
LAZY L 6 IN RAD	19-3	33-9	6'-0"	12,300
LAZY L 6 IN RAD	20-8	33-10	6'-0"	13,800
LAZY L 6 IN RAD	20-8	39-10	8'-0"	20,100
LAZY L 6 IN RAD	22-10	41-7	8'-0"	23,200
LAZY L 6 IN RAD	25-6	47-9	8'-0"	28,900
LAZY L 2 FT RAD	19-10	31-11	6'-0"	11,900
LAZY L 2 FT RAD	19-10	33-0	6'-0"	13,700
LAZY L 2 FT RAD	19-10	35-0	6'-0"	14,700
LAZY L 2 FT RAD	22-0	37-0	8'-0"	19,400
LAZY L 2 FT RAD	18-0	40-9	8'-0"	23,100
LAZY L 4 FT RAD	17-7	32-1	6'-0"	11,900
LAZY L 4 FT RAD	19-0	32-2	6'-0"	13,500
LAZY L 4 FT RAD	19-2	38-2	8'-0"	19,700
LAZY L 4 FT RAD	21-2	39-11	8'-0"	22,800
LAZY L 4 FT RAD	23-10	46-2	8'-0"	28,500
LAZY L GRECIAN	16-6	40-0	8'-0"	21,200
LAZY L OVAL	17-7	31-2	6'-0"	11,100
LAZY L OVAL	19-0	32-1	6'-0"	12,700
LAZY L OVAL	19-0	34-1	6'-0"	13,700
LAZY L OVAL	19-0	37-1	8'-0"	18,400
LAZY L OVAL	21-2	39-11	8'-0"	21,500
LAZY L ROMAN	22-0	42-9	8'-0"	23,200
LIBERTY	12-10	25-11	6'-0"	7,900
LIBERTY	13-9	28-5	6'-0"	8,900
LIBERTY	16-10	31-0	6'-0"	11,500
LIBERTY	21-1	37-7	6'-0"	17,200
MONACO 4 FT RAD	13-0	29-1	6'-0"	10,200
MONACO 4 FT RAD	15-0	37-1	6'-0"	15,400
MONACO K	11-0	25-0	6'-0"	7,900
MONACO K	11-0	28-0	6'-0"	8,700
MONACO K	13-0	29-1	6'-0"	10,600
MONACO K	15-0	33-0	8'-0"	17,800
MONACO K	15-0	36-0	8'-0"	18,600
MONACO K	17-0	36-0	8'-0"	21,800
MONACO K	17-0	40-0	8'-0"	24,800
MONACO K REVERSE	11-0	25-0	6'-0"	8,500

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 7—TRILLIUM POOLS (Continued)

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
MONACO K REVERSE	11-0	28-0	6'-0"	9,400
MONACO K REVERSE	13-0	29-1	6'-0"	11,400
MONACO K REVERSE	15-0	33-0	8'-0"	17,800
MONACO K REVERSE	15-0	36-0	8'-0"	18,800
MONACO K REVERSE	17-0	36-0	8'-0"	21,700
MONACO K REVERSE	17-0	40-0	8'-0"	24,100
MONTE CARLO	15-2	27-11	6'-0"	10,100
MONTE CARLO	17-7	31-8	8'-0"	16,800
MONTE CARLO	20-8	36-2	8'-0"	21,400
MONTE CARLO	22-4	40-3	8'-0"	26,200
MONTEREY	16-0	33-4	6'-0"	13,200
MONTEREY	18-0	34-8	6'-0"	15,700
MONTEREY	19-0	36-1	6'-0"	17,400
MONTEREY	19-0	40-1	6'-0"	19,300
MOUNTAIN LAKE	17-4	28-0	6'-0"	10,100
MOUNTAIN LAKE	18-10	32-0	6'-0"	12,600
MOUNTAIN LAKE	20-1	34-0	6'-0"	13,700
MOUNTAIN LAKE	20-0	34-7	8'-0"	17,300
MOUNTAIN LAKE	21-10	36-0	8'-0"	19,500
MOUNTAIN LAKE	23-10	40-0	8'-0"	23,600
MOUNTAIN LAKE REVERSE	14-0	28-0	6'-0"	9,500
MOUNTAIN LAKE REVERSE	16-0	32-0	6'-0"	11,800
MOUNTAIN LAKE REVERSE	16-0	34-0	6'-0"	12,900
MOUNTAIN LAKE REVERSE	16-0	34-7	8'-0"	16,800
MOUNTAIN LAKE REVERSE	18-0	36-0	8'-0"	18,300
MOUNTAIN LAKE REVERSE	20-0	40-0	8'-0"	22,300
MOUNTAIN OASIS	14-0	31-5	6'-0"	12,100
MOUNTAIN OASIS	16-0	36-6	6'-0"	13,400
MOUNTAIN OASIS	16-0	39-3	8'-0"	19,400
MOUNTAIN OASIS	16-0	44-8	8'-0"	26,400
NORLANDER	11-0	26-0	6'-0"	7,800
NORLANDER	11-0	28-0	6'-0"	8,600
NORLANDER	12-0	27-7	6'-0"	8,700
NORLANDER	12-0	29-7	6'-0"	9,600
NORLANDER	13-0	32-1	6'-0"	11,000
NORLANDER	15-0	34-6	8'-0"	17,000
NORLANDER	15-0	36-6	8'-0"	18,600
NORLANDER	17-0	39-10	8'-0"	23,000
ODESSY	14-0	20-3	6'-0"	6,300
ODESSY	12-1	22-2	6'-0"	6,400
ODESSY	15-2	24-0	6'-0"	7,700
ODESSY	16-8	25-3	6'-0"	9,000
ODESSY	15-9	27-10	6'-0"	9,600
ODESSY	17-6	31-3	8'-0"	15,300
ODESSY	18-6	31-10	8'-0"	16,100
ODESSY	18-8	34-3	8'-0"	16,700
ODESSY	19-4	31-10	8'-0"	17,800
ODESSY	21-2	35-10	8'-0"	19,300
ODESSY	23-7	40-2	8'-0"	24,000

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 7—TRILLIUM POOLS (Continued)

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
OFFSET GRECIAN	16-7	27-7	6'-0"	10,400
OFFSET GRECIAN	18-7	31-7	8'-0"	17,600
OFFSET GRECIAN	20-7	35-7	8'-0"	21,600
OFFSET GRECIAN	22-7	39-7	8'-0"	27,000
OVAL	14-0	28-0	6'-0"	10,500
OVAL	15-0	29-11	6'-0"	11,500
OVAL	16-0	29-11	6'-0"	12,200
OVAL	16-0	31-11	8'-0"	16,600
OVAL	16-0	33-11	8'-0"	17,300
OVAL	17-0	32-10	8'-0"	18,000
OVAL	18-0	36-0	8'-0"	20,000
OVAL	20-0	40-1	8'-0"	25,600
PALETTE	16-0	30-5	6'-0"	11,800
PALETTE	18-0	34-0	6'-0"	15,300
PALETTE	19-0	36-1	6'-0"	17,800
PALETTE	22-0	39-8	8'-0"	25,900
PATRICIAN 6 IN RAD	14-0	28-0	6'-0"	10,900
PATRICIAN 6 IN RAD	14-0	30-0	6'-0"	11,800
PATRICIAN 6 IN RAD	16-0	32-0	8'-0"	17,600
PATRICIAN 6 IN RAD	18-0	36-0	8'-0"	21,400
PATRICIAN 6 IN RAD	18-0	40-0	8'-0"	23,700
PATRICIAN 6 IN RAD	20-0	40-0	8'-0"	27,300
PATRICIAN 6 IN RAD	22-0	44-0	8'-0"	32,700
PATRICIAN 2 FT RAD	14-0	28-0	6'-0"	10,800
PATRICIAN 2 FT RAD	14-0	30-0	6'-0"	11,700
PATRICIAN 2 FT RAD	16-0	32-0	8'-0"	17,500
PATRICIAN 2 FT RAD	18-0	36-0	8'-0"	21,300
PATRICIAN 2 FT RAD	18-0	40-0	8'-0"	23,600
PATRICIAN 2 FT RAD	20-0	40-0	8'-0"	27,200
PATRICIAN 2 FT RAD	22-0	44-0	8'-0"	32,600
RECTANGLE 6 IN RAD	10-0	20-0	6'-0"	5,700
RECTANGLE 6 IN RAD	12-0	24-0	6'-0"	8,300
RECTANGLE 6 IN RAD	14-0	28-0	6'-0"	11,400
RECTANGLE 6 IN RAD	16-0	32-0	8'-0"	18,400
RECTANGLE 6 IN RAD	16-0	34-0	8'-0"	19,300
RECTANGLE 6 IN RAD	16-0	38-0	8'-0"	21,700
RECTANGLE 6 IN RAD	18-0	36-0	8'-0"	22,300
RECTANGLE 6 IN RAD	18-0	38-0	8'-0"	25,200
RECTANGLE 6 IN RAD	20-0	40-0	8'-0"	28,200
RECTANGLE 2 FT RAD	10-0	20-0	6'-0"	5,700
RECTANGLE 2 FT RAD	12-0	24-0	6'-0"	8,200
RECTANGLE 2 FT RAD	14-0	28-0	6'-0"	11,400
RECTANGLE 2 FT RAD	16-0	32-0	8'-0"	18,300
RECTANGLE 2 FT RAD	16-0	34-0	8'-0"	19,000
RECTANGLE 2 FT RAD	16-0	38-0	8'-0"	21,600
RECTANGLE 2 FT RAD	18-0	36-0	8'-0"	22,200
RECTANGLE 2 FT RAD	18-0	38-0	8'-0"	23,600
RECTANGLE 2 FT RAD	20-0	40-0	8'-0"	28,200
RECTANGLE 4 FT RAD	10-0	20-0	6'-0"	5,400

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 7—TRILLIUM POOLS (Continued)

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
RECTANGLE 4 FT RAD	12-0	24-0	6'-0"	7,900
RECTANGLE 4 FT RAD	14-0	28-0	6'-0"	11,000
RECTANGLE 4 FT RAD	16-0	32-0	8'-0"	18,000
RECTANGLE 4 FT RAD	16-0	34-0	8'-0"	18,600
RECTANGLE 4 FT RAD	16-0	38-0	8'-0"	21,200
RECTANGLE 4 FT RAD	18-0	36-0	8'-0"	21,900
RECTANGLE 4 FT RAD	18-0	38-0	8'-0"	23,300
RECTANGLE 4 FT RAD	20-0	40-0	8'-0"	27,800
RIO CARRE	18-7	30-2	6'-0"	12,300
RIO CARRE	19-7	32-2	6'-0"	14,400
RIO CARRE	19-7	34-2	6'-0"	15,100
RIO CARRE	19-7	36-2	6'-0"	16,100
RIO CARRE	21-7	36-2	8'-0"	22,300
RIO CARRE	21-7	40-2	8'-0"	24,600
RIO RONDE	17-11	27-2	6'-0"	11,100
RIO RONDE	21-4	29-7	6'-0"	14,200
RIO RONDE	21-4	31-7	6'-0"	15,200
RIO RONDE	21-4	33-7	6'-0"	16,300
RIO RONDE	22-4	35-4	6'-0"	18,400
RIO RONDE	23-9	40-0	6'-0"	21,400
RIVIERA	21-1	32-7	6'-0"	14,600
RIVIERA	23-1	36-7	8'-0"	22,700
RIVIERA MARK II	22-3	37-4	8'-0"	21,200
ROMAN 6 IN RAD	14-0	27-11	6'-0"	10,500
ROMAN 6 IN RAD	14-0	29-11	6'-0"	11,100
ROMAN 6 IN RAD	16-0	32-0	8'-0"	17,300
ROMAN 6 IN RAD	18-0	36-0	8'-0"	20,900
ROMAN 6 IN RAD	18-0	40-0	8'-0"	22,500
ROMAN 6 IN RAD	20-0	40-0	8'-0"	26,800
ROMAN 6 IN RAD	22-0	44-0	8'-0"	31,300
ROMAN 2 FT RAD	14-0	27-11	6'-0"	10,400
ROMAN 2 FT RAD	14-0	29-11	6'-0"	11,000
ROMAN 2 FT RAD	16-0	32-0	8'-0"	175,200
ROMAN 2 FT RAD	18-0	36-0	8'-0"	20,800
ROMAN 2 FT RAD	18-0	40-0	8'-0"	22,400
ROMAN 2 FT RAD	20-0	40-0	8'-0"	26,700
ROMAN 2 FT RAD	22-0	44-0	8'-0"	31,200
ROUND	18-0	18-0	3'-4"	8,300
ROUND	21-0	21-0	3'-4"	11,400
ROUND	24-0	24-0	3'-4"	14,900
ROUND	32-0	32-0	3'-4"	26,400
SENTRA	14-1	31-4	6'-0"	11,100
SENTRA	16-10	35-5	8'-0"	18,600
SPECIAL FULL L	13-8	30-8	6'-0"	12,100
SPECIAL FULL L	16-1	34-5	8'-0"	20,200
SUMMERVILLE	9-8	23-8	6'-0"	6,700
SUMMERVILLE	11-8	28-8	6'-0"	9,900
SUMMERVILLE	12-6	32-6	6'-0"	11,400
SUMMERVILLE	14-6	32-6	6'-0"	13,300

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 7—TRILLIUM POOLS (Continued)

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
SUMMERVILLE	14-6	36-6	8'-0"	17,900
SUMMERVILLE	16-6	38-6	8'-0"	21,300
SUMMERVILLE	18-6	39-6	8'-0"	24,700
SUPRA	14-0	31-11	6'-0"	11,700
SUPRA	16-0	34-1	6'-0"	14,100
TAMPA	24-0	31-11	8'-0"	19,400
TAMPA	26-0	36-8	8'-0"	22,700
TAMPA	30-0	40-1	8'-0"	28,600
TAORMINA	18-6	28-0	6'-0"	11,200
TAORMINA	18-5	30-0	6'-0"	11,400
TAORMINA	20-5	32-0	8'-0"	17,200
TAORMINA	20-5	34-0	8'-0"	17,800
TAORMINA	20-6	36-2	8'-0"	18,000
TAORMINA	24-0	34-1	8'-0"	20,600
TAORMINA	24-11	36-1	8'-0"	21,700
TAORMINA	24-0	40-0	8'-0"	23,400
TECH C	11-8	23-11	6'-0"	6,300
TECH C	14-1	28-4	6'-0"	8,800
TECH C	16-1	30-0	6'-0"	11,000
TECH C	16-1	32-0	6'-0"	11,800
TECH C	16-1	34-0	6'-0"	12,700
TECH C	18-1	33-7	6'-0"	14,200
TECH C	21-1	35-11	6'-0"	16,900
TECH J	18-3	31-11	6'-0"	11,100
TECH J	21-11	34-10	6'-0"	15,600
TECH K	15-0	30-0	6'-0"	10,400
TECH K	16-0	32-1	6'-0"	12,100
TECH K	18-2	34-0	6'-0"	14,400
TECH K	20-0	36-2	8'-0"	21,700
TECH P	12-0	32-0	6'-0"	11,300
TECH P	15-0	36-0	6'-0"	15,900
TECH P	17-0	40-0	8'-0"	23,500
TECH RIO	14-10	24-6	6'-0"	7,500
TECH RIO	16-10	27-6	6'-0"	10,600
TECH RIO	19-7	30-2	6'-0"	13,600
TECH RIO	19-7	32-2	6'-0"	14,500
TECH RIO	19-7	34-2	6'-0"	15,700
TECH RIO	21-7	36-2	8'-0"	22,000
TECH RIO	21-7	40-2	8'-0"	23,900
TROPIC	12-1	30-6	6'-0"	10,400
TROPIC	18-9	30-6	6'-0"	12,300
TROPIC	18-9	32-6	6'-0"	13,100
TROPIC	16-6	34-6	6'-0"	16,000
TROPIC	19-4	40-4	8'-0"	25,100
TROPICAL	19-4	32-2	8'-0"	18,100
VISTA	14-3	28-0	6'-0"	9,300
VISTA	16-3	32-0	6'-0"	12,600
VISTA	18-8	36-5	6'-0"	16,500
VISTA	20-2	39-10	6'-0"	19,500

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 8—ROCKCLIFFE POOLS

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
CALIFORNIAN	15-3	27-10	6'-0"	9,100
CALIFORNIAN	18-8	30-2	6'-0"	11,300
CALIFORNIAN	18-8	31-8	6'-0"	11,900
CALIFORNIAN	20-10	34-5	6'-0"	14,700
CALIFORNIAN	20-10	36-8	8'-0"	19,500
CALIFORNIAN	23-4	37-10	8'-0"	22,100
CALIFORNIAN	23-4	43-3	8'-0"	24,600
CANCUN	16-5	29-0	6'-0"	11,100
CANCUN	18-7	31-10	6'-0"	14,100
CANCUN	20-1	34-0	6'-0"	15,900
CANCUN	23-1	39-10	8'-0"	24,900
CARAT	16-0	32-0	6'-0"	13,600
CARAT	18-0	36-0	8'-0"	20,900
CARAT	20-0	40-0	8'-0"	25,200
CELEBRITY	12-0	27-11	6'-0"	10,400
CELEBRITY	14-0	29-11	6'-0"	11,400
CELEBRITY	14-0	34-1	8'-0"	17,000
CELEBRITY	14-0	32-6	8'-0"	17,400
CELEBRITY	16-0	35-11	8'-0"	20,000
CELEBRITY	17-0	38-6	8'-0"	23,900
CELEBRITY	20-0	40-0	8'-0"	27,600
CLOVERLEAF	28-6	26-3	6'-0"	16,200
CLOVERLEAF	30-10	29-5	6'-0"	20,300
CONTEMPORARY FULL L	14-0	30-0	6'-0"	12,300
CONTEMPORARY FULL L	16-0	34-0	6'-0"	16,000
CONTEMPORARY LAZY L	15-4	29-8	6'-0"	9,400
CONTEMPORARY LAZY L	15-4	31-8	6'-0"	10,200
CONTEMPORARY LAZY L	19-6	35-9	6'-0"	13,400
CONTRA	14-0	30-3	6'-0"	11,100
CONTRA	16-0	33-4	6'-0"	13,900
CRESCENT/KIDNEY	13-2	24-1	6'-0"	7,400
CRESCENT/KIDNEY	15-5	27-7	6'-0"	10,100
CRESCENT/KIDNEY	16-0	29-1	6'-0"	10,800
CRESCENT/KIDNEY	17-7	29-11	6'-0"	12,300
CRESCENT/KIDNEY	15-7	26-11	6'-0"	9,800
CRESCENT/KIDNEY	18-2	32-1	8'-0"	17,200
CRESCENT/KIDNEY	18-9	34-0	8'-0"	18,000
CRESCENT/KIDNEY	19-10	34-0	8'-0"	17,700
CRESCENT/KIDNEY	21-0	36-0	8'-0"	20,900
CRESCENT/KIDNEY	21-5	35-11	8'-0"	19,400
CRESCENT/KIDNEY	22-8	39-11	8'-0"	24,200
CRESCENT/KIDNEY	23-10	41-0	8'-0"	26,400
DIAMOND	21-0	30-0	6'-0"	15,700
DIAMOND	23-11	36-0	8'-0"	25,200
DIAMOND	27-0	40-0	8'-0"	32,600
FIGURE 8	12-0	24-0	6'-0"	7,700
FIGURE 8	14-0	27-10	6'-0"	10,100
FIGURE 8	16-0	32-0	8'-0"	16,800
FIGURE 8	16-0	34-0	8'-0"	18,700

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 8—ROCKCLIFFE POOLS (Continued)

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
FIGURE 8	18-0	35-9	8'-0"	22,100
FIGURE 8	20-0	40-0	8'-0"	27,300
FULL L 6 IN RAD	14-0	30-0	6'-0"	13,000
FULL L 6 IN RAD	16-0	34-0	6'-0"	16,700
FULL L 6 IN RAD	16-0	36-0	6'-0"	18,400
FULL L 6 IN RAD	16-0	41-0	8'-0"	24,100
FULL L 6 IN RAD	18-0	43-0	8'-0"	28,800
FULL L 6 IN RAD	20-0	0-0	8'-0"	29,500
FULL L 6 IN RAD	20-0	46-0	8'-0"	32,900
FULL L 2 FT RAD	14-0	30-0	6'-0"	12,900
FULL L 2 FT RAD	16-0	34-0	6'-0"	17,404
FULL L 2 FT RAD	16-0	36-0	6'-0"	18,400
FULL L 2 FT RAD	16-0	41-0	8'-0"	24,000
FULL L 2 FT RAD	18-0	43-0	8'-0"	28,700
FULL L 2 FT RAD	20-0	40-0	8'-0"	29,500
FULL L 2 FT RAD	20-0	46-0	8'-0"	32,900
FULL L 4 FT RAD	14-0	30-0	6'-0"	12,500
FULL L 4 FT RAD	16-0	34-0	6'-0"	16,200
FULL L 4 FT RAD	16-0	36-0	6'-0"	18,000
FULL L 4 FT RAD	16-0	41-0	8'-0"	23,700
FULL L 4 FT RAD	18-0	43-0	8'-0"	30,759
FULL L 4 FT RAD	20-0	40-0	8'-0"	29,100
FULL L 4 FT RAD	20-0	46-0	8'-0"	35,552
FULL L GRECIAN	16-6	43-6	8'-0"	24,400
GEMINI	13-6	23-8	6'-0"	7,100
GEMINI	16-6	27-11	6'-0"	10,000
GEMINI	16-3	29-2	6'-0"	10,500
GEMINI	16-3	30-1	6'-0"	10,800
GEMINI	18-0	31-3	8'-0"	16,400
GEMINI	18-6	32-0	8'-0"	16,700
GEMINI	18-5	33-10	8'-0"	17,100
GEMINI	20-1	34-3	8'-0"	19,400
GEMINI	20-7	36-0	8'-0"	20,100
GEMINI	21-3	38-0	8'-0"	20,800
GEMINI	22-9	39-11	8'-0"	23,700
GEMINI	25-6	44-0	8'-0"	29,100
GRECIAN	14-6	24-6	6'-0"	9,500
GRECIAN	14-6	28-6	6'-0"	11,000
GRECIAN	16-6	32-6	8'-0"	16,414
GRECIAN	16-6	34-6	8'-0"	17,497
GRECIAN	16-11	30-11	8'-0"	17,500
GRECIAN	19-4	35-4	8'-0"	20,287
GRECIAN	19-4	41-4	8'-0"	25,800
GRECIAN	20-6	40-6	8'-0"	26,300
HELINA	14-0	29-6	6'-0"	12,000
HELINA	16-0	33-6	8'-0"	19,000
JAMAICA	16-3	27-11	6'-0"	11,200
JAMAICA	18-3	31-11	8'-0"	17,900
JAMAICA	20-3	35-11	8'-0"	22,800

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 8—ROCKCLIFFE POOLS (Continued)

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
JAMAICA	22-3	39-11	8'-0"	27,100
KEY	18-10	28-3	6'-0"	11,100
KEY	19-10	31-3	8'-0"	17,700
KEY	20-10	32-3	8'-0"	19,300
KEY	22-10	36-3	8'-0"	25,300
KEY	24-10	40-3	8'-0"	30,700
KEYHOLE	15-2	32-11	8'-0"	17,600
LAGOON	21-10	23-9	6'-0"	10,100
LAGOON	25-11	27-10	6'-0"	13,800
LAGOON	29-9	32-5	8'-0"	22,000
LAGOON	34-1	36-1	8'-0"	27,400
LAGOON	38-0	40-1	8'-0"	33,800
LAZY L 6 IN RAD	19-3	33-9	6'-0"	12,300
LAZY L 6 IN RAD	20-8	33-10	6'-0"	13,800
LAZY L 6 IN RAD	20-8	39-10	8'-0"	20,100
LAZY L 6 IN RAD	22-10	41-7	8'-0"	23,200
LAZY L 6 IN RAD	25-6	47-9	8'-0"	28,900
LAZY L 2 FT RAD	19-10	31-11	6'-0"	11,900
LAZY L 2 FT RAD	19-10	33-0	6'-0"	13,700
LAZY L 2 FT RAD	19-10	35-0	6'-0"	14,700
LAZY L 2 FT RAD	22-0	37-0	8'-0"	19,400
LAZY L 2 FT RAD	18-0	40-9	8'-0"	23,100
LAZY L 4 FT RAD	17-7	32-1	6'-0"	11,900
LAZY L 4 FT RAD	19-0	32-2	6'-0"	13,500
LAZY L 4 FT RAD	19-2	38-2	8'-0"	19,700
LAZY L 4 FT RAD	21-2	39-11	8'-0"	22,800
LAZY L 4 FT RAD	23-10	46-2	8'-0"	28,500
LAZY L GRECIAN	16-6	40-0	8'-0"	21,200
LAZY L OVAL	17-7	31-2	6'-0"	11,100
LAZY L OVAL	19-0	32-1	6'-0"	12,700
LAZY L OVAL	19-0	34-1	6'-0"	13,700
LAZY L OVAL	19-0	37-1	8'-0"	18,400
LAZY L OVAL	21-2	39-11	8'-0"	21,500
LAZY L ROMAN	22-0	42-9	8'-0"	23,200
LIBERTY	12-10	25-11	6'-0"	7,900
LIBERTY	13-9	28-5	6'-0"	8,900
LIBERTY	16-10	31-0	6'-0"	11,500
LIBERTY	21-1	37-7	6'-0"	17,200
MONACO 4 FT RAD	13-0	29-1	6'-0"	10,200
MONACO 4 FT RAD	15-0	37-1	6'-0"	15,400
MONACO K	11-0	25-0	6'-0"	7,900
MONACO K	11-0	28-0	6'-0"	8,700
MONACO K	13-0	29-1	6'-0"	10,600
MONACO K	15-0	33-0	8'-0"	17,800
MONACO K	15-0	36-0	8'-0"	18,600
MONACO K	17-0	36-0	8'-0"	21,800
MONACO K	17-0	40-0	8'-0"	24,800
MONACO K REVERSE	13-0	29-1	6'-0"	11,400
MONACO K REVERSE	15-0	33-0	8'-0"	17,800

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 8—ROCKCLIFFE POOLS (Continued)

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
MONACO K REVERSE	15-0	36-0	8'-0"	18,800
MONACO K REVERSE	11-0	25-0	6'-0"	8,500
MONACO K REVERSE	11-0	28-0	6'-0"	9,400
MONACO K REVERSE	17-0	36-0	8'-0"	21,700
MONACO K REVERSE	17-0	40-0	8'-0"	24,100
MONTE CARLO	15-2	27-11	6'-0"	10,100
MONTE CARLO	17-7	31-8	8'-0"	16,800
MONTE CARLO	20-8	36-2	8'-0"	21,400
MONTE CARLO	22-4	40-3	8'-0"	26,200
MONTEREY	16-0	33-4	6'-0"	13,200
MONTEREY	18-0	34-8	6'-0"	15,700
MONTEREY	19-0	36-1	6'-0"	17,400
MONTEREY	19-0	40-1	6'-0"	19,300
MOUNTAIN LAKE	17-4	28-0	6'-0"	10,100
MOUNTAIN LAKE	18-10	32-0	6'-0"	12,600
MOUNTAIN LAKE	20-1	34-0	6'-0"	13,700
MOUNTAIN LAKE	20-0	34-7	8'-0"	17,300
MOUNTAIN LAKE	21-10	36-0	8'-0"	19,500
MOUNTAIN LAKE	23-10	40-0	8'-0"	23,600
MOUNTAIN LAKE REVERSE	14-0	28-0	6'-0"	9,500
MOUNTAIN LAKE REVERSE	16-0	32-0	6'-0"	11,800
MOUNTAIN LAKE REVERSE	16-0	34-0	6'-0"	12,900
MOUNTAIN LAKE REVERSE	16-0	34-7	8'-0"	16,800
MOUNTAIN LAKE REVERSE	18-0	36-0	8'-0"	18,300
MOUNTAIN LAKE REVERSE	20-0	40-0	8'-0"	22,300
MOUNTAIN OASIS	14-0	31-5	6'-0"	12,100
MOUNTAIN OASIS	16-0	36-6	6'-0"	13,400
MOUNTAIN OASIS	16-0	39-3	8'-0"	19,400
MOUNTAIN OASIS	16-0	44-8	8'-0"	26,400
NORLANDER	11-0	26-0	6'-0"	7,800
NORLANDER	11-0	28-0	6'-0"	8,600
NORLANDER	12-0	27-7	6'-0"	8,700
NORLANDER	12-0	29-7	6'-0"	9,600
NORLANDER	13-0	32-1	6'-0"	11,000
NORLANDER	15-0	34-6	8'-0"	17,000
NORLANDER	15-0	36-6	8'-0"	18,600
NORLANDER	17-0	39-10	8'-0"	23,000
ODESSY	14-0	20-3	6'-0"	6,300
ODESSY	12-1	22-2	6'-0"	6,400
ODESSY	15-2	24-0	6'-0"	7,700
ODESSY	16-8	25-3	6'-0"	9,000
ODESSY	15-9	27-10	6'-0"	9,600
ODESSY	17-6	31-3	8'-0"	15,300
ODESSY	18-6	31-10	8'-0"	16,100
ODESSY	18-8	34-3	8'-0"	16,700
ODESSY	19-4	31-10	8'-0"	17,800
ODESSY	21-2	35-10	8'-0"	19,300
ODESSY	23-7	40-2	8'-0"	24,000
OFFSET GRECIAN	16-7	27-7	6'-0"	10,400

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 8—ROCKCLIFFE POOLS (Continued)

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
OFFSET GRECIAN	18-7	31-7	8'-0"	17,600
OFFSET GRECIAN	20-7	35-7	8'-0"	21,600
OFFSET GRECIAN	22-7	39-7	8'-0"	27,000
OVAL	14-0	28-0	6'-0"	10,500
OVAL	15-0	29-11	6'-0"	11,500
OVAL	16-0	29-11	6'-0"	12,200
OVAL	16-0	31-11	8'-0"	16,600
OVAL	16-0	33-11	8'-0"	17,300
OVAL	17-0	32-10	8'-0"	18,000
OVAL	18-0	36-0	8'-0"	20,000
OVAL	20-0	40-1	8'-0"	25,600
PALETTE	16-0	30-5	6'-0"	11,800
PALETTE	18-0	34-0	6'-0"	15,300
PALETTE	19-0	36-1	6'-0"	17,800
PALETTE	22-0	39-8	8'-0"	25,900
PATRICIAN 6 IN RAD	14-0	28-0	6'-0"	10,900
PATRICIAN 6 IN RAD	14-0	30-0	6'-0"	11,800
PATRICIAN 6 IN RAD	16-0	32-0	8'-0"	17,600
PATRICIAN 6 IN RAD	18-0	36-0	8'-0"	21,400
PATRICIAN 6 IN RAD	18-0	40-0	8'-0"	23,700
PATRICIAN 6 IN RAD	20-0	40-0	8'-0"	27,300
PATRICIAN 6 IN RAD	22-0	44-0	8'-0"	32,700
PATRICIAN 2 FT RAD	14-0	28-0	6'-0"	10,800
PATRICIAN 2 FT RAD	14-0	30-0	6'-0"	11,700
PATRICIAN 2 FT RAD	16-0	32-0	8'-0"	17,500
PATRICIAN 2 FT RAD	18-0	36-0	8'-0"	21,300
PATRICIAN 2 FT RAD	18-0	40-0	8'-0"	23,600
PATRICIAN 2 FT RAD	20-0	40-0	8'-0"	27,200
PATRICIAN 2 FT RAD	22-0	44-0	8'-0"	32,600
RECTANGLE 6 IN RAD	10-0	20-0	6'-0"	5,700
RECTANGLE 6 IN RAD	12-0	24-0	6'-0"	8,300
RECTANGLE 6 IN RAD	14-0	28-0	6'-0"	11,400
RECTANGLE 6 IN RAD	16-0	32-0	8'-0"	18,400
RECTANGLE 6 IN RAD	16-0	34-0	8'-0"	19,300
RECTANGLE 6 IN RAD	16-0	38-0	8'-0"	21,700
RECTANGLE 6 IN RAD	18-0	36-0	8'-0"	22,300
RECTANGLE 6 IN RAD	18-0	38-0	8'-0"	25,200
RECTANGLE 6 IN RAD	20-0	40-0	8'-0"	28,200
RECTANGLE 2 FT RAD	10-0	20-0	6'-0"	5,700
RECTANGLE 2 FT RAD	12-0	24-0	6'-0"	8,200
RECTANGLE 2 FT RAD	14-0	28-0	6'-0"	11,400
RECTANGLE 2 FT RAD	16-0	32-0	8'-0"	18,300
RECTANGLE 2 FT RAD	16-0	34-0	8'-0"	19,000
RECTANGLE 2 FT RAD	16-0	38-0	8'-0"	21,600
RECTANGLE 2 FT RAD	18-0	36-0	8'-0"	22,200
RECTANGLE 2 FT RAD	18-0	38-0	8'-0"	23,600
RECTANGLE 2 FT RAD	20-0	40-0	8'-0"	28,200
RECTANGLE 4 FT RAD	10-0	20-0	6'-0"	5,400
RECTANGLE 4 FT RAD	12-0	24-0	6'-0"	7,900

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 8—ROCKCLIFFE POOLS (Continued)

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
RECTANGLE 4 FT RAD	14-0	28-0	6'-0"	11,000
RECTANGLE 4 FT RAD	16-0	32-0	8'-0"	18,000
RECTANGLE 4 FT RAD	16-0	34-0	8'-0"	18,600
RECTANGLE 4 FT RAD	16-0	38-0	8'-0"	21,200
RECTANGLE 4 FT RAD	18-0	36-0	8'-0"	21,900
RECTANGLE 4 FT RAD	18-0	38-0	8'-0"	23,300
RECTANGLE 4 FT RAD	20-0	40-0	8'-0"	27,800
RIO CARRE	18-7	30-2	6'-0"	12,300
RIO CARRE	19-7	32-2	6'-0"	14,400
RIO CARRE	19-7	34-2	6'-0"	15,100
RIO CARRE	19-7	36-2	6'-0"	16,100
RIO CARRE	21-7	36-2	8'-0"	22,300
RIO CARRE	21-7	40-2	8'-0"	24,600
RIO RONDE	17-11	27-2	6'-0"	11,100
RIO RONDE	21-4	29-7	6'-0"	14,200
RIO RONDE	21-4	31-7	6'-0"	15,200
RIO RONDE	21-4	33-7	6'-0"	16,300
RIO RONDE	22-4	35-4	6'-0"	18,400
RIO RONDE	23-9	40-0	6'-0"	21,400
RIVIERA	21-1	32-7	6'-0"	14,600
RIVIERA	23-1	36-7	8'-0"	22,700
RIVIERA MARK II	22-3	37-4	8'-0"	21,200
ROMAN 6 IN RAD	14-0	27-11	6'-0"	10,500
ROMAN 6 IN RAD	14-0	29-11	6'-0"	11,100
ROMAN 6 IN RAD	16-0	32-0	8'-0"	17,300
ROMAN 6 IN RAD	18-0	36-0	8'-0"	20,900
ROMAN 6 IN RAD	18-0	40-0	8'-0"	22,500
ROMAN 6 IN RAD	20-0	40-0	8'-0"	26,800
ROMAN 6 IN RAD	22-0	44-0	8'-0"	31,300
ROMAN 2 FT RAD	14-0	27-11	6'-0"	10,400
ROMAN 2 FT RAD	14-0	29-11	6'-0"	11,000
ROMAN 2 FT RAD	16-0	32-0	8'-0"	175,200
ROMAN 2 FT RAD	18-0	36-0	8'-0"	20,800
ROMAN 2 FT RAD	18-0	40-0	8'-0"	22,400
ROMAN 2 FT RAD	20-0	40-0	8'-0"	26,700
ROMAN 2 FT RAD	22-0	44-0	8'-0"	31,200
ROUND	18-0	18-0	3'-4"	8,300
ROUND	21-0	21-0	3'-4"	11,400
ROUND	24-0	24-0	3'-4"	14,900
ROUND	32-0	32-0	3'-4"	26,400
SENTRA	14-1	31-4	6'-0"	11,100
SENTRA	16-10	35-5	8'-0"	18,600
SPECIAL FULL L	13-8	30-8	6'-0"	12,100
SPECIAL FULL L	16-1	34-5	8'-0"	20,200
SUMMERVILLE	9-8	23-8	6'-0"	6,700
SUMMERVILLE	11-8	28-8	6'-0"	9,900
SUMMERVILLE	12-6	32-6	6'-0"	11,400
SUMMERVILLE	14-6	32-6	6'-0"	13,300
SUMMERVILLE	14-6	36-6	8'-0"	17,900

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 8—ROCKCLIFFE POOLS (Continued)

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
SUMMERVILLE	16-6	38-6	8'-0"	21,300
SUMMERVILLE	18-6	39-6	8'-0"	24,700
SUPRA	14-0	31-11	6'-0"	11,700
SUPRA	16-0	34-1	6'-0"	14,100
TAMPA	24-0	31-11	8'-0"	19,400
TAMPA	26-0	36-8	8'-0"	22,700
TAMPA	30-0	40-1	8'-0"	28,600
TAORMINA	18-6	28-0	6'-0"	11,200
TAORMINA	18-5	30-0	6'-0"	11,400
TAORMINA	20-5	32-0	8'-0"	17,200
TAORMINA	20-5	34-0	8'-0"	17,800
TAORMINA	20-6	36-2	8'-0"	18,000
TAORMINA	24-0	34-1	8'-0"	20,600
TAORMINA	24-11	36-1	8'-0"	21,700
TAORMINA	24-0	40-0	8'-0"	23,400
TECH C	11-8	23-11	6'-0"	6,300
TECH C	14-1	28-4	6'-0"	8,800
TECH C	16-1	30-0	6'-0"	11,000
TECH C	16-1	32-0	6'-0"	11,800
TECH C	16-1	34-0	6'-0"	12,700
TECH C	18-1	33-7	6'-0"	14,200
TECH C	21-1	35-11	6'-0"	16,900
TECH J	18-3	31-11	6'-0"	11,100
TECH J	21-11	34-10	6'-0"	15,600
TECH K	15-0	30-0	6'-0"	10,400
TECH K	16-0	32-1	6'-0"	12,100
TECH K	18-2	34-0	6'-0"	14,400
TECH K	20-0	36-2	8'-0"	21,700
TECH P	12-0	32-0	6'-0"	11,300
TECH P	15-0	36-0	6'-0"	15,900
TECH P	17-0	40-0	8'-0"	23,500
TECH RIO	14-10	24-6	6'-0"	7,500
TECH RIO	16-10	27-6	6'-0"	10,600
TECH RIO	19-7	30-2	6'-0"	13,600
TECH RIO	19-7	32-2	6'-0"	14,500
TECH RIO	19-7	34-2	6'-0"	15,700
TECH RIO	21-7	36-2	8'-0"	22,000
TECH RIO	21-7	40-2	8'-0"	23,900
TROPIC	12-1	30-6	6'-0"	10,400
TROPIC	18-9	30-6	6'-0"	12,300
TROPIC	18-9	32-6	6'-0"	13,100
TROPIC	16-6	34-6	6'-0"	16,000
TROPIC	19-4	40-4	8'-0"	25,100
TROPICAL	19-4	32-2	8'-0"	18,100
VISTA	14-3	28-0	6'-0"	9,300
VISTA	16-3	32-0	6'-0"	12,600
VISTA	18-8	36-5	6'-0"	16,500
VISTA	20-2	39-10	6'-0"	19,500

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 9—SYSTEM 55 POOLS

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
CALIFORNIAN	15-3	27-10	6'-0"	9,100
CALIFORNIAN	18-8	30-2	6'-0"	11,300
CALIFORNIAN	18-8	31-8	6'-0"	11,900
CALIFORNIAN	20-10	34-5	6'-0"	14,700
CALIFORNIAN	20-10	36-8	8'-0"	19,500
CALIFORNIAN	23-4	37-10	8'-0"	22,100
CALIFORNIAN	23-4	43-3	8'-0"	24,600
CANCUN	16-5	29-0	6'-0"	11,100
CANCUN	18-7	31-10	6'-0"	14,100
CANCUN	20-1	34-0	6'-0"	15,900
CANCUN	23-1	39-10	8'-0"	24,900
CARAT	16-0	32-0	6'-0"	13,600
CARAT	18-0	36-0	8'-0"	20,900
CARAT	20-0	40-0	8'-0"	25,200
CELEBRITY	12-0	27-11	6'-0"	10,400
CELEBRITY	14-0	29-11	6'-0"	11,400
CELEBRITY	14-0	34-1	8'-0"	17,000
CELEBRITY	14-0	32-6	8'-0"	17,400
CELEBRITY	16-0	35-11	8'-0"	20,000
CELEBRITY	17-0	38-6	8'-0"	23,900
CELEBRITY	20-0	40-0	8'-0"	27,600
CLOVERLEAF	28-6	26-3	6'-0"	16,200
CLOVERLEAF	30-10	29-5	6'-0"	20,300
CONTEMPORARY FULL L	14-0	30-0	6'-0"	12,300
CONTEMPORARY FULL L	16-0	34-0	6'-0"	16,000
CONTEMPORARY LAZY L	15-4	29-8	6'-0"	9,400
CONTEMPORARY LAZY L	15-4	31-8	6'-0"	10,200
CONTEMPORARY LAZY L	19-6	35-9	6'-0"	13,400
CONTRA	14-0	30-3	6'-0"	11,100
CONTRA	16-0	33-4	6'-0"	13,900
CRESCENT/KIDNEY	13-2	24-1	6'-0"	7,400
CRESCENT/KIDNEY	15-5	27-7	6'-0"	10,100
CRESCENT/KIDNEY	16-0	29-1	6'-0"	10,800
CRESCENT/KIDNEY	17-7	29-11	6'-0"	12,300
CRESCENT/KIDNEY	15-7	26-11	6'-0"	9,800
CRESCENT/KIDNEY	18-2	32-1	8'-0"	17,200
CRESCENT/KIDNEY	18-9	34-0	8'-0"	18,000
CRESCENT/KIDNEY	19-10	34-0	8'-0"	17,700
CRESCENT/KIDNEY	21-0	36-0	8'-0"	20,900
CRESCENT/KIDNEY	21-5	35-11	8'-0"	19,400
CRESCENT/KIDNEY	22-8	39-11	8'-0"	24,200
CRESCENT/KIDNEY	23-10	41-0	8'-0"	26,400
DIAMOND	21-0	30-0	6'-0"	15,700
DIAMOND	23-11	36-0	8'-0"	25,200
DIAMOND	27-0	40-0	8'-0"	32,600
FIGURE 8	12-0	24-0	6'-0"	7,700
FIGURE 8	14-0	27-10	6'-0"	10,100
FIGURE 8	16-0	32-0	8'-0"	16,800
FIGURE 8	16-0	34-0	8'-0"	18,700

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 9—SYSTEM 55 POOLS (Continued)

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
FIGURE 8	18-0	35-9	8'-0"	22,100
FIGURE 8	20-0	40-0	8'-0"	27,300
FULL L 6 IN RAD	14-0	30-0	6'-0"	13,000
FULL L 6 IN RAD	16-0	34-0	6'-0"	16,700
FULL L 6 IN RAD	16-0	36-0	6'-0"	18,400
FULL L 6 IN RAD	16-0	41-0	8'-0"	24,100
FULL L 6 IN RAD	18-0	43-0	8'-0"	28,800
FULL L 6 IN RAD	20-0	0-0	8'-0"	29,500
FULL L 6 IN RAD	20-0	46-0	8'-0"	32,900
FULL L 2 FT RAD	14-0	30-0	6'-0"	12,900
FULL L 2 FT RAD	16-0	34-0	6'-0"	17,404
FULL L 2 FT RAD	16-0	36-0	6'-0"	18,400
FULL L 2 FT RAD	16-0	41-0	8'-0"	24,000
FULL L 2 FT RAD	18-0	43-0	8'-0"	28,700
FULL L 2 FT RAD	20-0	40-0	8'-0"	29,500
FULL L 2 FT RAD	20-0	46-0	8'-0"	32,900
FULL L 4 FT RAD	14-0	30-0	6'-0"	12,500
FULL L 4 FT RAD	16-0	34-0	6'-0"	16,200
FULL L 4 FT RAD	16-0	36-0	6'-0"	18,000
FULL L 4 FT RAD	16-0	41-0	8'-0"	23,700
FULL L 4 FT RAD	18-0	43-0	8'-0"	30,759
FULL L 4 FT RAD	20-0	40-0	8'-0"	29,100
FULL L 4 FT RAD	20-0	46-0	8'-0"	35,552
FULL L GRECIAN	16-6	43-6	8'-0"	24,400
GEMINI	13-6	23-8	6'-0"	7,100
GEMINI	16-6	27-11	6'-0"	10,000
GEMINI	16-3	29-2	6'-0"	10,500
GEMINI	16-3	30-1	6'-0"	10,800
GEMINI	18-0	31-3	8'-0"	16,400
GEMINI	18-6	32-0	8'-0"	16,700
GEMINI	18-5	33-10	8'-0"	17,100
GEMINI	20-1	34-3	8'-0"	19,400
GEMINI	20-7	36-0	8'-0"	20,100
GEMINI	21-3	38-0	8'-0"	20,800
GEMINI	22-9	39-11	8'-0"	23,700
GEMINI	25-6	44-0	8'-0"	29,100
GRECIAN	14-6	24-6	6'-0"	9,500
GRECIAN	14-6	28-6	6'-0"	11,000
GRECIAN	16-6	32-6	8'-0"	16,414
GRECIAN	16-6	34-6	8'-0"	17,497
GRECIAN	16-11	30-11	8'-0"	17,500
GRECIAN	19-4	35-4	8'-0"	20,287
GRECIAN	19-4	41-4	8'-0"	25,800
GRECIAN	20-6	40-6	8'-0"	26,300
HELINA	14-0	29-6	6'-0"	12,000
HELINA	16-0	33-6	8'-0"	19,000
JAMAICA	16-3	27-11	6'-0"	11,200
JAMAICA	18-3	31-11	8'-0"	17,900
JAMAICA	20-3	35-11	8'-0"	22,800

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 9—SYSTEM 55 POOLS (Continued)

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
JAMAICA	22-3	39-11	8'-0"	27,100
KEY	18-10	28-3	6'-0"	11,100
KEY	19-10	31-3	8'-0"	17,700
KEY	20-10	32-3	8'-0"	19,300
KEY	22-10	36-3	8'-0"	25,300
KEY	24-10	40-3	8'-0"	30,700
KEYHOLE	15-2	32-11	8'-0"	17,600
LAGOON	21-10	23-9	6'-0"	10,100
LAGOON	25-11	27-10	6'-0"	13,800
LAGOON	29-9	32-5	8'-0"	22,000
LAGOON	34-1	36-1	8'-0"	27,400
LAGOON	38-0	40-1	8'-0"	33,800
LAZY L 6 IN RAD	19-3	33-9	6'-0"	12,300
LAZY L 6 IN RAD	20-8	33-10	6'-0"	13,800
LAZY L 6 IN RAD	20-8	39-10	8'-0"	20,100
LAZY L 6 IN RAD	22-10	41-7	8'-0"	23,200
LAZY L 6 IN RAD	25-6	47-9	8'-0"	28,900
LAZY L 2 FT RAD	19-10	31-11	6'-0"	11,900
LAZY L 2 FT RAD	19-10	33-0	6'-0"	13,700
LAZY L 2 FT RAD	19-10	35-0	6'-0"	14,700
LAZY L 2 FT RAD	22-0	37-0	8'-0"	19,400
LAZY L 2 FT RAD	18-0	40-9	8'-0"	23,100
LAZY L 4 FT RAD	17-7	32-1	6'-0"	11,900
LAZY L 4 FT RAD	19-0	32-2	6'-0"	13,500
LAZY L 4 FT RAD	19-2	38-2	8'-0"	19,700
LAZY L 4 FT RAD	21-2	39-11	8'-0"	22,800
LAZY L 4 FT RAD	23-10	46-2	8'-0"	28,500
LAZY L GRECIAN	16-6	40-0	8'-0"	21,200
LAZY L OVAL	17-7	31-2	6'-0"	11,100
LAZY L OVAL	19-0	32-1	6'-0"	12,700
LAZY L OVAL	19-0	34-1	6'-0"	13,700
LAZY L OVAL	19-0	37-1	8'-0"	18,400
LAZY L OVAL	21-2	39-11	8'-0"	21,500
LAZY L ROMAN	22-0	42-9	8'-0"	23,200
LIBERTY	12-10	25-11	6'-0"	7,900
LIBERTY	13-9	28-5	6'-0"	8,900
LIBERTY	16-10	31-0	6'-0"	11,500
LIBERTY	21-1	37-7	6'-0"	17,200
MONACO 4 FT RAD	13-0	29-1	6'-0"	10,200
MONACO 4 FT RAD	15-0	37-1	6'-0"	15,400
MONACO K	11-0	25-0	6'-0"	7,900
MONACO K	11-0	28-0	6'-0"	8,700
MONACO K	13-0	29-1	6'-0"	10,600
MONACO K	15-0	33-0	8'-0"	17,800
MONACO K	15-0	36-0	8'-0"	18,600
MONACO K	17-0	36-0	8'-0"	21,800
MONACO K	17-0	40-0	8'-0"	24,800
MONACO K REVERSE	11-0	25-0	6'-0"	8,500
MONACO K REVERSE	11-0	28-0	6'-0"	9,400

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 9—SYSTEM 55 POOLS (Continued)

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
MONACO K REVERSE	13-0	29-1	6'-0"	11,400
MONACO K REVERSE	15-0	33-0	8'-0"	17,800
MONACO K REVERSE	15-0	36-0	8'-0"	18,800
MONACO K REVERSE	17-0	36-0	8'-0"	21,700
MONACO K REVERSE	17-0	40-0	8'-0"	24,100
MONTE CARLO	15-2	27-11	6'-0"	10,100
MONTE CARLO	17-7	31-8	8'-0"	16,800
MONTE CARLO	20-8	36-2	8'-0"	21,400
MONTE CARLO	22-4	40-3	8'-0"	26,200
MONTEREY	16-0	33-4	6'-0"	13,200
MONTEREY	18-0	34-8	6'-0"	15,700
MONTEREY	19-0	36-1	6'-0"	17,400
MONTEREY	19-0	40-1	6'-0"	19,300
MOUNTAIN LAKE	17-4	28-0	6'-0"	10,100
MOUNTAIN LAKE	18-10	32-0	6'-0"	12,600
MOUNTAIN LAKE	20-1	34-0	6'-0"	13,700
MOUNTAIN LAKE	20-0	34-7	8'-0"	17,300
MOUNTAIN LAKE	21-10	36-0	8'-0"	19,500
MOUNTAIN LAKE	23-10	40-0	8'-0"	23,600
MOUNTAIN LAKE REVERSE	14-0	28-0	6'-0"	9,500
MOUNTAIN LAKE REVERSE	16-0	32-0	6'-0"	11,800
MOUNTAIN LAKE REVERSE	16-0	34-0	6'-0"	12,900
MOUNTAIN LAKE REVERSE	16-0	34-7	8'-0"	16,800
MOUNTAIN LAKE REVERSE	18-0	36-0	8'-0"	18,300
MOUNTAIN LAKE REVERSE	20-0	40-0	8'-0"	22,300
MOUNTAIN OASIS	14-0	31-5	6'-0"	12,100
MOUNTAIN OASIS	16-0	36-6	6'-0"	13,400
MOUNTAIN OASIS	16-0	39-3	8'-0"	19,400
MOUNTAIN OASIS	16-0	44-8	8'-0"	26,400
NORLANDER	11-0	26-0	6'-0"	7,800
NORLANDER	11-0	28-0	6'-0"	8,600
NORLANDER	12-0	27-7	6'-0"	8,700
NORLANDER	12-0	29-7	6'-0"	9,600
NORLANDER	13-0	32-1	6'-0"	11,000
NORLANDER	15-0	34-6	8'-0"	17,000
NORLANDER	15-0	36-6	8'-0"	18,600
NORLANDER	17-0	39-10	8'-0"	23,000
ODESSY	14-0	20-3	6'-0"	6,300
ODESSY	12-1	22-2	6'-0"	6,400
ODESSY	15-2	24-0	6'-0"	7,700
ODESSY	16-8	25-3	6'-0"	9,000
ODESSY	15-9	27-10	6'-0"	9,600
ODESSY	17-6	31-3	8'-0"	15,300
ODESSY	18-6	31-10	8'-0"	16,100
ODESSY	18-8	34-3	8'-0"	16,700
ODESSY	19-4	31-10	8'-0"	17,800
ODESSY	21-2	35-10	8'-0"	19,300
ODESSY	23-7	40-2	8'-0"	24,000
OFFSET GRECIAN	16-7	27-7	6'-0"	10,400

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 9—SYSTEM 55 POOLS (Continued)

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
OFFSET GRECIAN	18-7	31-7	8'-0"	17,600
OFFSET GRECIAN	20-7	35-7	8'-0"	21,600
OFFSET GRECIAN	22-7	39-7	8'-0"	27,000
OVAL	14-0	28-0	6'-0"	10,500
OVAL	15-0	29-11	6'-0"	11,500
OVAL	16-0	29-11	6'-0"	12,200
OVAL	16-0	31-11	8'-0"	16,600
OVAL	16-0	33-11	8'-0"	17,300
OVAL	17-0	32-10	8'-0"	18,000
OVAL	18-0	36-0	8'-0"	20,000
OVAL	20-0	40-1	8'-0"	25,600
PALETTE	16-0	30-5	6'-0"	11,800
PALETTE	18-0	34-0	6'-0"	15,300
PALETTE	19-0	36-1	6'-0"	17,800
PALETTE	22-0	39-8	8'-0"	25,900
PATRICIAN 6 IN RAD	14-0	28-0	6'-0"	10,900
PATRICIAN 6 IN RAD	14-0	30-0	6'-0"	11,800
PATRICIAN 6 IN RAD	16-0	32-0	8'-0"	17,600
PATRICIAN 6 IN RAD	18-0	36-0	8'-0"	21,400
PATRICIAN 6 IN RAD	18-0	40-0	8'-0"	23,700
PATRICIAN 6 IN RAD	20-0	40-0	8'-0"	27,300
PATRICIAN 6 IN RAD	22-0	44-0	8'-0"	32,700
PATRICIAN 2 FT RAD	14-0	28-0	6'-0"	10,800
PATRICIAN 2 FT RAD	14-0	30-0	6'-0"	11,700
PATRICIAN 2 FT RAD	16-0	32-0	8'-0"	17,500
PATRICIAN 2 FT RAD	18-0	36-0	8'-0"	21,300
PATRICIAN 2 FT RAD	18-0	40-0	8'-0"	23,600
PATRICIAN 2 FT RAD	20-0	40-0	8'-0"	27,200
PATRICIAN 2 FT RAD	22-0	44-0	8'-0"	32,600
RECTANGLE 6 IN RAD	10-0	20-0	6'-0"	5,700
RECTANGLE 6 IN RAD	12-0	24-0	6'-0"	8,300
RECTANGLE 6 IN RAD	14-0	28-0	6'-0"	11,400
RECTANGLE 6 IN RAD	16-0	32-0	8'-0"	18,400
RECTANGLE 6 IN RAD	16-0	34-0	8'-0"	19,300
RECTANGLE 6 IN RAD	16-0	38-0	8'-0"	21,700
RECTANGLE 6 IN RAD	18-0	36-0	8'-0"	22,300
RECTANGLE 6 IN RAD	18-0	38-0	8'-0"	25,200
RECTANGLE 6 IN RAD	20-0	40-0	8'-0"	28,200
RECTANGLE 2 FT RAD	10-0	20-0	6'-0"	5,700
RECTANGLE 2 FT RAD	12-0	24-0	6'-0"	8,200
RECTANGLE 2 FT RAD	14-0	28-0	6'-0"	11,400
RECTANGLE 2 FT RAD	16-0	32-0	8'-0"	18,300
RECTANGLE 2 FT RAD	16-0	34-0	8'-0"	19,000
RECTANGLE 2 FT RAD	16-0	38-0	8'-0"	21,600
RECTANGLE 2 FT RAD	18-0	36-0	8'-0"	22,200
RECTANGLE 2 FT RAD	18-0	38-0	8'-0"	23,600
RECTANGLE 2 FT RAD	20-0	40-0	8'-0"	28,200
RECTANGLE 4 FT RAD	10-0	20-0	6'-0"	5,400
RECTANGLE 4 FT RAD	12-0	24-0	6'-0"	7,900

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 9—SYSTEM 55 POOLS (Continued)

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
RECTANGLE 4 FT RAD	14-0	28-0	6'-0"	11,000
RECTANGLE 4 FT RAD	16-0	32-0	8'-0"	18,000
RECTANGLE 4 FT RAD	16-0	34-0	8'-0"	18,600
RECTANGLE 4 FT RAD	16-0	38-0	8'-0"	21,200
RECTANGLE 4 FT RAD	18-0	36-0	8'-0"	21,900
RECTANGLE 4 FT RAD	18-0	38-0	8'-0"	23,300
RECTANGLE 4 FT RAD	20-0	40-0	8'-0"	27,800
RIO CARRE	18-7	30-2	6'-0"	12,300
RIO CARRE	19-7	32-2	6'-0"	14,400
RIO CARRE	19-7	34-2	6'-0"	15,100
RIO CARRE	19-7	36-2	6'-0"	16,100
RIO CARRE	21-7	36-2	8'-0"	22,300
RIO CARRE	21-7	40-2	8'-0"	24,600
RIO RONDE	17-11	27-2	6'-0"	11,100
RIO RONDE	21-4	29-7	6'-0"	14,200
RIO RONDE	21-4	31-7	6'-0"	15,200
RIO RONDE	21-4	33-7	6'-0"	16,300
RIO RONDE	22-4	35-4	6'-0"	18,400
RIO RONDE	23-9	40-0	6'-0"	21,400
RIVIERA	21-1	32-7	6'-0"	14,600
RIVIERA	23-1	36-7	8'-0"	22,700
RIVIERA MARK II	22-3	37-4	8'-0"	21,200
ROMAN 6 IN RAD	14-0	27-11	6'-0"	10,500
ROMAN 6 IN RAD	14-0	29-11	6'-0"	11,100
ROMAN 6 IN RAD	16-0	32-0	8'-0"	17,300
ROMAN 6 IN RAD	18-0	36-0	8'-0"	20,900
ROMAN 6 IN RAD	18-0	40-0	8'-0"	22,500
ROMAN 6 IN RAD	20-0	40-0	8'-0"	26,800
ROMAN 6 IN RAD	22-0	44-0	8'-0"	31,300
ROMAN 2 FT RAD	14-0	27-11	6'-0"	10,400
ROMAN 2 FT RAD	14-0	29-11	6'-0"	11,000
ROMAN 2 FT RAD	16-0	32-0	8'-0"	175,200
ROMAN 2 FT RAD	18-0	36-0	8'-0"	20,800
ROMAN 2 FT RAD	18-0	40-0	8'-0"	22,400
ROMAN 2 FT RAD	20-0	40-0	8'-0"	26,700
ROMAN 2 FT RAD	22-0	44-0	8'-0"	31,200
ROUND	18-0	18-0	3'-4"	8,300
ROUND	21-0	21-0	3'-4"	11,400
ROUND	24-0	24-0	3'-4"	14,900
ROUND	32-0	32-0	3'-4"	26,400
SENTRA	14-1	31-4	6'-0"	11,100
SENTRA	16-10	35-5	8'-0"	18,600
SPECIAL FULL L	13-8	30-8	6'-0"	12,100
SPECIAL FULL L	16-1	34-5	8'-0"	20,200
SUMMERVILLE	9-8	23-8	6'-0"	6,700
SUMMERVILLE	11-8	28-8	6'-0"	9,900
SUMMERVILLE	12-6	32-6	6'-0"	11,400
SUMMERVILLE	14-6	32-6	6'-0"	13,300

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 9—SYSTEM 55 POOLS (Continued)

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
SUMMERVILLE	14-6	36-6	8'-0"	17,900
SUMMERVILLE	16-6	38-6	8'-0"	21,300
SUMMERVILLE	18-6	39-6	8'-0"	24,700
SUPRA	14-0	31-11	6'-0"	11,700
SUPRA	16-0	34-1	6'-0"	14,100
TAMPA	24-0	31-11	8'-0"	19,400
TAMPA	26-0	36-8	8'-0"	22,700
TAMPA	30-0	40-1	8'-0"	28,600
TAORMINA	18-6	28-0	6'-0"	11,200
TAORMINA	18-5	30-0	6'-0"	11,400
TAORMINA	20-5	32-0	8'-0"	17,200
TAORMINA	20-5	34-0	8'-0"	17,800
TAORMINA	20-6	36-2	8'-0"	18,000
TAORMINA	24-0	34-1	8'-0"	20,600
TAORMINA	24-11	36-1	8'-0"	21,700
TAORMINA	24-0	40-0	8'-0"	23,400
TECH C	11-8	23-11	6'-0"	6,300
TECH C	14-1	28-4	6'-0"	8,800
TECH C	16-1	30-0	6'-0"	11,000
TECH C	16-1	32-0	6'-0"	11,800
TECH C	16-1	34-0	6'-0"	12,700
TECH C	18-1	33-7	6'-0"	14,200
TECH C	21-1	35-11	6'-0"	16,900
TECH J	18-3	31-11	6'-0"	11,100
TECH J	21-11	34-10	6'-0"	15,600
TECH K	15-0	30-0	6'-0"	10,400
TECH K	16-0	32-1	6'-0"	12,100
TECH K	18-2	34-0	6'-0"	14,400
TECH K	20-0	36-2	8'-0"	21,700
TECH P	12-0	32-0	6'-0"	11,300
TECH P	15-0	36-0	6'-0"	15,900
TECH P	17-0	40-0	8'-0"	23,500
TECH RIO	14-10	24-6	6'-0"	7,500
TECH RIO	16-10	27-6	6'-0"	10,600
TECH RIO	19-7	30-2	6'-0"	13,600
TECH RIO	19-7	32-2	6'-0"	14,500
TECH RIO	19-7	34-2	6'-0"	15,700
TECH RIO	21-7	36-2	8'-0"	22,000
TECH RIO	21-7	40-2	8'-0"	23,900
TROPIC	12-1	30-6	6'-0"	10,400
TROPIC	18-9	30-6	6'-0"	12,300
TROPIC	18-9	32-6	6'-0"	13,100
TROPIC	16-6	34-6	6'-0"	16,000
TROPIC	19-4	40-4	8'-0"	25,100
TROPICAL	19-4	32-2	8'-0"	18,100
VISTA	14-3	28-0	6'-0"	9,300
VISTA	16-3	32-0	6'-0"	12,600
VISTA	18-8	36-5	6'-0"	16,500
VISTA	20-2	39-10	6'-0"	19,500

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 10—ECHO POOLS

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
CALIFORNIAN	15-3	27-10	6'-0"	9,100
CALIFORNIAN	18-8	30-2	6'-0"	11,300
CALIFORNIAN	18-8	31-8	6'-0"	11,900
CALIFORNIAN	20-10	34-5	6'-0"	14,700
CALIFORNIAN	20-10	36-8	8'-0"	19,500
CALIFORNIAN	23-4	37-10	8'-0"	22,100
CALIFORNIAN	23-4	43-3	8'-0"	24,600
CANCUN	16-5	29-0	6'-0"	11,100
CANCUN	18-7	31-10	6'-0"	14,100
CANCUN	20-1	34-0	6'-0"	15,900
CANCUN	23-1	39-10	8'-0"	24,900
CARAT	16-0	32-0	6'-0"	13,600
CARAT	18-0	36-0	8'-0"	20,900
CARAT	20-0	40-0	8'-0"	25,200
CELEBRITY	12-0	27-11	6'-0"	10,400
CELEBRITY	14-0	29-11	6'-0"	11,400
CELEBRITY	14-0	34-1	8'-0"	17,000
CELEBRITY	14-0	32-6	8'-0"	17,400
CELEBRITY	16-0	35-11	8'-0"	20,000
CELEBRITY	17-0	38-6	8'-0"	23,900
CELEBRITY	20-0	40-0	8'-0"	27,600
CLOVERLEAF	28-6	26-3	6'-0"	16,200
CLOVERLEAF	30-10	29-5	6'-0"	20,300
CONTEMPORARY FULL L	14-0	30-0	6'-0"	12,300
CONTEMPORARY FULL L	16-0	34-0	6'-0"	16,000
CONTEMPORARY LAZY L	15-4	29-8	6'-0"	9,400
CONTEMPORARY LAZY L	15-4	31-8	6'-0"	10,200
CONTEMPORARY LAZY L	19-6	35-9	6'-0"	13,400
CONTRA	14-0	30-3	6'-0"	11,100
CONTRA	16-0	33-4	6'-0"	13,900
CRESCENT/KIDNEY	13-2	24-1	6'-0"	7,400
CRESCENT/KIDNEY	15-5	27-7	6'-0"	10,100
CRESCENT/KIDNEY	16-0	29-1	6'-0"	10,800
CRESCENT/KIDNEY	17-7	29-11	6'-0"	12,300
CRESCENT/KIDNEY	15-7	26-11	6'-0"	9,800
CRESCENT/KIDNEY	18-2	32-1	8'-0"	17,200
CRESCENT/KIDNEY	18-9	34-0	8'-0"	18,000
CRESCENT/KIDNEY	19-10	34-0	8'-0"	17,700
CRESCENT/KIDNEY	21-0	36-0	8'-0"	20,900
CRESCENT/KIDNEY	21-5	35-11	8'-0"	19,400
CRESCENT/KIDNEY	22-8	39-11	8'-0"	24,200
CRESCENT/KIDNEY	23-10	41-0	8'-0"	26,400
DIAMOND	21-0	30-0	6'-0"	15,700
DIAMOND	23-11	36-0	8'-0"	25,200
DIAMOND	27-0	40-0	8'-0"	32,600
FIGURE 8	12-0	24-0	6'-0"	7,700
FIGURE 8	14-0	27-10	6'-0"	10,100
FIGURE 8	16-0	32-0	8'-0"	16,800
FIGURE 8	16-0	34-0	8'-0"	18,700

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 10—ECHO POOLS (Continued)

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
FIGURE 8	18-0	35-9	8'-0"	22,100
FIGURE 8	20-0	40-0	8'-0"	27,300
FULL L 6 IN RAD	14-0	30-0	6'-0"	13,000
FULL L 6 IN RAD	16-0	34-0	6'-0"	16,700
FULL L 6 IN RAD	16-0	36-0	6'-0"	18,400
FULL L 6 IN RAD	16-0	41-0	8'-0"	24,100
FULL L 6 IN RAD	18-0	43-0	8'-0"	28,800
FULL L 6 IN RAD	20-0	0-0	8'-0"	29,500
FULL L 6 IN RAD	20-0	46-0	8'-0"	32,900
FULL L 2 FT RAD	14-0	30-0	6'-0"	12,900
FULL L 2 FT RAD	16-0	34-0	6'-0"	17,404
FULL L 2 FT RAD	16-0	36-0	6'-0"	18,400
FULL L 2 FT RAD	16-0	41-0	8'-0"	24,000
FULL L 2 FT RAD	18-0	43-0	8'-0"	28,700
FULL L 2 FT RAD	20-0	40-0	8'-0"	29,500
FULL L 2 FT RAD	20-0	46-0	8'-0"	32,900
FULL L 4 FT RAD	14-0	30-0	6'-0"	12,500
FULL L 4 FT RAD	16-0	34-0	6'-0"	16,200
FULL L 4 FT RAD	16-0	36-0	6'-0"	18,000
FULL L 4 FT RAD	16-0	41-0	8'-0"	23,700
FULL L 4 FT RAD	18-0	43-0	8'-0"	30,759
FULL L 4 FT RAD	20-0	40-0	8'-0"	29,100
FULL L 4 FT RAD	20-0	46-0	8'-0"	35,552
FULL L GRECIAN	16-6	43-6	8'-0"	24,400
GEMINI	13-6	23-8	6'-0"	7,100
GEMINI	16-6	27-11	6'-0"	10,000
GEMINI	16-3	29-2	6'-0"	10,500
GEMINI	16-3	30-1	6'-0"	10,800
GEMINI	18-0	31-3	8'-0"	16,400
GEMINI	18-6	32-0	8'-0"	16,700
GEMINI	18-5	33-10	8'-0"	17,100
GEMINI	20-1	34-3	8'-0"	19,400
GEMINI	20-7	36-0	8'-0"	20,100
GEMINI	21-3	38-0	8'-0"	20,800
GEMINI	22-9	39-11	8'-0"	23,700
GEMINI	25-6	44-0	8'-0"	29,100
GRECIAN	14-6	24-6	6'-0"	9,500
GRECIAN	14-6	28-6	6'-0"	11,000
GRECIAN	16-6	32-6	8'-0"	16,414
GRECIAN	16-6	34-6	8'-0"	17,497
GRECIAN	16-11	30-11	8'-0"	17,500
GRECIAN	19-4	35-4	8'-0"	20,287
GRECIAN	19-4	41-4	8'-0"	25,800
GRECIAN	20-6	40-6	8'-0"	26,300
HELINA	14-0	29-6	6'-0"	12,000
HELINA	16-0	33-6	8'-0"	19,000
JAMAICA	16-3	27-11	6'-0"	11,200
JAMAICA	18-3	31-11	8'-0"	17,900
JAMAICA	20-3	35-11	8'-0"	22,800

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 10—ECHO POOLS (Continued)

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
JAMAICA	22-3	39-11	8'-0"	27,100
KEY	18-10	28-3	6'-0"	11,100
KEY	19-10	31-3	8'-0"	17,700
KEY	20-10	32-3	8'-0"	19,300
KEY	22-10	36-3	8'-0"	25,300
KEY	24-10	40-3	8'-0"	30,700
KEYHOLE	15-2	32-11	8'-0"	17,600
LAGOON	21-10	23-9	6'-0"	10,100
LAGOON	25-11	27-10	6'-0"	13,800
LAGOON	29-9	32-5	8'-0"	22,000
LAGOON	34-1	36-1	8'-0"	27,400
LAGOON	38-0	40-1	8'-0"	33,800
LAZY L 6 IN RAD	19-3	33-9	6'-0"	12,300
LAZY L 6 IN RAD	20-8	33-10	6'-0"	13,800
LAZY L 6 IN RAD	20-8	39-10	8'-0"	20,100
LAZY L 6 IN RAD	22-10	41-7	8'-0"	23,200
LAZY L 6 IN RAD	25-6	47-9	8'-0"	28,900
LAZY L 2 FT RAD	19-10	31-11	6'-0"	11,900
LAZY L 2 FT RAD	19-10	33-0	6'-0"	13,700
LAZY L 2 FT RAD	19-10	35-0	6'-0"	14,700
LAZY L 2 FT RAD	22-0	37-0	8'-0"	19,400
LAZY L 2 FT RAD	18-0	40-9	8'-0"	23,100
LAZY L 4 FT RAD	17-7	32-1	6'-0"	11,900
LAZY L 4 FT RAD	19-0	32-2	6'-0"	13,500
LAZY L 4 FT RAD	19-2	38-2	8'-0"	19,700
LAZY L 4 FT RAD	21-2	39-11	8'-0"	22,800
LAZY L 4 FT RAD	23-10	46-2	8'-0"	28,500
LAZY L GRECIAN	16-6	40-0	8'-0"	21,200
LAZY L OVAL	17-7	31-2	6'-0"	11,100
LAZY L OVAL	19-0	32-1	6'-0"	12,700
LAZY L OVAL	19-0	34-1	6'-0"	13,700
LAZY L OVAL	19-0	37-1	8'-0"	18,400
LAZY L OVAL	21-2	39-11	8'-0"	21,500
LAZY L ROMAN	22-0	42-9	8'-0"	23,200
LIBERTY	12-10	25-11	6'-0"	7,900
LIBERTY	13-9	28-5	6'-0"	8,900
LIBERTY	16-10	31-0	6'-0"	11,500
LIBERTY	21-1	37-7	6'-0"	17,200
MONACO 4 FT RAD	13-0	29-1	6'-0"	10,200
MONACO 4 FT RAD	15-0	37-1	6'-0"	15,400
MONACO K	11-0	25-0	6'-0"	7,900
MONACO K	11-0	28-0	6'-0"	8,700
MONACO K	13-0	29-1	6'-0"	10,600
MONACO K	15-0	33-0	8'-0"	17,800
MONACO K	15-0	36-0	8'-0"	18,600
MONACO K	17-0	36-0	8'-0"	21,800
MONACO K	17-0	40-0	8'-0"	24,800
MONACO K REVERSE	11-0	25-0	6'-0"	8,500
MONACO K REVERSE	11-0	28-0	6'-0"	9,400

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 10—ECHO POOLS (Continued)

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
MONACO K REVERSE	13-0	29-1	6'-0"	11,400
MONACO K REVERSE	15-0	33-0	8'-0"	17,800
MONACO K REVERSE	15-0	36-0	8'-0"	18,800
MONACO K REVERSE	17-0	36-0	8'-0"	21,700
MONACO K REVERSE	17-0	40-0	8'-0"	24,100
MONTE CARLO	15-2	27-11	6'-0"	10,100
MONTE CARLO	17-7	31-8	8'-0"	16,800
MONTE CARLO	20-8	36-2	8'-0"	21,400
MONTE CARLO	22-4	40-3	8'-0"	26,200
MONTEREY	16-0	33-4	6'-0"	13,200
MONTEREY	18-0	34-8	6'-0"	15,700
MONTEREY	19-0	36-1	6'-0"	17,400
MONTEREY	19-0	40-1	6'-0"	19,300
MOUNTAIN LAKE	17-4	28-0	6'-0"	10,100
MOUNTAIN LAKE	18-10	32-0	6'-0"	12,600
MOUNTAIN LAKE	20-1	34-0	6'-0"	13,700
MOUNTAIN LAKE	20-0	34-7	8'-0"	17,300
MOUNTAIN LAKE	21-10	36-0	8'-0"	19,500
MOUNTAIN LAKE	23-10	40-0	8'-0"	23,600
MOUNTAIN LAKE REVERSE	14-0	28-0	6'-0"	9,500
MOUNTAIN LAKE REVERSE	16-0	32-0	6'-0"	11,800
MOUNTAIN LAKE REVERSE	16-0	34-0	6'-0"	12,900
MOUNTAIN LAKE REVERSE	16-0	34-7	8'-0"	16,800
MOUNTAIN LAKE REVERSE	18-0	36-0	8'-0"	18,300
MOUNTAIN LAKE REVERSE	20-0	40-0	8'-0"	22,300
MOUNTAIN OASIS	14-0	31-5	6'-0"	12,100
MOUNTAIN OASIS	16-0	36-6	6'-0"	13,400
MOUNTAIN OASIS	16-0	39-3	8'-0"	19,400
MOUNTAIN OASIS	16-0	44-8	8'-0"	26,400
NORLANDER	11-0	26-0	6'-0"	7,800
NORLANDER	11-0	28-0	6'-0"	8,600
NORLANDER	12-0	27-7	6'-0"	8,700
NORLANDER	12-0	29-7	6'-0"	9,600
NORLANDER	13-0	32-1	6'-0"	11,000
NORLANDER	15-0	34-6	8'-0"	17,000
NORLANDER	15-0	36-6	8'-0"	18,600
NORLANDER	17-0	39-10	8'-0"	23,000
ODESSY	14-0	20-3	6'-0"	6,300
ODESSY	12-1	22-2	6'-0"	6,400
ODESSY	15-2	24-0	6'-0"	7,700
ODESSY	16-8	25-3	6'-0"	9,000
ODESSY	15-9	27-10	6'-0"	9,600
ODESSY	17-6	31-3	8'-0"	15,300
ODESSY	18-6	31-10	8'-0"	16,100
ODESSY	18-8	34-3	8'-0"	16,700
ODESSY	19-4	31-10	8'-0"	17,800
ODESSY	21-2	35-10	8'-0"	19,300
ODESSY	23-7	40-2	8'-0"	24,000
OFFSET GRECIAN	16-7	27-7	6'-0"	10,400

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 10—ECHO POOLS (Continued)

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
OFFSET GRECIAN	18-7	31-7	8'-0"	17,600
OFFSET GRECIAN	20-7	35-7	8'-0"	21,600
OFFSET GRECIAN	22-7	39-7	8'-0"	27,000
OVAL	14-0	28-0	6'-0"	10,500
OVAL	15-0	29-11	6'-0"	11,500
OVAL	16-0	29-11	6'-0"	12,200
OVAL	16-0	31-11	8'-0"	16,600
OVAL	16-0	33-11	8'-0"	17,300
OVAL	17-0	32-10	8'-0"	18,000
OVAL	18-0	36-0	8'-0"	20,000
OVAL	20-0	40-1	8'-0"	25,600
PALETTE	16-0	30-5	6'-0"	11,800
PALETTE	18-0	34-0	6'-0"	15,300
PALETTE	19-0	36-1	6'-0"	17,800
PALETTE	22-0	39-8	8'-0"	25,900
PATRICIAN 6 IN RAD	14-0	28-0	6'-0"	10,900
PATRICIAN 6 IN RAD	14-0	30-0	6'-0"	11,800
PATRICIAN 6 IN RAD	16-0	32-0	8'-0"	17,600
PATRICIAN 6 IN RAD	18-0	36-0	8'-0"	21,400
PATRICIAN 6 IN RAD	18-0	40-0	8'-0"	23,700
PATRICIAN 6 IN RAD	20-0	40-0	8'-0"	27,300
PATRICIAN 6 IN RAD	22-0	44-0	8'-0"	32,700
PATRICIAN 2 FT RAD	14-0	28-0	6'-0"	10,800
PATRICIAN 2 FT RAD	14-0	30-0	6'-0"	11,700
PATRICIAN 2 FT RAD	16-0	32-0	8'-0"	17,500
PATRICIAN 2 FT RAD	18-0	36-0	8'-0"	21,300
PATRICIAN 2 FT RAD	18-0	40-0	8'-0"	23,600
PATRICIAN 2 FT RAD	20-0	40-0	8'-0"	27,200
PATRICIAN 2 FT RAD	22-0	44-0	8'-0"	32,600
RECTANGLE 6 IN RAD	10-0	20-0	6'-0"	5,700
RECTANGLE 6 IN RAD	12-0	24-0	6'-0"	8,300
RECTANGLE 6 IN RAD	14-0	28-0	6'-0"	11,400
RECTANGLE 6 IN RAD	16-0	32-0	8'-0"	18,400
RECTANGLE 6 IN RAD	16-0	34-0	8'-0"	19,300
RECTANGLE 6 IN RAD	16-0	38-0	8'-0"	21,700
RECTANGLE 6 IN RAD	18-0	36-0	8'-0"	22,300
RECTANGLE 6 IN RAD	18-0	38-0	8'-0"	25,200
RECTANGLE 6 IN RAD	20-0	40-0	8'-0"	28,200
RECTANGLE 2 FT RAD	10-0	20-0	6'-0"	5,700
RECTANGLE 2 FT RAD	12-0	24-0	6'-0"	8,200
RECTANGLE 2 FT RAD	14-0	28-0	6'-0"	11,400
RECTANGLE 2 FT RAD	16-0	32-0	8'-0"	18,300
RECTANGLE 2 FT RAD	16-0	34-0	8'-0"	19,000
RECTANGLE 2 FT RAD	16-0	38-0	8'-0"	21,600
RECTANGLE 2 FT RAD	18-0	36-0	8'-0"	22,200
RECTANGLE 2 FT RAD	18-0	38-0	8'-0"	23,600
RECTANGLE 2 FT RAD	20-0	40-0	8'-0"	28,200
RECTANGLE 4 FT RAD	10-0	20-0	6'-0"	5,400
RECTANGLE 4 FT RAD	12-0	24-0	6'-0"	7,900

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 10—ECHO POOLS (Continued)

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
RECTANGLE 4 FT RAD	14-0	28-0	6'-0"	11,000
RECTANGLE 4 FT RAD	16-0	32-0	8'-0"	18,000
RECTANGLE 4 FT RAD	16-0	32-0	8'-0"	18,000
RECTANGLE 4 FT RAD	16-0	34-0	8'-0"	18,600
RECTANGLE 4 FT RAD	16-0	38-0	8'-0"	21,200
RECTANGLE 4 FT RAD	18-0	36-0	8'-0"	21,900
RECTANGLE 4 FT RAD	18-0	38-0	8'-0"	23,300
RECTANGLE 4 FT RAD	20-0	40-0	8'-0"	27,800
RIO CARRE	18-7	30-2	6'-0"	12,300
RIO CARRE	19-7	32-2	6'-0"	14,400
RIO CARRE	19-7	34-2	6'-0"	15,100
RIO CARRE	19-7	36-2	6'-0"	16,100
RIO CARRE	21-7	36-2	8'-0"	22,300
RIO CARRE	21-7	40-2	8'-0"	24,600
RIO RONDE	17-11	27-2	6'-0"	11,100
RIO RONDE	21-4	29-7	6'-0"	14,200
RIO RONDE	21-4	31-7	6'-0"	15,200
RIO RONDE	21-4	33-7	6'-0"	16,300
RIO RONDE	22-4	35-4	6'-0"	18,400
RIO RONDE	23-9	40-0	6'-0"	21,400
RIVIERA	21-1	32-7	6'-0"	14,600
RIVIERA	23-1	36-7	8'-0"	22,700
RIVIERA MARK II	22-3	37-4	8'-0"	21,200
ROMAN 6 IN RAD	14-0	27-11	6'-0"	10,500
ROMAN 6 IN RAD	14-0	29-11	6'-0"	11,100
ROMAN 6 IN RAD	16-0	32-0	8'-0"	17,300
ROMAN 6 IN RAD	18-0	36-0	8'-0"	20,900
ROMAN 6 IN RAD	18-0	40-0	8'-0"	22,500
ROMAN 6 IN RAD	20-0	40-0	8'-0"	26,800
ROMAN 6 IN RAD	22-0	44-0	8'-0"	31,300
ROMAN 2 FT RAD	14-0	27-11	6'-0"	10,400
ROMAN 2 FT RAD	14-0	29-11	6'-0"	11,000
ROMAN 2 FT RAD	16-0	32-0	8'-0"	175,200
ROMAN 2 FT RAD	18-0	36-0	8'-0"	20,800
ROMAN 2 FT RAD	18-0	40-0	8'-0"	22,400
ROMAN 2 FT RAD	20-0	40-0	8'-0"	26,700
ROMAN 2 FT RAD	22-0	44-0	8'-0"	31,200
ROUND	18-0	18-0	3'-4"	8,300
ROUND	21-0	21-0	3'-4"	11,400
ROUND	24-0	24-0	3'-4"	14,900
ROUND	32-0	32-0	3'-4"	26,400
SENTRA	14-1	31-4	6'-0"	11,100
SENTRA	16-10	35-5	8'-0"	18,600
SPECIAL FULL L	13-8	30-8	6'-0"	12,100
SPECIAL FULL L	16-1	34-5	8'-0"	20,200
SUMMERVILLE	9-8	23-8	6'-0"	6,700
SUMMERVILLE	11-8	28-8	6'-0"	9,900
SUMMERVILLE	12-6	32-6	6'-0"	11,400
SUMMERVILLE	14-6	32-6	6'-0"	13,300

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.

TABLE 10—ECHO POOLS (Continued)

Model No.	Width (ft.-in.)	Length (ft.-in.)	Maximum Depth (ft.-in.)	Volume (US gallons)
SUMMERVILLE	14-6	36-6	8'-0"	17,900
SUMMERVILLE	16-6	38-6	8'-0"	21,300
SUMMERVILLE	18-6	39-6	8'-0"	24,700
SUPRA	14-0	31-11	6'-0"	11,700
SUPRA	16-0	34-1	6'-0"	14,100
TAMPA	24-0	31-11	8'-0"	19,400
TAMPA	26-0	36-8	8'-0"	22,700
TAMPA	30-0	40-1	8'-0"	28,600
TAORMINA	18-6	28-0	6'-0"	11,200
TAORMINA	18-5	30-0	6'-0"	11,400
TAORMINA	20-5	32-0	8'-0"	17,200
TAORMINA	20-5	34-0	8'-0"	17,800
TAORMINA	20-6	36-2	8'-0"	18,000
TAORMINA	24-0	34-1	8'-0"	20,600
TAORMINA	24-11	36-1	8'-0"	21,700
TAORMINA	24-0	40-0	8'-0"	23,400
TECH C	11-8	23-11	6'-0"	6,300
TECH C	14-1	28-4	6'-0"	8,800
TECH C	16-1	30-0	6'-0"	11,000
TECH C	16-1	32-0	6'-0"	11,800
TECH C	16-1	34-0	6'-0"	12,700
TECH C	18-1	33-7	6'-0"	14,200
TECH C	21-1	35-11	6'-0"	16,900
TECH J	18-3	31-11	6'-0"	11,100
TECH J	21-11	34-10	6'-0"	15,600
TECH K	15-0	30-0	6'-0"	10,400
TECH K	16-0	32-1	6'-0"	12,100
TECH K	18-2	34-0	6'-0"	14,400
TECH K	20-0	36-2	8'-0"	21,700
TECH P	12-0	32-0	6'-0"	11,300
TECH P	15-0	36-0	6'-0"	15,900
TECH P	17-0	40-0	8'-0"	23,500
TECH RIO	14-10	24-6	6'-0"	7,500
TECH RIO	16-10	27-6	6'-0"	10,600
TECH RIO	19-7	30-2	6'-0"	13,600
TECH RIO	19-7	32-2	6'-0"	14,500
TECH RIO	19-7	34-2	6'-0"	15,700
TECH RIO	21-7	36-2	8'-0"	22,000
TECH RIO	21-7	40-2	8'-0"	23,900
TROPIC	12-1	30-6	6'-0"	10,400
TROPIC	18-9	30-6	6'-0"	12,300
TROPIC	18-9	32-6	6'-0"	13,100
TROPIC	16-6	34-6	6'-0"	16,000
TROPIC	19-4	40-4	8'-0"	25,100
TROPICAL	19-4	32-2	8'-0"	18,100
VISTA	14-3	28-0	6'-0"	9,300
VISTA	16-3	32-0	6'-0"	12,600
VISTA	18-8	36-5	6'-0"	16,500
VISTA	20-2	39-10	6'-0"	19,500

SI: 1 inch = 2.54 mm, 1 foot = 305 mm, 1 gallon = 3.785 L.